

# Local Coverage Article: Billing and Coding: Allergy Testing (A57181)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

---

## Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
Noridian Healthcare Solutions, LLC	A and B MAC	01112 - MAC B	J - E	California - Northern
Noridian Healthcare Solutions, LLC	A and B MAC	01182 - MAC B	J - E	California - Southern
Noridian Healthcare Solutions, LLC	A and B MAC	01212 - MAC B	J - E	American Samoa Guam Hawaii Northern Mariana Islands
Noridian Healthcare Solutions, LLC	A and B MAC	01312 - MAC B	J - E	Nevada

---

## Article Information

### General Information

**Article ID**

A57181

**Article Title**

Billing and Coding: Allergy Testing

**Article Type**

Billing and Coding

**Original Effective Date**

10/01/2019

**Revision Effective Date**

10/01/2020

**Revision Ending Date**

N/A

**Retirement Date**

N/A

## **AMA CPT / ADA CDT / AHA NUBC Copyright Statement**

CPT codes, descriptions and other data only are copyright 2019 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Current Dental Terminology © 2019 American Dental Association. All rights reserved.

Copyright © 2020, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at [ub04@healthforum.com](mailto:ub04@healthforum.com).

## **CMS National Coverage Policy**

Title XVIII of the Social Security Act (SSA), 1862(a)(1)(A), states that no Medicare payment shall be made for items or services that "are not reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member."

Title XVIII of the Social Security Act, 1862(a)(7) and 42 Code of Federal Regulations, §411.15, exclude routine physical examinations.

Title XVIII of the Social Security Act, 1833(e), prohibits Medicare payment for any claim lacking the necessary documentation to process the claim.

CMS Manual System, Pub. 100-03, *Medicare National Coverage Determinations Manual*, Chapter 1, Part 2, §110.11; food allergy testing and treatment.

## Article Guidance

### Article Text:

The following coding and billing guidance is to be used with its associated Local coverage determination.

### Documentation Requirements

It is expected that supportive documentation evidencing the condition and treatment will be documented in the medical record and be available to the Contractor upon request.

Documentation, such as ICD-10-CM codes, supporting the medical necessity of the service must be submitted with each claim. Claims submitted without such evidence will be denied as not medically reasonable and necessary.

### Utilization Guidelines

The evaluation of an inhalant may require up to 90 prick-puncture tests followed by up to 40 intracutaneous tests which are usually performed when prick/puncture tests are negative. Sometimes 60 intracutaneous tests performed via multi test, in lieu of prick puncture, may be appropriate for selected patients (for example young children, older adults and needle phobic individuals.)

The number of percutaneous tests performed for the evaluation of food sensitivity may require up to 40 tests.

The total number of tests, i.e. prick or intracutaneous, should not exceed generally accepted standards of testing set forth by professional associations. Exceeding these parameters may be justified if preliminary testing failed and immunotherapy failed to control symptoms.

In California, for CPT code 95004, among patients treated by Allergists, over half required fewer than 100 tests. The great majority required less than 120-130 tests, and only 5% required more than 200 tests. Some of the high-test group includes repeat testing necessitated by unsatisfactory response to clinical treatment and a clinical need for further investigation. For CPT code 95024, among patients treated by Allergists, over half required only 12 tests, and only 5% required 70 or more tests. High-utilization testing may be selected for medical review when inconsistent with clinical practice norms.

---

## Coding Information

### CPT/HCPCS Codes

#### Group 1 Paragraph:

N/A

#### Group 1 Codes:

CODE	DESCRIPTION
86003	ALLERGEN SPECIFIC IGE; QUANTITATIVE OR SEMIQUANTITATIVE, CRUDE ALLERGEN EXTRACT, EACH
86005	ALLERGEN SPECIFIC IGE; QUALITATIVE, MULTIALLERGEN SCREEN (EG, DISK, SPONGE, CARD)
95004	PERCUTANEOUS TESTS (SCRATCH, PUNCTURE, PRICK) WITH ALLERGENIC EXTRACTS, IMMEDIATE TYPE REACTION, INCLUDING TEST INTERPRETATION AND REPORT, SPECIFY NUMBER OF TESTS
95017	ALLERGY TESTING, ANY COMBINATION OF PERCUTANEOUS (SCRATCH, PUNCTURE, PRICK) AND INTRACUTANEOUS (INTRADERMAL), SEQUENTIAL AND INCREMENTAL, WITH VENOMS, IMMEDIATE TYPE REACTION, INCLUDING TEST INTERPRETATION AND REPORT, SPECIFY NUMBER OF TESTS
95018	ALLERGY TESTING, ANY COMBINATION OF PERCUTANEOUS (SCRATCH, PUNCTURE, PRICK) AND INTRACUTANEOUS (INTRADERMAL), SEQUENTIAL AND INCREMENTAL, WITH DRUGS OR BIOLOGICALS, IMMEDIATE TYPE REACTION, INCLUDING TEST INTERPRETATION AND REPORT, SPECIFY NUMBER OF TESTS
95024	INTRACUTANEOUS (INTRADERMAL) TESTS WITH ALLERGENIC EXTRACTS, IMMEDIATE TYPE REACTION, INCLUDING TEST INTERPRETATION AND REPORT, SPECIFY NUMBER OF TESTS
95027	INTRACUTANEOUS (INTRADERMAL) TESTS, SEQUENTIAL AND INCREMENTAL, WITH ALLERGENIC EXTRACTS FOR AIRBORNE ALLERGENS, IMMEDIATE TYPE REACTION, INCLUDING TEST INTERPRETATION AND REPORT, SPECIFY NUMBER OF TESTS
95028	INTRACUTANEOUS (INTRADERMAL) TESTS WITH ALLERGENIC EXTRACTS, DELAYED TYPE REACTION, INCLUDING READING, SPECIFY NUMBER OF TESTS
95044	PATCH OR APPLICATION TEST(S) (SPECIFY NUMBER OF TESTS)
95052	PHOTO PATCH TEST(S) (SPECIFY NUMBER OF TESTS)
95056	PHOTO TESTS
95060	OPHTHALMIC MUCOUS MEMBRANE TESTS
95065	DIRECT NASAL MUCOUS MEMBRANE TEST
95070	INHALATION BRONCHIAL CHALLENGE TESTING (NOT INCLUDING NECESSARY PULMONARY FUNCTION TESTS); WITH HISTAMINE, METHACHOLINE, OR SIMILAR COMPOUNDS
95071	INHALATION BRONCHIAL CHALLENGE TESTING (NOT INCLUDING NECESSARY PULMONARY FUNCTION TESTS); WITH ANTIGENS OR GASES, SPECIFY
95076	INGESTION CHALLENGE TEST (SEQUENTIAL AND INCREMENTAL INGESTION OF TEST ITEMS, EG, FOOD, DRUG OR OTHER SUBSTANCE); INITIAL 120 MINUTES OF TESTING
95079	INGESTION CHALLENGE TEST (SEQUENTIAL AND INCREMENTAL INGESTION OF TEST ITEMS, EG, FOOD, DRUG OR OTHER SUBSTANCE); EACH ADDITIONAL 60

CODE	DESCRIPTION
	MINUTES OF TESTING (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)

### CPT/HCPCS Modifiers

N/A

### ICD-10 Codes that Support Medical Necessity

#### Group 1 Paragraph:

The following list of ICD-10-CM Codes will be covered for CPT Code 86003:

#### Group 1 Codes:

ICD-10 CODE	DESCRIPTION
H10.411	Chronic giant papillary conjunctivitis, right eye
H10.412	Chronic giant papillary conjunctivitis, left eye
H10.413	Chronic giant papillary conjunctivitis, bilateral
H10.45	Other chronic allergic conjunctivitis
H65.111	Acute and subacute allergic otitis media (muroid) (sanguinous) (serous), right ear
H65.112	Acute and subacute allergic otitis media (muroid) (sanguinous) (serous), left ear
H65.113	Acute and subacute allergic otitis media (muroid) (sanguinous) (serous), bilateral
H65.114	Acute and subacute allergic otitis media (muroid) (sanguinous) (serous), recurrent, right ear
H65.115	Acute and subacute allergic otitis media (muroid) (sanguinous) (serous), recurrent, left ear
H65.116	Acute and subacute allergic otitis media (muroid) (sanguinous) (serous), recurrent, bilateral
H65.194	Other acute nonsuppurative otitis media, recurrent, right ear
H65.195	Other acute nonsuppurative otitis media, recurrent, left ear
H65.196	Other acute nonsuppurative otitis media, recurrent, bilateral
H65.21	Chronic serous otitis media, right ear
H65.22	Chronic serous otitis media, left ear
H65.23	Chronic serous otitis media, bilateral
H65.411	Chronic allergic otitis media, right ear
H65.412	Chronic allergic otitis media, left ear

ICD-10 CODE	DESCRIPTION
H65.413	Chronic allergic otitis media, bilateral
H65.491	Other chronic nonsuppurative otitis media, right ear
H65.492	Other chronic nonsuppurative otitis media, left ear
H65.493	Other chronic nonsuppurative otitis media, bilateral
H68.021	Chronic Eustachian salpingitis, right ear
H68.022	Chronic Eustachian salpingitis, left ear
H68.023	Chronic Eustachian salpingitis, bilateral
H69.81	Other specified disorders of Eustachian tube, right ear
H69.82	Other specified disorders of Eustachian tube, left ear
H69.83	Other specified disorders of Eustachian tube, bilateral
J20.8	Acute bronchitis due to other specified organisms
J30.0	Vasomotor rhinitis
J30.1	Allergic rhinitis due to pollen
J30.2	Other seasonal allergic rhinitis
J30.5	Allergic rhinitis due to food
J30.81	Allergic rhinitis due to animal (cat) (dog) hair and dander
J30.89	Other allergic rhinitis
J31.0	Chronic rhinitis
J33.0	Polyp of nasal cavity
J33.1	Polypoid sinus degeneration
J33.8	Other polyp of sinus
J33.9	Nasal polyp, unspecified
J34.1	Cyst and mucocele of nose and nasal sinus
J34.81	Nasal mucositis (ulcerative)
J35.01	Chronic tonsillitis
J35.02	Chronic adenoiditis
J35.03	Chronic tonsillitis and adenoiditis
J35.1	Hypertrophy of tonsils
J35.2	Hypertrophy of adenoids
J35.3	Hypertrophy of tonsils with hypertrophy of adenoids
J45.20	Mild intermittent asthma, uncomplicated
J45.21	Mild intermittent asthma with (acute) exacerbation

ICD-10 CODE	DESCRIPTION
J45.22	Mild intermittent asthma with status asthmaticus
J45.30	Mild persistent asthma, uncomplicated
J45.31	Mild persistent asthma with (acute) exacerbation
J45.32	Mild persistent asthma with status asthmaticus
J45.40	Moderate persistent asthma, uncomplicated
J45.41	Moderate persistent asthma with (acute) exacerbation
J45.42	Moderate persistent asthma with status asthmaticus
J45.50	Severe persistent asthma, uncomplicated
J45.51	Severe persistent asthma with (acute) exacerbation
J45.52	Severe persistent asthma with status asthmaticus
J45.901	Unspecified asthma with (acute) exacerbation
J45.902	Unspecified asthma with status asthmaticus
J45.909	Unspecified asthma, uncomplicated
J45.991	Cough variant asthma
J45.998	Other asthma
L20.0	Besnier's prurigo
L20.81	Atopic neurodermatitis
L20.82	Flexural eczema
L20.83	Infantile (acute) (chronic) eczema
L20.84	Intrinsic (allergic) eczema
L20.89	Other atopic dermatitis
L20.9	Atopic dermatitis, unspecified
L27.0	Generalized skin eruption due to drugs and medicaments taken internally
L27.1	Localized skin eruption due to drugs and medicaments taken internally
L27.2	Dermatitis due to ingested food
L27.8	Dermatitis due to other substances taken internally
L27.9	Dermatitis due to unspecified substance taken internally
L30.0	Nummular dermatitis
L30.2	Cutaneous autosensitization
L30.8	Other specified dermatitis
L50.0	Allergic urticaria
L50.1	Idiopathic urticaria

ICD-10 CODE	DESCRIPTION
L50.6	Contact urticaria
L50.8	Other urticaria
L50.9	Urticaria, unspecified
R05	Cough
R06.00	Dyspnea, unspecified
R06.02	Shortness of breath
R06.09	Other forms of dyspnea
R06.2	Wheezing
R06.9	Unspecified abnormalities of breathing
R09.81	Nasal congestion
R21	Rash and other nonspecific skin eruption
R43.0	Anosmia
R43.1	Parosmia
R43.2	Parageusia
R43.8	Other disturbances of smell and taste
R43.9	Unspecified disturbances of smell and taste
T36.0X5A	Adverse effect of penicillins, initial encounter
T36.0X5S	Adverse effect of penicillins, sequela
T36.1X5A	Adverse effect of cephalosporins and other beta-lactam antibiotics, initial encounter
ICD-10 CODE	DESCRIPTION
T36.1X5S	Adverse effect of cephalosporins and other beta-lactam antibiotics, sequela
T36.2X5A	Adverse effect of chloramphenicol group, initial encounter
T36.2X5S	Adverse effect of chloramphenicol group, sequela
T36.3X5A	Adverse effect of macrolides, initial encounter
T36.3X5S	Adverse effect of macrolides, sequela
T36.4X5A	Adverse effect of tetracyclines, initial encounter
T36.4X5S	Adverse effect of tetracyclines, sequela
T36.5X5A	Adverse effect of aminoglycosides, initial encounter
T36.5X5S	Adverse effect of aminoglycosides, sequela
T36.6X5A	Adverse effect of rifampicins, initial encounter
T36.6X5S	Adverse effect of rifampicins, sequela
T36.7X5A	Adverse effect of antifungal antibiotics, systemically used, initial encounter



ICD-10 CODE	DESCRIPTION
T36.7X5S	Adverse effect of antifungal antibiotics, systemically used, sequela
T36.8X5A	Adverse effect of other systemic antibiotics, initial encounter
T36.8X5S	Adverse effect of other systemic antibiotics, sequela
T37.0X5A	Adverse effect of sulfonamides, initial encounter
T37.0X5S	Adverse effect of sulfonamides, sequela
T37.1X5A	Adverse effect of antimycobacterial drugs, initial encounter
T37.1X5S	Adverse effect of antimycobacterial drugs, sequela
T37.2X5A	Adverse effect of antimalarials and drugs acting on other blood protozoa, initial encounter
T37.2X5S	Adverse effect of antimalarials and drugs acting on other blood protozoa, sequela
T37.3X5A	Adverse effect of other antiprotozoal drugs, initial encounter
T37.3X5S	Adverse effect of other antiprotozoal drugs, sequela
T37.4X5A	Adverse effect of anthelmintics, initial encounter
T37.4X5S	Adverse effect of anthelmintics, sequela
T37.5X5A	Adverse effect of antiviral drugs, initial encounter
T38.0X5A	Adverse effect of glucocorticoids and synthetic analogues, initial encounter
T38.0X5S	Adverse effect of glucocorticoids and synthetic analogues, sequela
T38.1X5A	Adverse effect of thyroid hormones and substitutes, initial encounter
T38.1X5S	Adverse effect of thyroid hormones and substitutes, sequela
T38.2X5A	Adverse effect of antithyroid drugs, initial encounter
T38.2X5S	Adverse effect of antithyroid drugs, sequela
T38.3X5A	Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, initial encounter
T38.3X5S	Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, sequela
T38.4X5A	Adverse effect of oral contraceptives, initial encounter
T38.4X5S	Adverse effect of oral contraceptives, sequela
T38.5X5A	Adverse effect of other estrogens and progestogens, initial encounter
T38.5X5S	Adverse effect of other estrogens and progestogens, sequela
T38.6X5A	Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, initial encounter
T38.6X5S	Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, sequela
T38.7X5A	Adverse effect of androgens and anabolic congeners, initial encounter

ICD-10 CODE	DESCRIPTION
T38.7X5S	Adverse effect of androgens and anabolic congeners, sequela
T38.815A	Adverse effect of anterior pituitary [adenohypophyseal] hormones, initial encounter
T38.815S	Adverse effect of anterior pituitary [adenohypophyseal] hormones, sequela
T38.895A	Adverse effect of other hormones and synthetic substitutes, initial encounter
T38.895S	Adverse effect of other hormones and synthetic substitutes, sequela
T38.995A	Adverse effect of other hormone antagonists, initial encounter
T38.995S	Adverse effect of other hormone antagonists, sequela
T39.015A	Adverse effect of aspirin, initial encounter
T39.015S	Adverse effect of aspirin, sequela
T39.095A	Adverse effect of salicylates, initial encounter
T39.095S	Adverse effect of salicylates, sequela
T39.1X5A	Adverse effect of 4-Aminophenol derivatives, initial encounter
T39.1X5S	Adverse effect of 4-Aminophenol derivatives, sequela
T39.2X5A	Adverse effect of pyrazolone derivatives, initial encounter
T39.2X5S	Adverse effect of pyrazolone derivatives, sequela
T39.315A	Adverse effect of propionic acid derivatives, initial encounter
T39.315S	Adverse effect of propionic acid derivatives, sequela
T39.395A	Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], initial encounter
T39.395S	Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], sequela
T39.4X5A	Adverse effect of antirheumatics, not elsewhere classified, initial encounter
T39.4X5S	Adverse effect of antirheumatics, not elsewhere classified, sequela
T39.8X5A	Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, initial encounter
T39.8X5S	Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, sequela
T40.0X5A	Adverse effect of opium, initial encounter
T40.0X5S	Adverse effect of opium, sequela
T40.2X5A	Adverse effect of other opioids, initial encounter
T40.2X5S	Adverse effect of other opioids, sequela
T40.3X5A	Adverse effect of methadone, initial encounter
T40.3X5S	Adverse effect of methadone, sequela
T40.415A	Adverse effect of fentanyl or fentanyl analogs, initial encounter

ICD-10 CODE	DESCRIPTION
T40.415S	Adverse effect of fentanyl or fentanyl analogs, sequela
T40.425A	Adverse effect of tramadol, initial encounter
T40.425S	Adverse effect of tramadol, sequela
T40.495A	Adverse effect of other synthetic narcotics, initial encounter
T40.495S	Adverse effect of other synthetic narcotics, sequela
T40.5X5A	Adverse effect of cocaine, initial encounter
T40.5X5S	Adverse effect of cocaine, sequela
T40.695A	Adverse effect of other narcotics, initial encounter
T40.695S	Adverse effect of other narcotics, sequela
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter
T40.7X5S	Adverse effect of cannabis (derivatives), sequela
T40.995A	Adverse effect of other psychodysleptics [hallucinogens], initial encounter
T40.995S	Adverse effect of other psychodysleptics [hallucinogens], sequela
T41.0X5A	Adverse effect of inhaled anesthetics, initial encounter
T41.0X5S	Adverse effect of inhaled anesthetics, sequela
T41.1X5A	Adverse effect of intravenous anesthetics, initial encounter
T41.1X5S	Adverse effect of intravenous anesthetics, sequela
T41.295A	Adverse effect of other general anesthetics, initial encounter
T41.295S	Adverse effect of other general anesthetics, sequela
T41.3X5A	Adverse effect of local anesthetics, initial encounter
T41.3X5S	Adverse effect of local anesthetics, sequela
T41.5X5A	Adverse effect of therapeutic gases, initial encounter
T41.5X5S	Adverse effect of therapeutic gases, sequela
T42.0X5A	Adverse effect of hydantoin derivatives, initial encounter
T42.0X5S	Adverse effect of hydantoin derivatives, sequela
T42.1X5A	Adverse effect of iminostilbenes, initial encounter
T42.1X5S	Adverse effect of iminostilbenes, sequela
T42.2X5A	Adverse effect of succinimides and oxazolidinediones, initial encounter
T42.2X5S	Adverse effect of succinimides and oxazolidinediones, sequela
ICD-10 CODE	DESCRIPTION
T42.3X5A	Adverse effect of barbiturates, initial encounter
T42.4X5A	Adverse effect of benzodiazepines, initial encounter

ICD-10 CODE	DESCRIPTION
T42.4X5S	Adverse effect of benzodiazepines, sequela
T42.5X5A	Adverse effect of mixed antiepileptics, initial encounter
T42.5X5S	Adverse effect of mixed antiepileptics, sequela
T42.6X5A	Adverse effect of other antiepileptic and sedative-hypnotic drugs, initial encounter
T42.6X5S	Adverse effect of other antiepileptic and sedative-hypnotic drugs, sequela
T42.8X5A	Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, initial encounter
T42.8X5S	Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, sequela
T43.015A	Adverse effect of tricyclic antidepressants, initial encounter
T43.015S	Adverse effect of tricyclic antidepressants, sequela
T43.025A	Adverse effect of tetracyclic antidepressants, initial encounter
T43.025S	Adverse effect of tetracyclic antidepressants, sequela
T43.1X5A	Adverse effect of monoamine-oxidase-inhibitor antidepressants, initial encounter
T43.1X5S	Adverse effect of monoamine-oxidase-inhibitor antidepressants, sequela
T43.215A	Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, initial encounter
T43.215S	Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, sequela
T43.225A	Adverse effect of selective serotonin reuptake inhibitors, initial encounter
T43.225S	Adverse effect of selective serotonin reuptake inhibitors, sequela
T43.295A	Adverse effect of other antidepressants, initial encounter
T43.295S	Adverse effect of other antidepressants, sequela
T43.3X5A	Adverse effect of phenothiazine antipsychotics and neuroleptics, initial encounter
T43.3X5S	Adverse effect of phenothiazine antipsychotics and neuroleptics, sequela
T43.4X5A	Adverse effect of butyrophenone and thiothixene neuroleptics, initial encounter
T43.4X5S	Adverse effect of butyrophenone and thiothixene neuroleptics, sequela
T43.595A	Adverse effect of other antipsychotics and neuroleptics, initial encounter
T43.595S	Adverse effect of other antipsychotics and neuroleptics, sequela
T43.615A	Adverse effect of caffeine, initial encounter
T43.615S	Adverse effect of caffeine, sequela
T43.625A	Adverse effect of amphetamines, initial encounter
T43.625S	Adverse effect of amphetamines, sequela
T43.635A	Adverse effect of methylphenidate, initial encounter

ICD-10 CODE	DESCRIPTION
T43.635S	Adverse effect of methylphenidate, sequela
T43.695A	Adverse effect of other psychostimulants, initial encounter
T43.695S	Adverse effect of other psychostimulants, sequela
T43.8X5A	Adverse effect of other psychotropic drugs, initial encounter
T43.8X5S	Adverse effect of other psychotropic drugs, sequela
T44.0X5A	Adverse effect of anticholinesterase agents, initial encounter
T44.0X5S	Adverse effect of anticholinesterase agents, sequela
T44.1X5A	Adverse effect of other parasympathomimetics [cholinergics], initial encounter
T44.1X5S	Adverse effect of other parasympathomimetics [cholinergics], sequela
T44.2X5A	Adverse effect of ganglionic blocking drugs, initial encounter
T44.2X5S	Adverse effect of ganglionic blocking drugs, sequela
T44.3X5A	Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, initial encounter
T44.3X5S	Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, sequela
T44.4X5A	Adverse effect of predominantly alpha-adrenoreceptor agonists, initial encounter
T44.4X5S	Adverse effect of predominantly alpha-adrenoreceptor agonists, sequela
T44.5X5A	Adverse effect of predominantly beta-adrenoreceptor agonists, initial encounter
T44.5X5S	Adverse effect of predominantly beta-adrenoreceptor agonists, sequela
T44.6X5A	Adverse effect of alpha-adrenoreceptor antagonists, initial encounter
T44.6X5S	Adverse effect of alpha-adrenoreceptor antagonists, sequela
T44.7X5A	Adverse effect of beta-adrenoreceptor antagonists, initial encounter
T44.7X5S	Adverse effect of beta-adrenoreceptor antagonists, sequela
T44.8X5A	Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, initial encounter
T44.8X5S	Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, sequela
T44.995A	Adverse effect of other drug primarily affecting the autonomic nervous system, initial encounter
T44.995S	Adverse effect of other drug primarily affecting the autonomic nervous system, sequela
T45.0X5A	Adverse effect of antiallergic and antiemetic drugs, initial encounter
T45.0X5S	Adverse effect of antiallergic and antiemetic drugs, sequela
T45.1X5A	Adverse effect of antineoplastic and immunosuppressive drugs, initial encounter

ICD-10 CODE	DESCRIPTION
T45.1X5S	Adverse effect of antineoplastic and immunosuppressive drugs, sequela
T45.2X5A	Adverse effect of vitamins, initial encounter
T45.2X5S	Adverse effect of vitamins, sequela
T45.3X5A	Adverse effect of enzymes, initial encounter
T45.3X5S	Adverse effect of enzymes, sequela
T45.4X5A	Adverse effect of iron and its compounds, initial encounter
T45.4X5S	Adverse effect of iron and its compounds, sequela
T45.515A	Adverse effect of anticoagulants, initial encounter
T45.515S	Adverse effect of anticoagulants, sequela
T45.525A	Adverse effect of antithrombotic drugs, initial encounter
T45.525S	Adverse effect of antithrombotic drugs, sequela
T45.615A	Adverse effect of thrombolytic drugs, initial encounter
T45.615S	Adverse effect of thrombolytic drugs, sequela
T45.625A	Adverse effect of hemostatic drug, initial encounter
T45.625S	Adverse effect of hemostatic drug, sequela
T45.695A	Adverse effect of other fibrinolysis-affecting drugs, initial encounter
T45.695S	Adverse effect of other fibrinolysis-affecting drugs, sequela
T45.7X5A	Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, initial encounter
T45.7X5S	Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, sequela
T45.8X5A	Adverse effect of other primarily systemic and hematological agents, initial encounter
T45.8X5S	Adverse effect of other primarily systemic and hematological agents, sequela
T46.0X5A	Adverse effect of cardiac-stimulant glycosides and drugs of similar action, initial encounter
T46.0X5S	Adverse effect of cardiac-stimulant glycosides and drugs of similar action, sequela
T46.1X5A	Adverse effect of calcium-channel blockers, initial encounter
T46.1X5S	Adverse effect of calcium-channel blockers, sequela
T46.2X5A	Adverse effect of other antidysrhythmic drugs, initial encounter
T46.2X5S	Adverse effect of other antidysrhythmic drugs, sequela
T46.3X5A	Adverse effect of coronary vasodilators, initial encounter
T46.3X5S	Adverse effect of coronary vasodilators, sequela

ICD-10 CODE	DESCRIPTION
T46.4X5A	Adverse effect of angiotensin-converting-enzyme inhibitors, initial encounter
T46.4X5S	Adverse effect of angiotensin-converting-enzyme inhibitors, sequela
T46.5X5A	Adverse effect of other antihypertensive drugs, initial encounter
T46.5X5S	Adverse effect of other antihypertensive drugs, sequela
T46.6X5A	Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, initial encounter
T46.6X5S	Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, sequela
T46.7X5A	Adverse effect of peripheral vasodilators, initial encounter
T46.7X5S	Adverse effect of peripheral vasodilators, sequela
T46.8X5A	Adverse effect of antivaricose drugs, including sclerosing agents, initial encounter
T46.8X5S	Adverse effect of antivaricose drugs, including sclerosing agents, sequela
T46.995A	Adverse effect of other agents primarily affecting the cardiovascular system, initial encounter
<b>ICD-10 CODE</b>	<b>DESCRIPTION</b>
T46.995S	Adverse effect of other agents primarily affecting the cardiovascular system, sequela
T47.0X5A	Adverse effect of histamine H2-receptor blockers, initial encounter
T47.0X5S	Adverse effect of histamine H2-receptor blockers, sequela
T47.1X5A	Adverse effect of other antacids and anti-gastric-secretion drugs, initial encounter
T47.1X5S	Adverse effect of other antacids and anti-gastric-secretion drugs, sequela
T47.2X5A	Adverse effect of stimulant laxatives, initial encounter
T47.2X5S	Adverse effect of stimulant laxatives, sequela
T47.3X5A	Adverse effect of saline and osmotic laxatives, initial encounter
T47.3X5S	Adverse effect of saline and osmotic laxatives, sequela
T47.4X5A	Adverse effect of other laxatives, initial encounter
T47.4X5S	Adverse effect of other laxatives, sequela
T47.5X5A	Adverse effect of digestants, initial encounter
T47.5X5S	Adverse effect of digestants, sequela
T47.6X5A	Adverse effect of antidiarrheal drugs, initial encounter
T47.6X5S	Adverse effect of antidiarrheal drugs, sequela
T47.7X5A	Adverse effect of emetics, initial encounter
T47.7X5S	Adverse effect of emetics, sequela
T47.8X5A	Adverse effect of other agents primarily affecting gastrointestinal system, initial encounter

ICD-10 CODE	DESCRIPTION
T47.8X5S	Adverse effect of other agents primarily affecting gastrointestinal system, sequela
T48.0X5A	Adverse effect of oxytocic drugs, initial encounter
T48.0X5S	Adverse effect of oxytocic drugs, sequela
T48.1X5A	Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], initial encounter
T48.1X5S	Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], sequela
T48.295A	Adverse effect of other drugs acting on muscles, initial encounter
T48.295S	Adverse effect of other drugs acting on muscles, sequela
T48.3X5A	Adverse effect of antitussives, initial encounter
T48.3X5S	Adverse effect of antitussives, sequela
T48.4X5A	Adverse effect of expectorants, initial encounter
T48.4X5S	Adverse effect of expectorants, sequela
T48.5X5A	Adverse effect of other anti-common-cold drugs, initial encounter
T48.5X5S	Adverse effect of other anti-common-cold drugs, sequela
T48.6X5A	Adverse effect of antiasthmatics, initial encounter
T48.6X5S	Adverse effect of antiasthmatics, sequela
T48.995A	Adverse effect of other agents primarily acting on the respiratory system, initial encounter
T48.995S	Adverse effect of other agents primarily acting on the respiratory system, sequela
T49.0X5A	Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, initial encounter
T49.0X5S	Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, sequela
T49.1X5A	Adverse effect of antipruritics, initial encounter
T49.1X5S	Adverse effect of antipruritics, sequela
T49.2X5A	Adverse effect of local astringents and local detergents, initial encounter
T49.2X5S	Adverse effect of local astringents and local detergents, sequela
T49.3X5A	Adverse effect of emollients, demulcents and protectants, initial encounter
T49.3X5S	Adverse effect of emollients, demulcents and protectants, sequela
T49.4X5A	Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, initial encounter
T49.4X5S	Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, sequela



ICD-10 CODE	DESCRIPTION
T49.5X5A	Adverse effect of ophthalmological drugs and preparations, initial encounter
T49.5X5S	Adverse effect of ophthalmological drugs and preparations, sequela
T49.6X5A	Adverse effect of otorhinolaryngological drugs and preparations, initial encounter
T49.6X5S	Adverse effect of otorhinolaryngological drugs and preparations, sequela
T49.7X5A	Adverse effect of dental drugs, topically applied, initial encounter
T49.7X5S	Adverse effect of dental drugs, topically applied, sequela
T49.8X5A	Adverse effect of other topical agents, initial encounter
T49.8X5S	Adverse effect of other topical agents, sequela
T50.0X5A	Adverse effect of mineralocorticoids and their antagonists, initial encounter
T50.0X5S	Adverse effect of mineralocorticoids and their antagonists, sequela
T50.1X5A	Adverse effect of loop [high-ceiling] diuretics, initial encounter
T50.1X5S	Adverse effect of loop [high-ceiling] diuretics, sequela
T50.2X5A	Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, initial encounter
T50.2X5S	Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, sequela
T50.3X5A	Adverse effect of electrolytic, caloric and water-balance agents, initial encounter
T50.3X5S	Adverse effect of electrolytic, caloric and water-balance agents, sequela
T50.4X5A	Adverse effect of drugs affecting uric acid metabolism, initial encounter
T50.4X5S	Adverse effect of drugs affecting uric acid metabolism, sequela
T50.5X5A	Adverse effect of appetite depressants, initial encounter
T50.5X5S	Adverse effect of appetite depressants, sequela
T50.6X5A	Adverse effect of antidotes and chelating agents, initial encounter
T50.6X5S	Adverse effect of antidotes and chelating agents, sequela
T50.7X5A	Adverse effect of analeptics and opioid receptor antagonists, initial encounter
T50.7X5S	Adverse effect of analeptics and opioid receptor antagonists, sequela
T50.8X5A	Adverse effect of diagnostic agents, initial encounter
T50.8X5S	Adverse effect of diagnostic agents, sequela
T50.A15A	Adverse effect of pertussis vaccine, including combinations with a pertussis component, initial encounter
T50.A15S	Adverse effect of pertussis vaccine, including combinations with a pertussis component, sequela
T50.A25A	Adverse effect of mixed bacterial vaccines without a pertussis component, initial

ICD-10 CODE	DESCRIPTION
	encounter
T50.A25S	Adverse effect of mixed bacterial vaccines without a pertussis component, sequela
T50.A95A	Adverse effect of other bacterial vaccines, initial encounter
T50.A95S	Adverse effect of other bacterial vaccines, sequela
T50.B15A	Adverse effect of smallpox vaccines, initial encounter
T50.B15S	Adverse effect of smallpox vaccines, sequela
T50.B95A	Adverse effect of other viral vaccines, initial encounter
T50.B95S	Adverse effect of other viral vaccines, sequela
T50.Z15A	Adverse effect of immunoglobulin, initial encounter
T50.Z15S	Adverse effect of immunoglobulin, sequela
T50.Z95A	Adverse effect of other vaccines and biological substances, initial encounter
T50.Z95S	Adverse effect of other vaccines and biological substances, sequela
T50.915A	Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter
T50.915D	Adverse effect of multiple unspecified drugs, medicaments and biological substances, subsequent encounter
T50.915S	Adverse effect of multiple unspecified drugs, medicaments and biological substances, sequela
T50.995A	Adverse effect of other drugs, medicaments and biological substances, initial encounter
T50.995S	Adverse effect of other drugs, medicaments and biological substances, sequela

**Group 2 Paragraph:**

The following list of ICD-10-CM Codes will be covered for CPT Codes 95004, 95017, 95018, 95024, 95027, 95028, 95060, 95065, 95070, 95071, 95076 and 95079:

**Group 2 Codes:**

ICD-10 CODE	DESCRIPTION
H10.411	Chronic giant papillary conjunctivitis, right eye
H10.412	Chronic giant papillary conjunctivitis, left eye
H10.413	Chronic giant papillary conjunctivitis, bilateral
H10.45	Other chronic allergic conjunctivitis
H65.04	Acute serous otitis media, recurrent, right ear
H65.05	Acute serous otitis media, recurrent, left ear
H65.06	Acute serous otitis media, recurrent, bilateral

ICD-10 CODE	DESCRIPTION
H65.111	Acute and subacute allergic otitis media (mucoïd) (sanguinous) (serous), right ear
H65.112	Acute and subacute allergic otitis media (mucoïd) (sanguinous) (serous), left ear
H65.113	Acute and subacute allergic otitis media (mucoïd) (sanguinous) (serous), bilateral
H65.114	Acute and subacute allergic otitis media (mucoïd) (sanguinous) (serous), recurrent, right ear
H65.115	Acute and subacute allergic otitis media (mucoïd) (sanguinous) (serous), recurrent, left ear
H65.116	Acute and subacute allergic otitis media (mucoïd) (sanguinous) (serous), recurrent, bilateral
H65.194	Other acute nonsuppurative otitis media, recurrent, right ear
H65.195	Other acute nonsuppurative otitis media, recurrent, left ear
H65.196	Other acute nonsuppurative otitis media, recurrent, bilateral
H65.21	Chronic serous otitis media, right ear
H65.22	Chronic serous otitis media, left ear
H65.23	Chronic serous otitis media, bilateral
H65.411	Chronic allergic otitis media, right ear
H65.412	Chronic allergic otitis media, left ear
H65.413	Chronic allergic otitis media, bilateral
H65.491	Other chronic nonsuppurative otitis media, right ear
H65.492	Other chronic nonsuppurative otitis media, left ear
H65.493	Other chronic nonsuppurative otitis media, bilateral
H68.021	Chronic Eustachian salpingitis, right ear
H68.022	Chronic Eustachian salpingitis, left ear
H68.023	Chronic Eustachian salpingitis, bilateral
J30.0	Vasomotor rhinitis
J30.1	Allergic rhinitis due to pollen
J30.2	Other seasonal allergic rhinitis
J30.5	Allergic rhinitis due to food
J30.81	Allergic rhinitis due to animal (cat) (dog) hair and dander
J30.89	Other allergic rhinitis
J31.0	Chronic rhinitis
J33.1	Polypoid sinus degeneration
J33.8	Other polyp of sinus

ICD-10 CODE	DESCRIPTION
J34.1	Cyst and mucocele of nose and nasal sinus
J34.81	Nasal mucositis (ulcerative)
J35.01	Chronic tonsillitis
J35.02	Chronic adenoiditis
J35.03	Chronic tonsillitis and adenoiditis
J35.1	Hypertrophy of tonsils
J35.2	Hypertrophy of adenoids
J35.3	Hypertrophy of tonsils with hypertrophy of adenoids
J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation
J45.20	Mild intermittent asthma, uncomplicated
J45.21	Mild intermittent asthma with (acute) exacerbation
J45.22	Mild intermittent asthma with status asthmaticus
J45.30	Mild persistent asthma, uncomplicated
J45.31	Mild persistent asthma with (acute) exacerbation
J45.32	Mild persistent asthma with status asthmaticus
J45.40	Moderate persistent asthma, uncomplicated
J45.41	Moderate persistent asthma with (acute) exacerbation
J45.42	Moderate persistent asthma with status asthmaticus
J45.50	Severe persistent asthma, uncomplicated
J45.51	Severe persistent asthma with (acute) exacerbation
J45.52	Severe persistent asthma with status asthmaticus
J45.991	Cough variant asthma
J45.998	Other asthma
L20.0	Besnier's prurigo
L20.81	Atopic neurodermatitis
L20.82	Flexural eczema
L20.84	Intrinsic (allergic) eczema
L20.89	Other atopic dermatitis
L27.0	Generalized skin eruption due to drugs and medicaments taken internally
L27.1	Localized skin eruption due to drugs and medicaments taken internally
L27.2	Dermatitis due to ingested food
L27.8	Dermatitis due to other substances taken internally

ICD-10 CODE	DESCRIPTION
L29.9	Pruritus, unspecified
L50.0	Allergic urticaria
L50.1	Idiopathic urticaria
L50.6	Contact urticaria
L50.8	Other urticaria
L50.9	Urticaria, unspecified
R05	Cough
R06.02	Shortness of breath
R06.2	Wheezing
R09.81	Nasal congestion
R21	Rash and other nonspecific skin eruption
R23.8	Other skin changes
R23.9	Unspecified skin changes
R43.0	Anosmia
R43.1	Parosmia
R43.2	Parageusia
R43.8	Other disturbances of smell and taste
R43.9	Unspecified disturbances of smell and taste
T36.0X5A	Adverse effect of penicillins, initial encounter
T36.0X5S	Adverse effect of penicillins, sequela
T36.1X5A	Adverse effect of cephalosporins and other beta-lactam antibiotics, initial encounter
T36.1X5S	Adverse effect of cephalosporins and other beta-lactam antibiotics, sequela
T36.2X5A	Adverse effect of chloramphenicol group, initial encounter
T36.2X5S	Adverse effect of chloramphenicol group, sequela
T36.3X5A	Adverse effect of macrolides, initial encounter
T36.3X5S	Adverse effect of macrolides, sequela
T36.4X5A	Adverse effect of tetracyclines, initial encounter
T36.4X5S	Adverse effect of tetracyclines, sequela
T36.5X5A	Adverse effect of aminoglycosides, initial encounter
T36.5X5S	Adverse effect of aminoglycosides, sequela
T36.6X5A	Adverse effect of rifampicins, initial encounter
T36.6X5S	Adverse effect of rifampicins, sequela

ICD-10 CODE	DESCRIPTION
T36.7X5A	Adverse effect of antifungal antibiotics, systemically used, initial encounter
T36.7X5S	Adverse effect of antifungal antibiotics, systemically used, sequela
T36.8X5A	Adverse effect of other systemic antibiotics, initial encounter
T36.8X5S	Adverse effect of other systemic antibiotics, sequela
T37.0X5A	Adverse effect of sulfonamides, initial encounter
T37.0X5S	Adverse effect of sulfonamides, sequela
T37.1X5A	Adverse effect of antimycobacterial drugs, initial encounter
T37.1X5S	Adverse effect of antimycobacterial drugs, sequela
T37.2X5A	Adverse effect of antimalarials and drugs acting on other blood protozoa, initial encounter
T37.2X5S	Adverse effect of antimalarials and drugs acting on other blood protozoa, sequela
T37.3X5A	Adverse effect of other antiprotozoal drugs, initial encounter
T37.3X5S	Adverse effect of other antiprotozoal drugs, sequela
T37.4X5A	Adverse effect of anthelmintics, initial encounter
T37.4X5S	Adverse effect of anthelmintics, sequela
T37.5X5A	Adverse effect of antiviral drugs, initial encounter
T37.5X5S	Adverse effect of antiviral drugs, sequela
T38.0X5A	Adverse effect of glucocorticoids and synthetic analogues, initial encounter
T38.0X5S	Adverse effect of glucocorticoids and synthetic analogues, sequela
T38.1X5A	Adverse effect of thyroid hormones and substitutes, initial encounter
T38.1X5S	Adverse effect of thyroid hormones and substitutes, sequela
T38.2X5A	Adverse effect of antithyroid drugs, initial encounter
T38.2X5S	Adverse effect of antithyroid drugs, sequela
T38.3X5A	Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, initial encounter
T38.3X5S	Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, sequela
T38.4X5A	Adverse effect of oral contraceptives, initial encounter
T38.4X5S	Adverse effect of oral contraceptives, sequela
T38.5X5A	Adverse effect of other estrogens and progestogens, initial encounter
T38.5X5S	Adverse effect of other estrogens and progestogens, sequela
T38.6X5A	Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, initial encounter
T38.6X5S	Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere

ICD-10 CODE	DESCRIPTION
	classified, sequela
T38.7X5A	Adverse effect of androgens and anabolic congeners, initial encounter
T38.7X5S	Adverse effect of androgens and anabolic congeners, sequela
T38.815A	Adverse effect of anterior pituitary [adenohypophyseal] hormones, initial encounter
T38.815S	Adverse effect of anterior pituitary [adenohypophyseal] hormones, sequela
T38.895A	Adverse effect of other hormones and synthetic substitutes, initial encounter
T38.895S	Adverse effect of other hormones and synthetic substitutes, sequela
T38.995A	Adverse effect of other hormone antagonists, initial encounter
T38.995S	Adverse effect of other hormone antagonists, sequela
T39.015A	Adverse effect of aspirin, initial encounter
T39.015S	Adverse effect of aspirin, sequela
T39.095A	Adverse effect of salicylates, initial encounter
T39.095S	Adverse effect of salicylates, sequela
T39.1X5A	Adverse effect of 4-Aminophenol derivatives, initial encounter
T39.1X5S	Adverse effect of 4-Aminophenol derivatives, sequela
T39.2X5A	Adverse effect of pyrazolone derivatives, initial encounter
T39.2X5S	Adverse effect of pyrazolone derivatives, sequela
T39.315A	Adverse effect of propionic acid derivatives, initial encounter
T39.315S	Adverse effect of propionic acid derivatives, sequela
T39.395A	Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], initial encounter
T39.395S	Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], sequela
T39.4X5A	Adverse effect of antirheumatics, not elsewhere classified, initial encounter
T39.4X5S	Adverse effect of antirheumatics, not elsewhere classified, sequela
T39.8X5A	Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, initial encounter
T39.8X5S	Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, sequela
T40.0X5A	Adverse effect of opium, initial encounter
T40.0X5S	Adverse effect of opium, sequela
T40.2X5A	Adverse effect of other opioids, initial encounter
T40.2X5S	Adverse effect of other opioids, sequela
T40.3X5A	Adverse effect of methadone, initial encounter

ICD-10 CODE	DESCRIPTION
T40.3X5S	Adverse effect of methadone, sequela
T40.415A	Adverse effect of fentanyl or fentanyl analogs, initial encounter
T40.415S	Adverse effect of fentanyl or fentanyl analogs, sequela
T40.425A	Adverse effect of tramadol, initial encounter
T40.425S	Adverse effect of tramadol, sequela
T40.495A	Adverse effect of other synthetic narcotics, initial encounter
T40.495S	Adverse effect of other synthetic narcotics, sequela
T40.5X5A	Adverse effect of cocaine, initial encounter
T40.5X5S	Adverse effect of cocaine, sequela
T40.695A	Adverse effect of other narcotics, initial encounter
T40.695S	Adverse effect of other narcotics, sequela
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter
T40.7X5S	Adverse effect of cannabis (derivatives), sequela
T40.995A	Adverse effect of other psychodysleptics [hallucinogens], initial encounter
T40.995S	Adverse effect of other psychodysleptics [hallucinogens], sequela
T41.0X5A	Adverse effect of inhaled anesthetics, initial encounter
T41.0X5S	Adverse effect of inhaled anesthetics, sequela
T41.1X5A	Adverse effect of intravenous anesthetics, initial encounter
T41.1X5S	Adverse effect of intravenous anesthetics, sequela
T41.295A	Adverse effect of other general anesthetics, initial encounter
T41.295S	Adverse effect of other general anesthetics, sequela
T41.3X5A	Adverse effect of local anesthetics, initial encounter
T41.3X5S	Adverse effect of local anesthetics, sequela
T41.5X5A	Adverse effect of therapeutic gases, initial encounter
T41.5X5S	Adverse effect of therapeutic gases, sequela
T42.0X5A	Adverse effect of hydantoin derivatives, initial encounter
T42.0X5S	Adverse effect of hydantoin derivatives, sequela
T42.1X5A	Adverse effect of iminostilbenes, initial encounter
T42.1X5S	Adverse effect of iminostilbenes, sequela
T42.2X5A	Adverse effect of succinimides and oxazolidinediones, initial encounter
T42.2X5S	Adverse effect of succinimides and oxazolidinediones, sequela
T42.3X5A	Adverse effect of barbiturates, initial encounter



ICD-10 CODE	DESCRIPTION
T42.3X5S	Adverse effect of barbiturates, sequela
T42.4X5A	Adverse effect of benzodiazepines, initial encounter
T42.4X5S	Adverse effect of benzodiazepines, sequela
T42.5X5A	Adverse effect of mixed antiepileptics, initial encounter
T42.5X5S	Adverse effect of mixed antiepileptics, sequela
T42.6X5A	Adverse effect of other antiepileptic and sedative-hypnotic drugs, initial encounter
T42.6X5S	Adverse effect of other antiepileptic and sedative-hypnotic drugs, sequela
T42.8X5A	Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, initial encounter
T42.8X5S	Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, sequela
ICD-10 CODE	DESCRIPTION
T43.015A	Adverse effect of tricyclic antidepressants, initial encounter
T43.015S	Adverse effect of tricyclic antidepressants, sequela
T43.025A	Adverse effect of tetracyclic antidepressants, initial encounter
T43.025S	Adverse effect of tetracyclic antidepressants, sequela
T43.1X5A	Adverse effect of monoamine-oxidase-inhibitor antidepressants, initial encounter
T43.1X5S	Adverse effect of monoamine-oxidase-inhibitor antidepressants, sequela
T43.215A	Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, initial encounter
T43.215S	Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, sequela
T43.225A	Adverse effect of selective serotonin reuptake inhibitors, initial encounter
T43.225S	Adverse effect of selective serotonin reuptake inhibitors, sequela
T43.295A	Adverse effect of other antidepressants, initial encounter
T43.295S	Adverse effect of other antidepressants, sequela
T43.3X5A	Adverse effect of phenothiazine antipsychotics and neuroleptics, initial encounter
T43.3X5S	Adverse effect of phenothiazine antipsychotics and neuroleptics, sequela
T43.4X5A	Adverse effect of butyrophenone and thiothixene neuroleptics, initial encounter
T43.4X5S	Adverse effect of butyrophenone and thiothixene neuroleptics, sequela
T43.595A	Adverse effect of other antipsychotics and neuroleptics, initial encounter
T43.595S	Adverse effect of other antipsychotics and neuroleptics, sequela
T43.615A	Adverse effect of caffeine, initial encounter
T43.615S	Adverse effect of caffeine, sequela

ICD-10 CODE	DESCRIPTION
T43.625A	Adverse effect of amphetamines, initial encounter
T43.625S	Adverse effect of amphetamines, sequela
T43.635A	Adverse effect of methylphenidate, initial encounter
T43.635S	Adverse effect of methylphenidate, sequela
T43.695A	Adverse effect of other psychostimulants, initial encounter
T43.695S	Adverse effect of other psychostimulants, sequela
T43.8X5A	Adverse effect of other psychotropic drugs, initial encounter
T43.8X5S	Adverse effect of other psychotropic drugs, sequela
T44.0X5A	Adverse effect of anticholinesterase agents, initial encounter
T44.0X5S	Adverse effect of anticholinesterase agents, sequela
T44.1X5A	Adverse effect of other parasympathomimetics [cholinergics], initial encounter
T44.1X5S	Adverse effect of other parasympathomimetics [cholinergics], sequela
T44.2X5A	Adverse effect of ganglionic blocking drugs, initial encounter
T44.2X5S	Adverse effect of ganglionic blocking drugs, sequela
T44.3X5A	Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, initial encounter
T44.3X5S	Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, sequela
T44.4X5A	Adverse effect of predominantly alpha-adrenoreceptor agonists, initial encounter
T44.4X5S	Adverse effect of predominantly alpha-adrenoreceptor agonists, sequela
T44.5X5A	Adverse effect of predominantly beta-adrenoreceptor agonists, initial encounter
T44.5X5S	Adverse effect of predominantly beta-adrenoreceptor agonists, sequela
T44.6X5A	Adverse effect of alpha-adrenoreceptor antagonists, initial encounter
T44.6X5S	Adverse effect of alpha-adrenoreceptor antagonists, sequela
T44.7X5A	Adverse effect of beta-adrenoreceptor antagonists, initial encounter
T44.7X5S	Adverse effect of beta-adrenoreceptor antagonists, sequela
T44.8X5A	Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, initial encounter
T44.8X5S	Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, sequela
T44.995A	Adverse effect of other drug primarily affecting the autonomic nervous system, initial encounter
T44.995S	Adverse effect of other drug primarily affecting the autonomic nervous system, sequela

ICD-10 CODE	DESCRIPTION
T45.0X5A	Adverse effect of antiallergic and antiemetic drugs, initial encounter
T45.0X5S	Adverse effect of antiallergic and antiemetic drugs, sequela
T45.1X5A	Adverse effect of antineoplastic and immunosuppressive drugs, initial encounter
T45.1X5S	Adverse effect of antineoplastic and immunosuppressive drugs, sequela
T45.2X5A	Adverse effect of vitamins, initial encounter
T45.2X5S	Adverse effect of vitamins, sequela
T45.3X5A	Adverse effect of enzymes, initial encounter
T45.3X5S	Adverse effect of enzymes, sequela
T45.4X5A	Adverse effect of iron and its compounds, initial encounter
T45.4X5S	Adverse effect of iron and its compounds, sequela
T45.515A	Adverse effect of anticoagulants, initial encounter
T45.515S	Adverse effect of anticoagulants, sequela
T45.525A	Adverse effect of antithrombotic drugs, initial encounter
T45.525S	Adverse effect of antithrombotic drugs, sequela
T45.615A	Adverse effect of thrombolytic drugs, initial encounter
T45.615S	Adverse effect of thrombolytic drugs, sequela
T45.625A	Adverse effect of hemostatic drug, initial encounter
T45.625S	Adverse effect of hemostatic drug, sequela
T45.695A	Adverse effect of other fibrinolysis-affecting drugs, initial encounter
T45.695S	Adverse effect of other fibrinolysis-affecting drugs, sequela
T45.7X5A	Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, initial encounter
T45.7X5S	Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, sequela
T45.8X5A	Adverse effect of other primarily systemic and hematological agents, initial encounter
T45.8X5S	Adverse effect of other primarily systemic and hematological agents, sequela
T46.0X5A	Adverse effect of cardiac-stimulant glycosides and drugs of similar action, initial encounter
T46.0X5S	Adverse effect of cardiac-stimulant glycosides and drugs of similar action, sequela
T46.1X5A	Adverse effect of calcium-channel blockers, initial encounter
T46.1X5S	Adverse effect of calcium-channel blockers, sequela
T46.2X5A	Adverse effect of other antidysrhythmic drugs, initial encounter

ICD-10 CODE	DESCRIPTION
T46.2X5S	Adverse effect of other antidysrhythmic drugs, sequela
T46.3X5A	Adverse effect of coronary vasodilators, initial encounter
T46.3X5S	Adverse effect of coronary vasodilators, sequela
T46.4X5A	Adverse effect of angiotensin-converting-enzyme inhibitors, initial encounter
T46.4X5S	Adverse effect of angiotensin-converting-enzyme inhibitors, sequela
T46.5X5A	Adverse effect of other antihypertensive drugs, initial encounter
T46.5X5S	Adverse effect of other antihypertensive drugs, sequela
T46.6X5A	Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, initial encounter
T46.6X5S	Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, sequela
T46.7X5A	Adverse effect of peripheral vasodilators, initial encounter
T46.7X5S	Adverse effect of peripheral vasodilators, sequela
T46.8X5A	Adverse effect of antivaricose drugs, including sclerosing agents, initial encounter
T46.8X5S	Adverse effect of antivaricose drugs, including sclerosing agents, sequela
T46.995A	Adverse effect of other agents primarily affecting the cardiovascular system, initial encounter
T46.995S	Adverse effect of other agents primarily affecting the cardiovascular system, sequela
T47.0X5A	Adverse effect of histamine H2-receptor blockers, initial encounter
T47.0X5S	Adverse effect of histamine H2-receptor blockers, sequela
T47.1X5A	Adverse effect of other antacids and anti-gastric-secretion drugs, initial encounter
T47.1X5S	Adverse effect of other antacids and anti-gastric-secretion drugs, sequela
T47.2X5A	Adverse effect of stimulant laxatives, initial encounter
T47.2X5S	Adverse effect of stimulant laxatives, sequela
T47.3X5A	Adverse effect of saline and osmotic laxatives, initial encounter
T47.3X5S	Adverse effect of saline and osmotic laxatives, sequela
ICD-10 CODE	DESCRIPTION
T47.4X5A	Adverse effect of other laxatives, initial encounter
T47.4X5S	Adverse effect of other laxatives, sequela
T47.5X5A	Adverse effect of digestants, initial encounter
T47.5X5S	Adverse effect of digestants, sequela
T47.6X5A	Adverse effect of antidiarrheal drugs, initial encounter
T47.6X5S	Adverse effect of antidiarrheal drugs, sequela

ICD-10 CODE	DESCRIPTION
T47.7X5A	Adverse effect of emetics, initial encounter
T47.7X5S	Adverse effect of emetics, sequela
T47.8X5A	Adverse effect of other agents primarily affecting gastrointestinal system, initial encounter
T47.8X5S	Adverse effect of other agents primarily affecting gastrointestinal system, sequela
T48.0X5A	Adverse effect of oxytocic drugs, initial encounter
T48.0X5S	Adverse effect of oxytocic drugs, sequela
T48.1X5A	Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], initial encounter
T48.1X5S	Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], sequela
T48.295A	Adverse effect of other drugs acting on muscles, initial encounter
T48.295S	Adverse effect of other drugs acting on muscles, sequela
T48.3X5A	Adverse effect of antitussives, initial encounter
T48.3X5S	Adverse effect of antitussives, sequela
T48.4X5A	Adverse effect of expectorants, initial encounter
T48.4X5S	Adverse effect of expectorants, sequela
T48.5X5A	Adverse effect of other anti-common-cold drugs, initial encounter
T48.5X5S	Adverse effect of other anti-common-cold drugs, sequela
T48.6X5A	Adverse effect of antiasthmatics, initial encounter
T48.6X5S	Adverse effect of antiasthmatics, sequela
T48.995A	Adverse effect of other agents primarily acting on the respiratory system, initial encounter
T48.995S	Adverse effect of other agents primarily acting on the respiratory system, sequela
T49.0X5A	Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, initial encounter
T49.0X5S	Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, sequela
T49.1X5A	Adverse effect of antipruritics, initial encounter
T49.1X5S	Adverse effect of antipruritics, sequela
T49.2X5A	Adverse effect of local astringents and local detergents, initial encounter
T49.2X5S	Adverse effect of local astringents and local detergents, sequela
T49.3X5A	Adverse effect of emollients, demulcents and protectants, initial encounter

ICD-10 CODE	DESCRIPTION
T49.3X5S	Adverse effect of emollients, demulcents and protectants, sequela
T49.4X5A	Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, initial encounter
T49.4X5S	Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, sequela
T49.5X5A	Adverse effect of ophthalmological drugs and preparations, initial encounter
T49.5X5S	Adverse effect of ophthalmological drugs and preparations, sequela
T49.6X5A	Adverse effect of otorhinolaryngological drugs and preparations, initial encounter
T49.6X5S	Adverse effect of otorhinolaryngological drugs and preparations, sequela
T49.7X5A	Adverse effect of dental drugs, topically applied, initial encounter
T49.7X5S	Adverse effect of dental drugs, topically applied, sequela
T49.8X5A	Adverse effect of other topical agents, initial encounter
T49.8X5S	Adverse effect of other topical agents, sequela
T50.0X5A	Adverse effect of mineralocorticoids and their antagonists, initial encounter
T50.0X5S	Adverse effect of mineralocorticoids and their antagonists, sequela
T50.1X5A	Adverse effect of loop [high-ceiling] diuretics, initial encounter
T50.1X5S	Adverse effect of loop [high-ceiling] diuretics, sequela
T50.2X5A	Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, initial encounter
T50.2X5S	Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, sequela
T50.3X5A	Adverse effect of electrolytic, caloric and water-balance agents, initial encounter
T50.3X5S	Adverse effect of electrolytic, caloric and water-balance agents, sequela
T50.4X5A	Adverse effect of drugs affecting uric acid metabolism, initial encounter
T50.4X5S	Adverse effect of drugs affecting uric acid metabolism, sequela
T50.5X5A	Adverse effect of appetite depressants, initial encounter
T50.5X5S	Adverse effect of appetite depressants, sequela
T50.6X5A	Adverse effect of antidotes and chelating agents, initial encounter
T50.6X5S	Adverse effect of antidotes and chelating agents, sequela
T50.7X5A	Adverse effect of analeptics and opioid receptor antagonists, initial encounter
T50.7X5S	Adverse effect of analeptics and opioid receptor antagonists, sequela
T50.8X5A	Adverse effect of diagnostic agents, initial encounter
T50.8X5S	Adverse effect of diagnostic agents, sequela

ICD-10 CODE	DESCRIPTION
T50.A15A	Adverse effect of pertussis vaccine, including combinations with a pertussis component, initial encounter
T50.A15S	Adverse effect of pertussis vaccine, including combinations with a pertussis component, sequela
T50.A25A	Adverse effect of mixed bacterial vaccines without a pertussis component, initial encounter
T50.A25S	Adverse effect of mixed bacterial vaccines without a pertussis component, sequela
T50.A95A	Adverse effect of other bacterial vaccines, initial encounter
T50.A95S	Adverse effect of other bacterial vaccines, sequela
T50.B15A	Adverse effect of smallpox vaccines, initial encounter
T50.B15S	Adverse effect of smallpox vaccines, sequela
T50.B95A	Adverse effect of other viral vaccines, initial encounter
T50.B95S	Adverse effect of other viral vaccines, sequela
T50.Z15A	Adverse effect of immunoglobulin, initial encounter
T50.Z15S	Adverse effect of immunoglobulin, sequela
T50.Z95A	Adverse effect of other vaccines and biological substances, initial encounter
T50.Z95S	Adverse effect of other vaccines and biological substances, sequela
T50.915A	Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter
T50.915D	Adverse effect of multiple unspecified drugs, medicaments and biological substances, subsequent encounter
T50.915S	Adverse effect of multiple unspecified drugs, medicaments and biological substances, sequela
T50.995A	Adverse effect of other drugs, medicaments and biological substances, initial encounter
T50.995S	Adverse effect of other drugs, medicaments and biological substances, sequela
T78.01XA	Anaphylactic reaction due to peanuts, initial encounter
T78.01XS	Anaphylactic reaction due to peanuts, sequela
T78.02XA	Anaphylactic reaction due to shellfish (crustaceans), initial encounter
T78.02XS	Anaphylactic reaction due to shellfish (crustaceans), sequela
T78.03XA	Anaphylactic reaction due to other fish, initial encounter
T78.03XS	Anaphylactic reaction due to other fish, sequela
T78.04XA	Anaphylactic reaction due to fruits and vegetables, initial encounter
T78.04XS	Anaphylactic reaction due to fruits and vegetables, sequela

ICD-10 CODE	DESCRIPTION
T78.05XA	Anaphylactic reaction due to tree nuts and seeds, initial encounter
T78.05XS	Anaphylactic reaction due to tree nuts and seeds, sequela
T78.06XA	Anaphylactic reaction due to food additives, initial encounter
T78.06XS	Anaphylactic reaction due to food additives, sequela
T78.07XA	Anaphylactic reaction due to milk and dairy products, initial encounter
T78.07XS	Anaphylactic reaction due to milk and dairy products, sequela
T78.08XA	Anaphylactic reaction due to eggs, initial encounter
T78.08XS	Anaphylactic reaction due to eggs, sequela
T78.09XA	Anaphylactic reaction due to other food products, initial encounter
T78.09XS	Anaphylactic reaction due to other food products, sequela
T78.1XXA	Other adverse food reactions, not elsewhere classified, initial encounter
ICD-10 CODE	DESCRIPTION
T78.1XXS	Other adverse food reactions, not elsewhere classified, sequela
T78.3XXA	Angioneurotic edema, initial encounter
T78.3XXS	Angioneurotic edema, sequela
T78.41XA	Arthus phenomenon, initial encounter
T78.41XS	Arthus phenomenon, sequela
T78.49XA	Other allergy, initial encounter
T78.49XS	Other allergy, sequela
T88.2XXA	Shock due to anesthesia, initial encounter
T88.2XXS	Shock due to anesthesia, sequela
T88.59XA	Other complications of anesthesia, initial encounter
T88.59XS	Other complications of anesthesia, sequela
T88.6XXA	Anaphylactic reaction due to adverse effect of correct drug or medicament properly administered, initial encounter
T88.6XXS	Anaphylactic reaction due to adverse effect of correct drug or medicament properly administered, sequela

**Group 3 Paragraph:**

The following list of ICD-10-CM Codes will be covered for CPT Codes 95044, 95052, and 95056:

**Group 3 Codes:**

ICD-10 CODE	DESCRIPTION
E80.0	Hereditary erythropoietic porphyria



ICD-10 CODE	DESCRIPTION
E80.1	Porphyria cutanea tarda
E80.21	Acute intermittent (hepatic) porphyria
E80.29	Other porphyria
L20.0	Besnier's prurigo
L20.81	Atopic neurodermatitis
L20.82	Flexural eczema
L20.84	Intrinsic (allergic) eczema
L20.89	Other atopic dermatitis
L23.0	Allergic contact dermatitis due to metals
L23.1	Allergic contact dermatitis due to adhesives
L23.2	Allergic contact dermatitis due to cosmetics
L23.3	Allergic contact dermatitis due to drugs in contact with skin
L23.4	Allergic contact dermatitis due to dyes
L23.5	Allergic contact dermatitis due to other chemical products
L23.6	Allergic contact dermatitis due to food in contact with the skin
L23.7	Allergic contact dermatitis due to plants, except food
L23.81	Allergic contact dermatitis due to animal (cat) (dog) dander
L23.89	Allergic contact dermatitis due to other agents
L24.0	Irritant contact dermatitis due to detergents
L24.1	Irritant contact dermatitis due to oils and greases
L24.2	Irritant contact dermatitis due to solvents
L24.3	Irritant contact dermatitis due to cosmetics
L24.4	Irritant contact dermatitis due to drugs in contact with skin
L24.5	Irritant contact dermatitis due to other chemical products
L24.6	Irritant contact dermatitis due to food in contact with skin
L24.7	Irritant contact dermatitis due to plants, except food
L24.81	Irritant contact dermatitis due to metals
L24.89	Irritant contact dermatitis due to other agents
L24.9	Irritant contact dermatitis, unspecified cause
L25.0	Unspecified contact dermatitis due to cosmetics
L25.1	Unspecified contact dermatitis due to drugs in contact with skin
L25.2	Unspecified contact dermatitis due to dyes

ICD-10 CODE	DESCRIPTION
L25.3	Unspecified contact dermatitis due to other chemical products
L25.4	Unspecified contact dermatitis due to food in contact with skin
L25.5	Unspecified contact dermatitis due to plants, except food
L25.8	Unspecified contact dermatitis due to other agents
L25.9	Unspecified contact dermatitis, unspecified cause
L26	Exfoliative dermatitis
L30.0	Nummular dermatitis
L30.1	Dyshidrosis [pompholyx]
L30.2	Cutaneous autosensitization
L30.4	Erythema intertrigo
L30.8	Other specified dermatitis
L30.9	Dermatitis, unspecified
L50.6	Contact urticaria
L53.8	Other specified erythematous conditions
L54	Erythema in diseases classified elsewhere
L56.0	Drug phototoxic response
L56.1	Drug photoallergic response
L56.2	Photocontact dermatitis [berloque dermatitis]
L56.3	Solar urticaria
L56.4	Polymorphous light eruption
L56.8	Other specified acute skin changes due to ultraviolet radiation
L57.1	Actinic reticuloid
L57.5	Actinic granuloma
L57.8	Other skin changes due to chronic exposure to nonionizing radiation
L58.0	Acute radiodermatitis
L58.1	Chronic radiodermatitis
L59.0	Erythema ab igne [dermatitis ab igne]
L59.8	Other specified disorders of the skin and subcutaneous tissue related to radiation
L92.0	Granuloma annulare
L92.2	Granuloma faciale [eosinophilic granuloma of skin]
L95.1	Erythema elevatum diutinum
L98.2	Febrile neutrophilic dermatosis [Sweet]

ICD-10 CODE	DESCRIPTION
T40.415A	Adverse effect of fentanyl or fentanyl analogs, initial encounter
T40.415S	Adverse effect of fentanyl or fentanyl analogs, sequela
T40.425A	Adverse effect of tramadol, initial encounter
T40.425S	Adverse effect of tramadol, sequela
T40.495A	Adverse effect of other synthetic narcotics, initial encounter
T40.495S	Adverse effect of other synthetic narcotics, sequela
T50.915A	Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter
T50.915D	Adverse effect of multiple unspecified drugs, medicaments and biological substances, subsequent encounter
T50.915S	Adverse effect of multiple unspecified drugs, medicaments and biological substances, sequela

**Group 4 Paragraph:**

The following list of ICD-10-CM Codes will be covered for CPT Codes 95070, 95071, 95076, and 95079:

**Group 4 Codes:**

ICD-10 CODE	DESCRIPTION
J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation
J45.20	Mild intermittent asthma, uncomplicated
J45.21	Mild intermittent asthma with (acute) exacerbation
J45.22	Mild intermittent asthma with status asthmaticus
J45.30	Mild persistent asthma, uncomplicated
J45.31	Mild persistent asthma with (acute) exacerbation
J45.32	Mild persistent asthma with status asthmaticus
J45.40	Moderate persistent asthma, uncomplicated
J45.41	Moderate persistent asthma with (acute) exacerbation
J45.42	Moderate persistent asthma with status asthmaticus
J45.50	Severe persistent asthma, uncomplicated
J45.51	Severe persistent asthma with (acute) exacerbation
J45.52	Severe persistent asthma with status asthmaticus
J45.901	Unspecified asthma with (acute) exacerbation
J45.902	Unspecified asthma with status asthmaticus
J45.909	Unspecified asthma, uncomplicated
J45.990	Exercise induced bronchospasm

ICD-10 CODE	DESCRIPTION
J45.991	Cough variant asthma
J45.998	Other asthma
R05	Cough
R06.02	Shortness of breath
R06.2	Wheezing
T36.0X5A	Adverse effect of penicillins, initial encounter
T36.0X5S	Adverse effect of penicillins, sequela
T36.1X5A	Adverse effect of cephalosporins and other beta-lactam antibiotics, initial encounter
T36.1X5S	Adverse effect of cephalosporins and other beta-lactam antibiotics, sequela
T36.2X5A	Adverse effect of chloramphenicol group, initial encounter
T36.2X5S	Adverse effect of chloramphenicol group, sequela
T36.3X5A	Adverse effect of macrolides, initial encounter
T36.3X5S	Adverse effect of macrolides, sequela
T36.4X5A	Adverse effect of tetracyclines, initial encounter
T36.4X5S	Adverse effect of tetracyclines, sequela
T36.5X5A	Adverse effect of aminoglycosides, initial encounter
T36.5X5S	Adverse effect of aminoglycosides, sequela
T36.6X5A	Adverse effect of rifampicins, initial encounter
T36.6X5S	Adverse effect of rifampicins, sequela
T36.7X5A	Adverse effect of antifungal antibiotics, systemically used, initial encounter
T36.7X5S	Adverse effect of antifungal antibiotics, systemically used, sequela
T36.8X5A	Adverse effect of other systemic antibiotics, initial encounter
T36.8X5S	Adverse effect of other systemic antibiotics, sequela
T37.0X5A	Adverse effect of sulfonamides, initial encounter
T37.0X5S	Adverse effect of sulfonamides, sequela
T37.1X5A	Adverse effect of antimycobacterial drugs, initial encounter
T37.1X5S	Adverse effect of antimycobacterial drugs, sequela
T37.2X5A	Adverse effect of antimalarials and drugs acting on other blood protozoa, initial encounter
T37.2X5S	Adverse effect of antimalarials and drugs acting on other blood protozoa, sequela
T37.3X5A	Adverse effect of other antiprotozoal drugs, initial encounter
T37.3X5S	Adverse effect of other antiprotozoal drugs, sequela

ICD-10 CODE	DESCRIPTION
T37.4X5A	Adverse effect of anthelmintics, initial encounter
T37.4X5S	Adverse effect of anthelmintics, sequela
T37.5X5A	Adverse effect of antiviral drugs, initial encounter
T37.5X5S	Adverse effect of antiviral drugs, sequela
T38.0X5A	Adverse effect of glucocorticoids and synthetic analogues, initial encounter
T38.0X5S	Adverse effect of glucocorticoids and synthetic analogues, sequela
T38.1X5A	Adverse effect of thyroid hormones and substitutes, initial encounter
T38.1X5S	Adverse effect of thyroid hormones and substitutes, sequela
T38.2X5A	Adverse effect of antithyroid drugs, initial encounter
T38.2X5S	Adverse effect of antithyroid drugs, sequela
T38.3X5A	Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, initial encounter
T38.3X5S	Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, sequela
T38.4X5A	Adverse effect of oral contraceptives, initial encounter
T38.4X5S	Adverse effect of oral contraceptives, sequela
T38.5X5A	Adverse effect of other estrogens and progestogens, initial encounter
T38.5X5S	Adverse effect of other estrogens and progestogens, sequela
T38.6X5A	Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, initial encounter
T38.6X5S	Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, sequela
T38.7X5A	Adverse effect of androgens and anabolic congeners, initial encounter
T38.7X5S	Adverse effect of androgens and anabolic congeners, sequela
T38.815A	Adverse effect of anterior pituitary [adenohypophyseal] hormones, initial encounter
T38.815S	Adverse effect of anterior pituitary [adenohypophyseal] hormones, sequela
T38.895A	Adverse effect of other hormones and synthetic substitutes, initial encounter
T38.895S	Adverse effect of other hormones and synthetic substitutes, sequela
T38.995A	Adverse effect of other hormone antagonists, initial encounter
T38.995S	Adverse effect of other hormone antagonists, sequela
T39.015A	Adverse effect of aspirin, initial encounter
T39.015S	Adverse effect of aspirin, sequela
T39.095A	Adverse effect of salicylates, initial encounter
T39.095S	Adverse effect of salicylates, sequela

ICD-10 CODE	DESCRIPTION
T39.1X5A	Adverse effect of 4-Aminophenol derivatives, initial encounter
T39.1X5S	Adverse effect of 4-Aminophenol derivatives, sequela
T39.2X5A	Adverse effect of pyrazolone derivatives, initial encounter
T39.2X5S	Adverse effect of pyrazolone derivatives, sequela
T39.315A	Adverse effect of propionic acid derivatives, initial encounter
T39.315S	Adverse effect of propionic acid derivatives, sequela
T39.395A	Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], initial encounter
T39.395S	Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], sequela
T39.4X5A	Adverse effect of antirheumatics, not elsewhere classified, initial encounter
T39.4X5S	Adverse effect of antirheumatics, not elsewhere classified, sequela
T39.8X5A	Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, initial encounter
T39.8X5S	Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, sequela
T40.0X5A	Adverse effect of opium, initial encounter
T40.0X5S	Adverse effect of opium, sequela
T40.2X5A	Adverse effect of other opioids, initial encounter
T40.2X5S	Adverse effect of other opioids, sequela
T40.3X5A	Adverse effect of methadone, initial encounter
T40.3X5S	Adverse effect of methadone, sequela
T40.415A	Adverse effect of fentanyl or fentanyl analogs, initial encounter
T40.415S	Adverse effect of fentanyl or fentanyl analogs, sequela
T40.425A	Adverse effect of tramadol, initial encounter
T40.425S	Adverse effect of tramadol, sequela
T40.495A	Adverse effect of other synthetic narcotics, initial encounter
<b>ICD-10 CODE</b>	<b>DESCRIPTION</b>
T40.495S	Adverse effect of other synthetic narcotics, sequela
T40.5X5A	Adverse effect of cocaine, initial encounter
T40.5X5S	Adverse effect of cocaine, sequela
T40.695A	Adverse effect of other narcotics, initial encounter
T40.695S	Adverse effect of other narcotics, sequela
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter

ICD-10 CODE	DESCRIPTION
T40.7X5S	Adverse effect of cannabis (derivatives), sequela
T40.995A	Adverse effect of other psychodysleptics [hallucinogens], initial encounter
T40.995S	Adverse effect of other psychodysleptics [hallucinogens], sequela
T41.0X5A	Adverse effect of inhaled anesthetics, initial encounter
T41.0X5S	Adverse effect of inhaled anesthetics, sequela
T41.1X5A	Adverse effect of intravenous anesthetics, initial encounter
T41.1X5S	Adverse effect of intravenous anesthetics, sequela
T41.295A	Adverse effect of other general anesthetics, initial encounter
T41.295S	Adverse effect of other general anesthetics, sequela
T41.3X5A	Adverse effect of local anesthetics, initial encounter
T41.3X5S	Adverse effect of local anesthetics, sequela
T41.5X5A	Adverse effect of therapeutic gases, initial encounter
T41.5X5S	Adverse effect of therapeutic gases, sequela
T42.0X5A	Adverse effect of hydantoin derivatives, initial encounter
T42.0X5S	Adverse effect of hydantoin derivatives, sequela
T42.1X5A	Adverse effect of iminostilbenes, initial encounter
T42.1X5S	Adverse effect of iminostilbenes, sequela
T42.2X5A	Adverse effect of succinimides and oxazolidinediones, initial encounter
T42.2X5S	Adverse effect of succinimides and oxazolidinediones, sequela
T42.3X5A	Adverse effect of barbiturates, initial encounter
T42.3X5S	Adverse effect of barbiturates, sequela
T42.4X5A	Adverse effect of benzodiazepines, initial encounter
T42.4X5S	Adverse effect of benzodiazepines, sequela
T42.5X5A	Adverse effect of mixed antiepileptics, initial encounter
T42.5X5S	Adverse effect of mixed antiepileptics, sequela
T42.6X5A	Adverse effect of other antiepileptic and sedative-hypnotic drugs, initial encounter
T42.6X5S	Adverse effect of other antiepileptic and sedative-hypnotic drugs, sequela
T42.8X5A	Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, initial encounter
T42.8X5S	Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, sequela
T43.015A	Adverse effect of tricyclic antidepressants, initial encounter

ICD-10 CODE	DESCRIPTION
T43.015S	Adverse effect of tricyclic antidepressants, sequela
T43.025A	Adverse effect of tetracyclic antidepressants, initial encounter
T43.025S	Adverse effect of tetracyclic antidepressants, sequela
T43.1X5A	Adverse effect of monoamine-oxidase-inhibitor antidepressants, initial encounter
T43.1X5S	Adverse effect of monoamine-oxidase-inhibitor antidepressants, sequela
T43.215A	Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, initial encounter
T43.215S	Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, sequela
T43.225A	Adverse effect of selective serotonin reuptake inhibitors, initial encounter
T43.225S	Adverse effect of selective serotonin reuptake inhibitors, sequela
T43.295A	Adverse effect of other antidepressants, initial encounter
T43.295S	Adverse effect of other antidepressants, sequela
T43.3X5A	Adverse effect of phenothiazine antipsychotics and neuroleptics, initial encounter
T43.3X5S	Adverse effect of phenothiazine antipsychotics and neuroleptics, sequela
T43.4X5A	Adverse effect of butyrophenone and thiothixene neuroleptics, initial encounter
T43.4X5S	Adverse effect of butyrophenone and thiothixene neuroleptics, sequela
T43.595A	Adverse effect of other antipsychotics and neuroleptics, initial encounter
T43.595S	Adverse effect of other antipsychotics and neuroleptics, sequela
T43.615A	Adverse effect of caffeine, initial encounter
T43.615S	Adverse effect of caffeine, sequela
T43.625A	Adverse effect of amphetamines, initial encounter
T43.625S	Adverse effect of amphetamines, sequela
T43.635A	Adverse effect of methylphenidate, initial encounter
T43.635S	Adverse effect of methylphenidate, sequela
T43.695A	Adverse effect of other psychostimulants, initial encounter
T43.695S	Adverse effect of other psychostimulants, sequela
T43.8X5A	Adverse effect of other psychotropic drugs, initial encounter
T43.8X5S	Adverse effect of other psychotropic drugs, sequela
T44.0X5A	Adverse effect of anticholinesterase agents, initial encounter
T44.0X5S	Adverse effect of anticholinesterase agents, sequela
T44.1X5A	Adverse effect of other parasympathomimetics [cholinergics], initial encounter
T44.1X5S	Adverse effect of other parasympathomimetics [cholinergics], sequela



ICD-10 CODE	DESCRIPTION
T44.2X5A	Adverse effect of ganglionic blocking drugs, initial encounter
T44.2X5S	Adverse effect of ganglionic blocking drugs, sequela
T44.3X5A	Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, initial encounter
T44.3X5S	Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, sequela
T44.4X5A	Adverse effect of predominantly alpha-adrenoreceptor agonists, initial encounter
T44.4X5S	Adverse effect of predominantly alpha-adrenoreceptor agonists, sequela
T44.5X5A	Adverse effect of predominantly beta-adrenoreceptor agonists, initial encounter
T44.5X5S	Adverse effect of predominantly beta-adrenoreceptor agonists, sequela
T44.6X5A	Adverse effect of alpha-adrenoreceptor antagonists, initial encounter
T44.6X5S	Adverse effect of alpha-adrenoreceptor antagonists, sequela
T44.7X5A	Adverse effect of beta-adrenoreceptor antagonists, initial encounter
T44.7X5S	Adverse effect of beta-adrenoreceptor antagonists, sequela
T44.8X5A	Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, initial encounter
T44.8X5S	Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, sequela
T44.995A	Adverse effect of other drug primarily affecting the autonomic nervous system, initial encounter
T44.995S	Adverse effect of other drug primarily affecting the autonomic nervous system, sequela
T45.0X5A	Adverse effect of antiallergic and antiemetic drugs, initial encounter
T45.0X5S	Adverse effect of antiallergic and antiemetic drugs, sequela
T45.1X5A	Adverse effect of antineoplastic and immunosuppressive drugs, initial encounter
T45.1X5S	Adverse effect of antineoplastic and immunosuppressive drugs, sequela
T45.2X5A	Adverse effect of vitamins, initial encounter
T45.2X5S	Adverse effect of vitamins, sequela
T45.3X5A	Adverse effect of enzymes, initial encounter
T45.3X5S	Adverse effect of enzymes, sequela
T45.4X5A	Adverse effect of iron and its compounds, initial encounter
T45.4X5S	Adverse effect of iron and its compounds, sequela
T45.515A	Adverse effect of anticoagulants, initial encounter
T45.515S	Adverse effect of anticoagulants, sequela

ICD-10 CODE	DESCRIPTION
T45.525A	Adverse effect of antithrombotic drugs, initial encounter
T45.525S	Adverse effect of antithrombotic drugs, sequela
T45.615A	Adverse effect of thrombolytic drugs, initial encounter
T45.615S	Adverse effect of thrombolytic drugs, sequela
T45.625A	Adverse effect of hemostatic drug, initial encounter
ICD-10 CODE	DESCRIPTION
T45.625S	Adverse effect of hemostatic drug, sequela
T45.695A	Adverse effect of other fibrinolysis-affecting drugs, initial encounter
T45.695S	Adverse effect of other fibrinolysis-affecting drugs, sequela
T45.7X5A	Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, initial encounter
T45.7X5S	Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, sequela
T45.8X5A	Adverse effect of other primarily systemic and hematological agents, initial encounter
T45.8X5S	Adverse effect of other primarily systemic and hematological agents, sequela
T46.0X5A	Adverse effect of cardiac-stimulant glycosides and drugs of similar action, initial encounter
T46.0X5S	Adverse effect of cardiac-stimulant glycosides and drugs of similar action, sequela
T46.1X5A	Adverse effect of calcium-channel blockers, initial encounter
T46.1X5S	Adverse effect of calcium-channel blockers, sequela
T46.2X5A	Adverse effect of other antidysrhythmic drugs, initial encounter
T46.2X5S	Adverse effect of other antidysrhythmic drugs, sequela
T46.3X5A	Adverse effect of coronary vasodilators, initial encounter
T46.3X5S	Adverse effect of coronary vasodilators, sequela
T46.4X5A	Adverse effect of angiotensin-converting-enzyme inhibitors, initial encounter
T46.4X5S	Adverse effect of angiotensin-converting-enzyme inhibitors, sequela
T46.5X5A	Adverse effect of other antihypertensive drugs, initial encounter
T46.5X5S	Adverse effect of other antihypertensive drugs, sequela
T46.6X5A	Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, initial encounter
T46.6X5S	Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, sequela
T46.7X5A	Adverse effect of peripheral vasodilators, initial encounter
T46.7X5S	Adverse effect of peripheral vasodilators, sequela

ICD-10 CODE	DESCRIPTION
T46.8X5A	Adverse effect of antivaricose drugs, including sclerosing agents, initial encounter
T46.8X5S	Adverse effect of antivaricose drugs, including sclerosing agents, sequela
T46.995A	Adverse effect of other agents primarily affecting the cardiovascular system, initial encounter
T46.995S	Adverse effect of other agents primarily affecting the cardiovascular system, sequela
T47.0X5A	Adverse effect of histamine H2-receptor blockers, initial encounter
T47.0X5S	Adverse effect of histamine H2-receptor blockers, sequela
T47.1X5A	Adverse effect of other antacids and anti-gastric-secretion drugs, initial encounter
T47.1X5S	Adverse effect of other antacids and anti-gastric-secretion drugs, sequela
T47.2X5A	Adverse effect of stimulant laxatives, initial encounter
T47.2X5S	Adverse effect of stimulant laxatives, sequela
T47.3X5A	Adverse effect of saline and osmotic laxatives, initial encounter
T47.3X5S	Adverse effect of saline and osmotic laxatives, sequela
T47.4X5A	Adverse effect of other laxatives, initial encounter
T47.4X5S	Adverse effect of other laxatives, sequela
T47.5X5A	Adverse effect of digestants, initial encounter
T47.5X5S	Adverse effect of digestants, sequela
T47.6X5A	Adverse effect of antidiarrheal drugs, initial encounter
T47.6X5S	Adverse effect of antidiarrheal drugs, sequela
T47.7X5A	Adverse effect of emetics, initial encounter
T47.7X5S	Adverse effect of emetics, sequela
T47.8X5A	Adverse effect of other agents primarily affecting gastrointestinal system, initial encounter
T47.8X5S	Adverse effect of other agents primarily affecting gastrointestinal system, sequela
T48.0X5A	Adverse effect of oxytocic drugs, initial encounter
T48.0X5S	Adverse effect of oxytocic drugs, sequela
T48.1X5A	Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], initial encounter
T48.1X5S	Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], sequela
T48.295A	Adverse effect of other drugs acting on muscles, initial encounter
T48.295S	Adverse effect of other drugs acting on muscles, sequela

ICD-10 CODE	DESCRIPTION
T48.3X5A	Adverse effect of antitussives, initial encounter
T48.3X5S	Adverse effect of antitussives, sequela
T48.4X5A	Adverse effect of expectorants, initial encounter
T48.4X5S	Adverse effect of expectorants, sequela
T48.5X5A	Adverse effect of other anti-common-cold drugs, initial encounter
T48.5X5S	Adverse effect of other anti-common-cold drugs, sequela
T48.6X5A	Adverse effect of antiasthmatics, initial encounter
T48.6X5S	Adverse effect of antiasthmatics, sequela
T48.995A	Adverse effect of other agents primarily acting on the respiratory system, initial encounter
T48.995S	Adverse effect of other agents primarily acting on the respiratory system, sequela
T49.0X5A	Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, initial encounter
T49.0X5S	Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, sequela
T49.1X5A	Adverse effect of antipruritics, initial encounter
T49.1X5S	Adverse effect of antipruritics, sequela
T49.2X5A	Adverse effect of local astringents and local detergents, initial encounter
T49.2X5S	Adverse effect of local astringents and local detergents, sequela
T49.3X5A	Adverse effect of emollients, demulcents and protectants, initial encounter
T49.3X5S	Adverse effect of emollients, demulcents and protectants, sequela
T49.4X5A	Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, initial encounter
T49.4X5S	Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, sequela
T49.5X5A	Adverse effect of ophthalmological drugs and preparations, initial encounter
T49.5X5S	Adverse effect of ophthalmological drugs and preparations, sequela
T49.6X5A	Adverse effect of otorhinolaryngological drugs and preparations, initial encounter
T49.6X5S	Adverse effect of otorhinolaryngological drugs and preparations, sequela
T49.7X5A	Adverse effect of dental drugs, topically applied, initial encounter
T49.7X5S	Adverse effect of dental drugs, topically applied, sequela
T49.8X5A	Adverse effect of other topical agents, initial encounter
T49.8X5S	Adverse effect of other topical agents, sequela

ICD-10 CODE	DESCRIPTION
T50.0X5A	Adverse effect of mineralocorticoids and their antagonists, initial encounter
T50.0X5S	Adverse effect of mineralocorticoids and their antagonists, sequela
T50.1X5A	Adverse effect of loop [high-ceiling] diuretics, initial encounter
T50.1X5S	Adverse effect of loop [high-ceiling] diuretics, sequela
T50.2X5A	Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, initial encounter
T50.2X5S	Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, sequela
T50.3X5A	Adverse effect of electrolytic, caloric and water-balance agents, initial encounter
T50.3X5S	Adverse effect of electrolytic, caloric and water-balance agents, sequela
T50.4X5A	Adverse effect of drugs affecting uric acid metabolism, initial encounter
T50.4X5S	Adverse effect of drugs affecting uric acid metabolism, sequela
T50.5X5A	Adverse effect of appetite depressants, initial encounter
T50.5X5S	Adverse effect of appetite depressants, sequela
T50.6X5A	Adverse effect of antidotes and chelating agents, initial encounter
T50.6X5S	Adverse effect of antidotes and chelating agents, sequela
T50.7X5A	Adverse effect of analeptics and opioid receptor antagonists, initial encounter
T50.7X5S	Adverse effect of analeptics and opioid receptor antagonists, sequela
T50.8X5A	Adverse effect of diagnostic agents, initial encounter
T50.8X5S	Adverse effect of diagnostic agents, sequela
T50.A15A	Adverse effect of pertussis vaccine, including combinations with a pertussis component, initial encounter
T50.A15S	Adverse effect of pertussis vaccine, including combinations with a pertussis component, sequela
T50.A25A	Adverse effect of mixed bacterial vaccines without a pertussis component, initial encounter
<b>ICD-10 CODE</b>	<b>DESCRIPTION</b>
T50.A25S	Adverse effect of mixed bacterial vaccines without a pertussis component, sequela
T50.A95A	Adverse effect of other bacterial vaccines, initial encounter
T50.A95S	Adverse effect of other bacterial vaccines, sequela
T50.B15A	Adverse effect of smallpox vaccines, initial encounter
T50.B15S	Adverse effect of smallpox vaccines, sequela
T50.B95A	Adverse effect of other viral vaccines, initial encounter

ICD-10 CODE	DESCRIPTION
T50.B95S	Adverse effect of other viral vaccines, sequela
T50.Z15A	Adverse effect of immunoglobulin, initial encounter
T50.Z15S	Adverse effect of immunoglobulin, sequela
T50.Z95A	Adverse effect of other vaccines and biological substances, initial encounter
T50.Z95S	Adverse effect of other vaccines and biological substances, sequela
T50.915A	Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter
T50.915D	Adverse effect of multiple unspecified drugs, medicaments and biological substances, subsequent encounter
T50.915S	Adverse effect of multiple unspecified drugs, medicaments and biological substances, sequela
T50.995A	Adverse effect of other drugs, medicaments and biological substances, initial encounter
T50.995S	Adverse effect of other drugs, medicaments and biological substances, sequela
T78.3XXA	Angioneurotic edema, initial encounter
T78.3XXS	Angioneurotic edema, sequela
T78.41XA	Arthus phenomenon, initial encounter
T78.41XS	Arthus phenomenon, sequela
T78.49XA	Other allergy, initial encounter
T78.49XS	Other allergy, sequela
T88.2XXA	Shock due to anesthesia, initial encounter
T88.2XXS	Shock due to anesthesia, sequela
T88.59XA	Other complications of anesthesia, initial encounter
T88.59XS	Other complications of anesthesia, sequela
T88.6XXA	Anaphylactic reaction due to adverse effect of correct drug or medicament properly administered, initial encounter
T88.6XXS	Anaphylactic reaction due to adverse effect of correct drug or medicament properly administered, sequela

### ICD-10 Codes that DO NOT Support Medical Necessity

#### Group 1 Paragraph:

All ICD-10-CM Codes not listed under the *ICD-10-CM Codes That Support Medical Necessity* section of this policy will be denied.

#### Group 1 Codes:

N/A

**Additional ICD-10 Information**

N/A

**Bill Type Codes:**

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

N/A

**Revenue Codes:**

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

CODE	DESCRIPTION
99999	Not Applicable

**Other Coding Information**

N/A

## Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
10/01/2020	R1	10/01/2020: Under ICD-10 Codes that Support Medical Necessity Grops I/II/III/IV  Added T40.415A; T40.415S;T40.425A;T40.425S; T40.495A; T40.495S.

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		<p>Deleted from Group I: T40.4X5A; T40.4X5S</p> <p>Deleted from Group II: T40.4X5A; T40.4X5S</p> <p>Deleted from Group IV: T40.4X5A; T40.4X5S</p> <p>These revisions are due to the Annual ICD-10 Updates and become effective 10/01/2020</p>

---

## Associated Documents

### Related Local Coverage Document(s)

LCD(s)

L34313 - Allergy Testing

### Related National Coverage Document(s)

NCD(s)

110.11 - Food Allergy Testing and Treatment

### Statutory Requirements URL(s)

N/A

### Rules and Regulations URL(s)

N/A

### CMS Manual Explanations URL(s)

N/A

### Other URL(s)

N/A

### Public Version(s)

Updated on 09/10/2020 with effective dates 10/01/2020 - N/A

Updated on 09/18/2019 with effective dates 10/01/2019 - N/A

---

## Keywords

N/A