

# Local Coverage Article: Billing and Coding: Lab:Controlled Substance Monitoring and Drugs of Abuse Coding and Billing Guidelines (A55001)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

## Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
Noridian Healthcare Solutions, LLC	A and B MAC	01111 - MAC A	J - E	California - Entire State
Noridian Healthcare Solutions, LLC	A and B MAC	01112 - MAC B	J - E	California - Northern
Noridian Healthcare Solutions, LLC	A and B MAC	01182 - MAC B	J - E	California - Southern
Noridian Healthcare Solutions, LLC	A and B MAC	01211 - MAC A	J - E	American Samoa Guam Hawaii Northern Mariana Islands
Noridian Healthcare Solutions, LLC	A and B MAC	01212 - MAC B	J - E	American Samoa Guam Hawaii Northern Mariana Islands
Noridian Healthcare Solutions, LLC	A and B MAC	01311 - MAC A	J - E	Nevada
Noridian Healthcare Solutions, LLC	A and B MAC	01312 - MAC B	J - E	Nevada
Noridian Healthcare Solutions, LLC	A and B MAC	01911 - MAC A	J - E	American Samoa California - Entire State Guam Hawaii Nevada Northern Mariana Islands

## Article Information

### General Information

**Article ID**

A55001

**Original Effective Date**

06/28/2016

**Article Title**

Billing and Coding: Lab:Controlled Substance Monitoring and Drugs of Abuse Coding and Billing Guidelines

**Revision Effective Date**

10/01/2019

**Article Type**

Billing and Coding

**Revision Ending Date**

N/A

**AMA CPT / ADA CDT / AHA NUBC Copyright Statement**

CPT codes, descriptions and other data only are copyright 2018 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

**Retirement Date**

N/A

Current Dental Terminology © 2018 American Dental Association. All rights reserved.

Copyright © 2019, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at [ub04@healthforum.com](mailto:ub04@healthforum.com).

**CMS National Coverage Policy**

N/A

# Article Guidance

## Article Text:

The information in this article contains billing, coding, or other guidelines that complement the Local Coverage Determination (LCD) for Lab: Controlled Substance Monitoring and Drugs of Abuse Testing L36668.

Effective January 1, 2017, controlled substance testing providers should apply the following coding and billing guidelines for L36668 - Lab: Controlled Substance Monitoring and Drugs of Abuse.

- To receive reimbursement for controlled substance and drugs of abuse testing, the service reported on the claim MUST match the service ordered by the physician.
- Incidental findings not ordered by the physician are not a covered service and will be denied.
- A maximum of one presumptive urine drug test may be submitted and paid per patient DOS.
- A maximum of one definitive urine drug test may be submitted and paid per patient DOS.

Reminder - DOS refers to the date of the sample collection, not the date the test was run.

## Presumptive Urine Drug Testing (UDT)

Providers may ONLY perform and report one of the following three types of presumptive UDT available per patient DOS:

1. **80305**: Drug test(s), presumptive, any number of drug classes; any number of devices or procedures, (e.g. immunoassay) capable of being read by direct optical observation only (e.g., dipsticks, cups, cards, cartridges), includes sample validation when performed, per date of service.
2. **80306**: Drug test(s), presumptive, any number of drug classes, qualitative, any number of devices or procedures, (e.g., immunoassay) read by instrument assisted direct optical observation (e.g., dipsticks, cups, cards, cartridges), includes sample validation when performed, per date of service.
3. **80307**: Drug test(s), presumptive, any number of drug classes, qualitative, any number of devices or procedures by instrument chemistry analyzers (e.g., utilizing immunoassay [e.g., EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (e.g., GC, HPLC), and mass spectrometry either with or without chromatography, (e.g., DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service.

## Definitive (Qualitative or Quantitative) UDT Testing

Based on the number of drug classes indicated for the patient's needs, providers may ONLY perform and report one of the following five UDT services per patient DOS:

1. **G0480**: Drug test(s) definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day, 1-7 drug class(es), including metabolite(s) if performed.

2. **G0481:** Drug test(s) definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day, 8-14 drug class(es), including metabolites(s) if performed.
3. **G0482:** Drug test(s) definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day, 15-21 drug classes, including metabolites(s) if performed.
4. **G0483:** Drug test(s) definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day, 22 or more drug classes, including metabolites(s) if performed.
5. **G0659:** Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes.

### **Coding/Billing Clarification of Non-Covered Services**

- Reflex testing for IA presumptive positives may only be performed by laboratories other than physician office labs (POL). Physicians in POL are expected to determine the medical necessity for definitive testing for a presumptive positive result and document the necessity in the medical record because they have specific patient information and may not need definitive testing.
- When a presumptive test is negative for a patient on a prescribed medication, a definitive drug test may be performed.
- Only one presumptive service may be billed per patient, per DOS, regardless of the provider.
- Medicare will process the first presumptive service received per patient, per DOS. All subsequent claims for a presumptive service for the same patient and same DOS will be denied.
- Only one definitive service may be billed per patient, per DOS, regardless of the provider.
- Medicare will process the first definitive service received per patient, per DOS. All subsequent claims for a definitive service for the same patient and same DOS will be denied.

To report a Controlled Substance Monitoring and Drugs of Abuse Testing service, please submit the following claim information:

- Select the appropriate CPT<sup>®</sup> code
- Enter 1 unit of service (UOS)
- Select the appropriate ICD-10-CM code

## Coding Information

### CPT/HCPCS Codes

#### Group 1 Paragraph:

The following codes are new and effective 01/01/2017: G0659, 80305, 80306 and 80307.

#### Group 1 Codes:

CODE	DESCRIPTION
80305	DRUG TEST(S), PRESUMPTIVE, ANY NUMBER OF DRUG CLASSES, ANY NUMBER OF DEVICES OR PROCEDURES; CAPABLE OF BEING READ BY DIRECT OPTICAL OBSERVATION ONLY (EG, UTILIZING IMMUNOASSAY [EG, DIPSTICKS, CUPS, CARDS, OR CARTRIDGES]), INCLUDES SAMPLE VALIDATION WHEN PERFORMED, PER DATE OF SERVICE
80306	DRUG TEST(S), PRESUMPTIVE, ANY NUMBER OF DRUG CLASSES, ANY NUMBER OF DEVICES OR PROCEDURES; READ BY INSTRUMENT ASSISTED DIRECT OPTICAL OBSERVATION (EG, UTILIZING IMMUNOASSAY [EG, DIPSTICKS, CUPS, CARDS, OR CARTRIDGES]), INCLUDES SAMPLE VALIDATION WHEN PERFORMED, PER DATE OF SERVICE
80307	DRUG TEST(S), PRESUMPTIVE, ANY NUMBER OF DRUG CLASSES, ANY NUMBER OF DEVICES OR PROCEDURES; BY INSTRUMENT CHEMISTRY ANALYZERS (EG, UTILIZING IMMUNOASSAY [EG, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), CHROMATOGRAPHY (EG, GC, HPLC), AND MASS SPECTROMETRY EITHER WITH OR WITHOUT CHROMATOGRAPHY, (EG, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) INCLUDES SAMPLE VALIDATION WHEN PERFORMED, PER DATE OF SERVICE
G0480	DRUG TEST(S), DEFINITIVE, UTILIZING (1) DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING, BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM AND EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT,

CODE	DESCRIPTION
	<p>FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE)), (2) STABLE ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARDS IN ALL SAMPLES (E.G., TO CONTROL FOR MATRIX EFFECTS, INTERFERENCES AND VARIATIONS IN SIGNAL STRENGTH), AND (3) METHOD OR DRUG-SPECIFIC CALIBRATION AND MATRIX-MATCHED QUALITY CONTROL MATERIAL (E.G., TO CONTROL FOR INSTRUMENT VARIATIONS AND MASS SPECTRAL DRIFT); QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY; 1-7 DRUG CLASS(ES), INCLUDING METABOLITE(S) IF PERFORMED</p>
G0481	<p>DRUG TEST(S), DEFINITIVE, UTILIZING (1) DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING, BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM AND EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE)), (2) STABLE ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARDS IN ALL SAMPLES (E.G., TO CONTROL FOR MATRIX EFFECTS, INTERFERENCES AND VARIATIONS IN SIGNAL STRENGTH), AND (3) METHOD OR DRUG-SPECIFIC CALIBRATION AND MATRIX-MATCHED QUALITY CONTROL MATERIAL (E.G., TO CONTROL FOR INSTRUMENT VARIATIONS AND MASS SPECTRAL DRIFT); QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY; 8-14 DRUG CLASS(ES), INCLUDING METABOLITE(S) IF PERFORMED</p>
G0482	<p>DRUG TEST(S), DEFINITIVE, UTILIZING (1) DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING, BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM AND EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE)), (2) STABLE ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARDS IN ALL SAMPLES (E.G., TO CONTROL FOR MATRIX EFFECTS, INTERFERENCES AND VARIATIONS IN SIGNAL STRENGTH), AND (3) METHOD OR DRUG-SPECIFIC CALIBRATION AND MATRIX-MATCHED QUALITY CONTROL MATERIAL (E.G., TO CONTROL FOR INSTRUMENT VARIATIONS AND MASS SPECTRAL DRIFT); QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY; 15-21 DRUG CLASS(ES), INCLUDING METABOLITE(S) IF PERFORMED</p>
G0483	<p>DRUG TEST(S), DEFINITIVE, UTILIZING (1) DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING, BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM AND EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE)), (2) STABLE</p>

CODE	DESCRIPTION
	ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARDS IN ALL SAMPLES (E.G., TO CONTROL FOR MATRIX EFFECTS, INTERFERENCES AND VARIATIONS IN SIGNAL STRENGTH), AND (3) METHOD OR DRUG-SPECIFIC CALIBRATION AND MATRIX-MATCHED QUALITY CONTROL MATERIAL (E.G., TO CONTROL FOR INSTRUMENT VARIATIONS AND MASS SPECTRAL DRIFT); QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY; 22 OR MORE DRUG CLASS(ES), INCLUDING METABOLITE(S) IF PERFORMED
G0659	DRUG TEST(S), DEFINITIVE, UTILIZING DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM), EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE), PERFORMED WITHOUT METHOD OR DRUG-SPECIFIC CALIBRATION, WITHOUT MATRIX-MATCHED QUALITY CONTROL MATERIAL, OR WITHOUT USE OF STABLE ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARD(S) FOR EACH DRUG, DRUG METABOLITE OR DRUG CLASS PER SPECIMEN; QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY, ANY NUMBER OF DRUG CLASSES

**CPT/HCPCS Modifiers**

**Group 1 Paragraph:**

N/A

**Group 1 Codes:**

N/A

**ICD-10 Codes that Support Medical Necessity**

**Group 1 Paragraph:**

N/A

**Group 1 Codes:**

ICD-10 CODE	DESCRIPTION
E87.2	Acidosis
F10.11	Alcohol abuse, in remission
F10.20	Alcohol dependence, uncomplicated
F11.11	Opioid abuse, in remission

ICD-10 CODE	DESCRIPTION
F11.20	Opioid dependence, uncomplicated
F11.220	Opioid dependence with intoxication, uncomplicated
F11.221	Opioid dependence with intoxication delirium
F11.222	Opioid dependence with intoxication with perceptual disturbance
F11.229	Opioid dependence with intoxication, unspecified
F11.23	Opioid dependence with withdrawal
F11.24	Opioid dependence with opioid-induced mood disorder
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11.281	Opioid dependence with opioid-induced sexual dysfunction
F11.282	Opioid dependence with opioid-induced sleep disorder
F11.288	Opioid dependence with other opioid-induced disorder
F11.29	Opioid dependence with unspecified opioid-induced disorder
F12.11	Cannabis abuse, in remission
F12.23	Cannabis dependence with withdrawal
F12.93	Cannabis use, unspecified with withdrawal
F13.11	Sedative, hypnotic or anxiolytic abuse, in remission
F14.11	Cocaine abuse, in remission
F15.11	Other stimulant abuse, in remission
F16.11	Hallucinogen abuse, in remission
F18.10	Inhalant abuse, uncomplicated
F18.11	Inhalant abuse, in remission
F18.120	Inhalant abuse with intoxication, uncomplicated
F18.90	Inhalant use, unspecified, uncomplicated
F19.11	Other psychoactive substance abuse, in remission
F19.20	Other psychoactive substance dependence, uncomplicated
F20.0	Paranoid schizophrenia
F20.1	Disorganized schizophrenia
F20.2	Catatonic schizophrenia
F20.89	Other schizophrenia
F55.0	Abuse of antacids



ICD-10 CODE	DESCRIPTION
F55.1	Abuse of herbal or folk remedies
F55.2	Abuse of laxatives
F55.3	Abuse of steroids or hormones
F55.4	Abuse of vitamins
F55.8	Abuse of other non-psychoactive substances
G40.301	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.309	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.311	Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus
G40.319	Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.401	Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.409	Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.411	Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus
G40.419	Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.901	Epilepsy, unspecified, not intractable, with status epilepticus
G40.909	Epilepsy, unspecified, not intractable, without status epilepticus
G40.911	Epilepsy, unspecified, intractable, with status epilepticus
G40.919	Epilepsy, unspecified, intractable, without status epilepticus
G89.29	Other chronic pain
G89.4	Chronic pain syndrome
I44.0	Atrioventricular block, first degree
I44.1	Atrioventricular block, second degree
I44.30	Unspecified atrioventricular block
I45.81	Long QT syndrome
I47.0	Re-entry ventricular arrhythmia
I47.1	Supraventricular tachycardia
I47.2	Ventricular tachycardia

ICD-10 CODE	DESCRIPTION
I49.2	Junctional premature depolarization
M25.50	Pain in unspecified joint
M25.511	Pain in right shoulder
M25.512	Pain in left shoulder
M47.21	Other spondylosis with radiculopathy, occipito-atlanto-axial region
M47.22	Other spondylosis with radiculopathy, cervical region
M47.23	Other spondylosis with radiculopathy, cervicothoracic region
M47.26	Other spondylosis with radiculopathy, lumbar region
M47.27	Other spondylosis with radiculopathy, lumbosacral region
M47.28	Other spondylosis with radiculopathy, sacral and sacrococcygeal region
M47.811	Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region
M47.812	Spondylosis without myelopathy or radiculopathy, cervical region
M47.813	Spondylosis without myelopathy or radiculopathy, cervicothoracic region
M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region
M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region
M47.818	Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region
M47.891	Other spondylosis, occipito-atlanto-axial region
M47.892	Other spondylosis, cervical region
M47.893	Other spondylosis, cervicothoracic region
M47.896	Other spondylosis, lumbar region
M47.897	Other spondylosis, lumbosacral region
M47.898	Other spondylosis, sacral and sacrococcygeal region
M51.14	Intervertebral disc disorders with radiculopathy, thoracic region
M51.15	Intervertebral disc disorders with radiculopathy, thoracolumbar region
M51.16	Intervertebral disc disorders with radiculopathy, lumbar region
M51.17	Intervertebral disc disorders with radiculopathy, lumbosacral region
M51.36	Other intervertebral disc degeneration, lumbar region
M51.37	Other intervertebral disc degeneration, lumbosacral region
M54.10	Radiculopathy, site unspecified
M54.12	Radiculopathy, cervical region
M54.14	Radiculopathy, thoracic region
M54.15	Radiculopathy, thoracolumbar region

ICD-10 CODE	DESCRIPTION
M54.16	Radiculopathy, lumbar region
M54.17	Radiculopathy, lumbosacral region
M54.18	Radiculopathy, sacral and sacrococcygeal region
M54.2	Cervicalgia
M54.5	Low back pain
M60.811	Other myositis, right shoulder
M60.812	Other myositis, left shoulder
ICD-10 CODE	DESCRIPTION
M60.821	Other myositis, right upper arm
M60.822	Other myositis, left upper arm
M60.831	Other myositis, right forearm
M60.832	Other myositis, left forearm
M60.841	Other myositis, right hand
M60.842	Other myositis, left hand
M60.851	Other myositis, right thigh
M60.852	Other myositis, left thigh
M60.861	Other myositis, right lower leg
M60.862	Other myositis, left lower leg
M60.871	Other myositis, right ankle and foot
M60.872	Other myositis, left ankle and foot
M60.88	Other myositis, other site
M60.89	Other myositis, multiple sites
M60.9	Myositis, unspecified
M79.2	Neuralgia and neuritis, unspecified
M79.7	Fibromyalgia
R40.0	Somnolence
R40.1	Stupor
R40.20	Unspecified coma
R40.2110	Coma scale, eyes open, never, unspecified time
R40.2111	Coma scale, eyes open, never, in the field [EMT or ambulance]
R40.2112	Coma scale, eyes open, never, at arrival to emergency department
R40.2113	Coma scale, eyes open, never, at hospital admission

ICD-10 CODE	DESCRIPTION
R40.2114	Coma scale, eyes open, never, 24 hours or more after hospital admission
R40.2120	Coma scale, eyes open, to pain, unspecified time
R40.2121	Coma scale, eyes open, to pain, in the field [EMT or ambulance]
R40.2122	Coma scale, eyes open, to pain, at arrival to emergency department
R40.2123	Coma scale, eyes open, to pain, at hospital admission
R40.2124	Coma scale, eyes open, to pain, 24 hours or more after hospital admission
R40.2210	Coma scale, best verbal response, none, unspecified time
R40.2211	Coma scale, best verbal response, none, in the field [EMT or ambulance]
R40.2212	Coma scale, best verbal response, none, at arrival to emergency department
R40.2213	Coma scale, best verbal response, none, at hospital admission
R40.2214	Coma scale, best verbal response, none, 24 hours or more after hospital admission
R40.2220	Coma scale, best verbal response, incomprehensible words, unspecified time
R40.2221	Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]
R40.2222	Coma scale, best verbal response, incomprehensible words, at arrival to emergency department
R40.2223	Coma scale, best verbal response, incomprehensible words, at hospital admission
R40.2224	Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission
R40.2310	Coma scale, best motor response, none, unspecified time
R40.2311	Coma scale, best motor response, none, in the field [EMT or ambulance]
R40.2312	Coma scale, best motor response, none, at arrival to emergency department
R40.2313	Coma scale, best motor response, none, at hospital admission
R40.2314	Coma scale, best motor response, none, 24 hours or more after hospital admission
R40.2320	Coma scale, best motor response, extension, unspecified time
R40.2321	Coma scale, best motor response, extension, in the field [EMT or ambulance]
R40.2322	Coma scale, best motor response, extension, at arrival to emergency department
R40.2323	Coma scale, best motor response, extension, at hospital admission
R40.2324	Coma scale, best motor response, extension, 24 hours or more after hospital admission
R40.2340	Coma scale, best motor response, flexion withdrawal, unspecified time
R40.2341	Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]

ICD-10 CODE	DESCRIPTION
R40.2342	Coma scale, best motor response, flexion withdrawal, at arrival to emergency department
R40.2343	Coma scale, best motor response, flexion withdrawal, at hospital admission
R40.2344	Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission
R41.82	Altered mental status, unspecified
R44.0	Auditory hallucinations
R44.2	Other hallucinations
R44.3	Hallucinations, unspecified
R45.850	Homicidal ideations
R45.851	Suicidal ideations
R56.9	Unspecified convulsions
T39.011A	Poisoning by aspirin, accidental (unintentional), initial encounter
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter
T39.013A	Poisoning by aspirin, assault, initial encounter
T39.014A	Poisoning by aspirin, undetermined, initial encounter
T39.091A	Poisoning by salicylates, accidental (unintentional), initial encounter
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter
T39.093A	Poisoning by salicylates, assault, initial encounter
T39.094A	Poisoning by salicylates, undetermined, initial encounter
T39.1X1A	Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter
T39.1X3A	Poisoning by 4-Aminophenol derivatives, assault, initial encounter
T39.1X4A	Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter
T39.2X1A	Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter
T39.2X3A	Poisoning by pyrazolone derivatives, assault, initial encounter
T39.2X4A	Poisoning by pyrazolone derivatives, undetermined, initial encounter
T39.311A	Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter
T39.313A	Poisoning by propionic acid derivatives, assault, initial encounter
T39.314A	Poisoning by propionic acid derivatives, undetermined, initial encounter

<b>ICD-10 CODE</b>	<b>DESCRIPTION</b>
T39.391A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter
T39.393A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial encounter
T39.394A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, initial encounter
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter
T40.0X3A	Poisoning by opium, assault, initial encounter
T40.0X4A	Poisoning by opium, undetermined, initial encounter
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter
T40.1X3A	Poisoning by heroin, assault, initial encounter
T40.1X4A	Poisoning by heroin, undetermined, initial encounter
T40.2X1A	Poisoning by other opioids, accidental (unintentional), initial encounter
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter
T40.2X3A	Poisoning by other opioids, assault, initial encounter
T40.2X4A	Poisoning by other opioids, undetermined, initial encounter
T40.3X1A	Poisoning by methadone, accidental (unintentional), initial encounter
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter
<b>ICD-10 CODE</b>	<b>DESCRIPTION</b>
T40.3X3A	Poisoning by methadone, assault, initial encounter
T40.3X4A	Poisoning by methadone, undetermined, initial encounter
T40.4X1A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter
T40.4X3A	Poisoning by other synthetic narcotics, assault, initial encounter
T40.4X4A	Poisoning by other synthetic narcotics, undetermined, initial encounter
T40.601A	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter
T40.603A	Poisoning by unspecified narcotics, assault, initial encounter
T40.604A	Poisoning by unspecified narcotics, undetermined, initial encounter

ICD-10 CODE	DESCRIPTION
T40.691A	Poisoning by other narcotics, accidental (unintentional), initial encounter
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter
T40.693A	Poisoning by other narcotics, assault, initial encounter
T40.694A	Poisoning by other narcotics, undetermined, initial encounter
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter
T40.7X3A	Poisoning by cannabis (derivatives), assault, initial encounter
T40.7X4A	Poisoning by cannabis (derivatives), undetermined, initial encounter
T40.8X1A	Poisoning by lysergide [LSD], accidental (unintentional), initial encounter
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter
T40.8X3A	Poisoning by lysergide [LSD], assault, initial encounter
T40.8X4A	Poisoning by lysergide [LSD], undetermined, initial encounter
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40.903A	Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter
T40.904A	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter
T40.991A	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40.993A	Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter
T40.994A	Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter
T42.0X1A	Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter
T42.0X3A	Poisoning by hydantoin derivatives, assault, initial encounter
T42.0X4A	Poisoning by hydantoin derivatives, undetermined, initial encounter
T42.3X1A	Poisoning by barbiturates, accidental (unintentional), initial encounter
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter
T42.3X3A	Poisoning by barbiturates, assault, initial encounter
T42.3X4A	Poisoning by barbiturates, undetermined, initial encounter

ICD-10 CODE	DESCRIPTION
T42.4X1A	Poisoning by benzodiazepines, accidental (unintentional), initial encounter
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter
T42.4X3A	Poisoning by benzodiazepines, assault, initial encounter
T42.4X4A	Poisoning by benzodiazepines, undetermined, initial encounter
T42.6X1A	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.6X3A	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter
T42.6X4A	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter
T42.71XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.73XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, initial encounter
T42.74XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter
T43.011A	Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter
T43.013A	Poisoning by tricyclic antidepressants, assault, initial encounter
T43.014A	Poisoning by tricyclic antidepressants, undetermined, initial encounter
T43.021A	Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter
T43.023A	Poisoning by tetracyclic antidepressants, assault, initial encounter
T43.024A	Poisoning by tetracyclic antidepressants, undetermined, initial encounter
T43.1X1A	Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), initial encounter
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter
T43.1X3A	Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter
T43.1X4A	Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial



ICD-10 CODE	DESCRIPTION
	encounter
T43.201A	Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter
T43.203A	Poisoning by unspecified antidepressants, assault, initial encounter
T43.204A	Poisoning by unspecified antidepressants, undetermined, initial encounter
T43.211A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter
T43.213A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter
T43.214A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter
T43.221A	Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter
T43.223A	Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter
T43.224A	Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter
T43.291A	Poisoning by other antidepressants, accidental (unintentional), initial encounter
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter
T43.293A	Poisoning by other antidepressants, assault, initial encounter
T43.294A	Poisoning by other antidepressants, undetermined, initial encounter
T43.3X1A	Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.3X3A	Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter
T43.3X4A	Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter
T43.4X1A	Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm,

ICD-10 CODE	DESCRIPTION
	initial encounter
T43.4X3A	Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter
T43.4X4A	Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial encounter
T43.501A	Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.503A	Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter
T43.504A	Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial encounter
T43.591A	Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.593A	Poisoning by other antipsychotics and neuroleptics, assault, initial encounter
T43.594A	Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter
T43.601A	Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter
T43.603A	Poisoning by unspecified psychostimulants, assault, initial encounter
T43.604A	Poisoning by unspecified psychostimulants, undetermined, initial encounter
T43.611A	Poisoning by caffeine, accidental (unintentional), initial encounter
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter
<b>ICD-10 CODE</b>	<b>DESCRIPTION</b>
T43.613A	Poisoning by caffeine, assault, initial encounter
T43.614A	Poisoning by caffeine, undetermined, initial encounter
T43.621A	Poisoning by amphetamines, accidental (unintentional), initial encounter
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter
T43.623A	Poisoning by amphetamines, assault, initial encounter
T43.624A	Poisoning by amphetamines, undetermined, initial encounter
T43.631A	Poisoning by methylphenidate, accidental (unintentional), initial encounter
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter
T43.633A	Poisoning by methylphenidate, assault, initial encounter

ICD-10 CODE	DESCRIPTION
T43.634A	Poisoning by methylphenidate, undetermined, initial encounter
T43.641A	Poisoning by ecstasy, accidental (unintentional), initial encounter
T43.641D	Poisoning by ecstasy, accidental (unintentional), subsequent encounter
T43.641S	Poisoning by ecstasy, accidental (unintentional), sequela
T43.642A	Poisoning by ecstasy, intentional self-harm, initial encounter
T43.642D	Poisoning by ecstasy, intentional self-harm, subsequent encounter
T43.642S	Poisoning by ecstasy, intentional self-harm, sequela
T43.643A	Poisoning by ecstasy, assault, initial encounter
T43.643D	Poisoning by ecstasy, assault, subsequent encounter
T43.643S	Poisoning by ecstasy, assault, sequela
T43.644A	Poisoning by ecstasy, undetermined, initial encounter
T43.644D	Poisoning by ecstasy, undetermined, subsequent encounter
T43.644S	Poisoning by ecstasy, undetermined, sequela
T43.691A	Poisoning by other psychostimulants, accidental (unintentional), initial encounter
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter
T43.693A	Poisoning by other psychostimulants, assault, initial encounter
T43.694A	Poisoning by other psychostimulants, undetermined, initial encounter
T43.8X1A	Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter
T43.8X3A	Poisoning by other psychotropic drugs, assault, initial encounter
T43.8X4A	Poisoning by other psychotropic drugs, undetermined, initial encounter
T43.91XA	Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter
T43.93XA	Poisoning by unspecified psychotropic drug, assault, initial encounter
T43.94XA	Poisoning by unspecified psychotropic drug, undetermined, initial encounter
T45.0X1A	Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter
T45.0X3A	Poisoning by antiallergic and antiemetic drugs, assault, initial encounter
T45.0X4A	Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter
T46.0X1A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental

ICD-10 CODE	DESCRIPTION
	(unintentional), initial encounter
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter
T46.0X3A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, initial encounter
T46.0X4A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, initial encounter
T50.901A	Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter
T50.903A	Poisoning by unspecified drugs, medicaments and biological substances, assault, initial encounter
T50.904A	Poisoning by unspecified drugs, medicaments and biological substances, undetermined, initial encounter
Z03.89	Encounter for observation for other suspected diseases and conditions ruled out
Z51.81	Encounter for therapeutic drug level monitoring
Z79.3	Long term (current) use of hormonal contraceptives
Z79.891	Long term (current) use of opiate analgesic
Z79.899	Other long term (current) drug therapy
Z91.19	Patient's noncompliance with other medical treatment and regimen

### ICD-10 Codes that DO NOT Support Medical Necessity

#### Group 1 Paragraph:

N/A

#### Group 1 Codes:

N/A

### Additional ICD-10 Information

N/A

### Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service.

Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

CODE	DESCRIPTION
999x	Not Applicable

**Revenue Codes:**

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

N/A

**Other Coding Information**

**Group 1 Paragraph:**

N/A

**Group 1 Codes:**

N/A

## Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
10/01/2019	R4	<p>All coding located in the <b>Coding Information</b> section has been removed from the related Lab: Controlled Substance Monitoring and Drugs of Abuse Testing L3668 LCD and added to this article.</p> <p>Under <b>Article Title</b> changed the title from the related "Billing and Coding: 2018 Controlled Substance Monitoring and Drugs of Abuse Coding and Billing Guidelines" to "Billing and Coding: Lab: Controlled Substance Monitoring and Drugs of Abuse Testing". Under <b>Article Text</b> added the sentence "The information in this article contains billing, coding, or other guidelines that complement the Local Coverage Determination (LCD) for Lab: Controlled Substance Monitoring and Drugs of Abuse Testing L36668" for the first paragraph and added the last paragraph. Formatting, punctuation and typographical errors were corrected throughout the article.</p>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
01/01/2017	R3	05/15/2018: Change of year in title to 2018.
01/01/2017	R2	03/30/2017 - Under "Presumptive Urine Drug Testing (UDT) " corrected the types of presumptive UDT available per patient DOS from four to three. Under "Definitive (Qualitative or Quantitative) UDT Testing" corrected the number of UDT services per patient DOS from four to five.
01/01/2017	R1	Added the reminder sentence for DOS. Changed the first sentence under Presumptive Urine Drug Testing (UDT); to read "...four types of presumptive UDT..." instead of three. Added new 2017 CPT/HCPCS codes, replaced 2016 with 2017 and replaced "encounter" with DOS. Deleted G0477, G0478 and G0479 under Presumptive Urine Drug Testing topic; Added G0659, 80305, 80306 and 80307; Replaced the word "encounter" with DOS.

## Associated Documents

### Related Local Coverage Document(s)

LCD(s)

L36668 - Lab:Controlled Substance Monitoring and Drugs of Abuse Testing

### Related National Coverage Document(s)

N/A

### Statutory Requirements URL(s)

N/A

### Rules and Regulations URL(s)

N/A

### CMS Manual Explanations URL(s)

N/A

### Other URL(s)

N/A

### Public Version(s)

Updated on 09/20/2019 with effective dates 10/01/2019 - N/A

Updated on 05/16/2018 with effective dates 01/01/2017 - N/A

Updated on 03/30/2017 with effective dates 01/01/2017 - N/A

Updated on 02/16/2017 with effective dates 01/01/2017 - N/A

Updated on 04/26/2016 with effective dates 06/28/2016 - N/A

# Keywords

- Coding
- Guidelines
- Controlled
- Substance
- Monitoring
- Drugs
- Abuse
- Testing
- 80305
- 80306
- 80307
- G0480
- G0481
- G0482
- G0483
- G0659