

Local Coverage Article: Billing and Coding: Lumbar MRI (A57206)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

| CONTRACTOR NAME | CONTRACT TYPE | CONTRACT NUMBER | JURISDICTION | STATE(S) |
|------------------------------------|---------------|-----------------|--------------|---|
| Noridian Healthcare Solutions, LLC | A and B MAC | 01111 - MAC A | J - E | California - Entire State |
| Noridian Healthcare Solutions, LLC | A and B MAC | 01112 - MAC B | J - E | California - Northern |
| Noridian Healthcare Solutions, LLC | A and B MAC | 01182 - MAC B | J - E | California - Southern |
| Noridian Healthcare Solutions, LLC | A and B MAC | 01211 - MAC A | J - E | American Samoa Guam Hawaii Northern Mariana Islands |
| Noridian Healthcare Solutions, LLC | A and B MAC | 01212 - MAC B | J - E | American Samoa Guam Hawaii Northern Mariana Islands |
| Noridian Healthcare Solutions, LLC | A and B MAC | 01311 - MAC A | J - E | Nevada |
| Noridian Healthcare Solutions, LLC | A and B MAC | 01312 - MAC B | J - E | Nevada |
| Noridian Healthcare Solutions, LLC | A and B MAC | 01911 - MAC A | J - E | American Samoa California - Entire State Guam Hawaii Nevada Northern Mariana Islands |

Article Information

General Information

Article ID

Original Effective Date

Article Title

Billing and Coding: Lumbar MRI

Revision Effective Date

N/A

Article Type

Billing and Coding

Revision Ending Date

N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are copyright 2018 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Retirement Date

N/A

Current Dental Terminology © 2018 American Dental Association. All rights reserved.

Copyright © 2019, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at ub04@healthforum.com.

CMS National Coverage Policy

Title XVIII of the Social Security Act (SSA), §1862(a)(1)(A) states that no Medicare payment shall be made for items or services that "are not reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member."

Title XVIII of the Social Security Act, §1862(a)(7) and 42 Code of Federal Regulations (CFR), §411.15 particular services excluded from coverage.

Title XVIII of the Social Security Act, §1833(e) prohibits Medicare payment for any claim lacking the necessary documentation to process the claim.

Title XVIII of the Social Security Act, §1842(p)(1) states that each claim submitted by a physician or practitioner shall include the appropriate diagnosis code (or codes)...". §1842(b)(18)(C) defines a practitioner. For services from physicians and (§1842(b)(18)(C)) practitioner submitted with an ICD-10 code that is missing, invalid, or truncated, contractors must return the billed service to the provider as unprocessable in accordance with CR 1910, Transmittal 1728, dated November 1, 2001 (MCM Part 3, Claim Process §3005.4(p)).

42 CFR §411.15(k) excludes specific services that are not reasonable and necessary.

CMS Manual System, Pub. 100-08, *Medicare Program Integrity Manual*, Chapter 3, §3.4.1.3, Diagnosis Code Requirement

42 CFR 410.32 and 410.33 indicates that diagnostic tests are payable only when ordered by the physician who is treating the beneficiary for a specific medical problem and who uses the results in such treatment.

CMS Manual System, Pub. 100-02, *Medicare Benefit Policy Manual*, Chapter 15, §§60, 60.1, 60.2, 60.3, 60.4, 60.4.1 and 80 indicate that the technical component of diagnostic tests is not covered as "incident to" physician healthcare services, but under a distinct coverage category and subject to supervision levels found in the Physician Fee Schedule database.

CMS Manual System, Pub. 100-08, *Medicare Program Integrity Manual*, Chapter 10, §§5-5.7.2 indicates that non-physician owned facilities performing primarily diagnostic tests should be enrolled as IDTFs rather than billing under physician PINs. See also 42 CFR 410.33.

CMS Manual System, Pub. 100-02, *Medicare Benefit Policy Manual*, Chapter 15, §80.4.1 and §250 govern payment for X-ray services supplied for patients in a Part A stay in a skilled nursing facility, or other facility, including payments under arrangement.

CFR 486.100 stipulates that portable X-rays must comply with Federal, State, and local laws and regulations.

CMS Manual System, Pub. 100-04, *Medicare Claims Processing Manual*, Chapter 13, §§40, 40.1.4 Magnetic Resonance Imaging (MRI) Procedures and Payment Requirements. Effective January 1, 2017 separate payment for the contrast media and the need to use the appropriate HCPCS "Q" code (Q9945 – Q9954; Q9958-Q9964) for the contrast medium utilized in performing the service. §40 allows beneficiaries with implanted PMs or cardioverter defibrillators (ICDs) for use in an MRI environment in a Medicare approved clinical study. §40.1.4, Medicare will allow for coverage of MRI for beneficiaries with implanted pacemakers (PMs) when the PMs are used according to the Food and Drug Administration (FDA)-approved labeling for use in an MRI environment as described in section 220.2.C.1 of the NCD manual, effective July 7, 2011.

CMS Manual System, Pub. 100-04, *Medicare Claims Processing Manual*, Chapter 13, §100.1 describes how physicians should handle billing when two providers read a diagnostic radiologic procedure.

CMS Manual System, Pub. 100-03, *Medicare National Coverage Determinations Manual*, Chapter 1, Part 4, §220.2; Magnetic Resonance Imaging (MRI), the contraindications section 220.2.C.1 of the NCD was revised to read that the contraindications will not apply to pacemakers when used according to the FDA-approved labeling in an MRI environment or in clinical trials.

CMS publication 100-3, *Medicare National Coverage Determinations*, Sections 220.1 "Computerized Tomography", and 220.2-220.2.B.2d and Section 220.2.c-220.D "Magnetic Resonance Imaging".

Denies Coverage of MRI for:

1. Imaging of cortical bone and calcification
2. Procedures involving spatial resolution of bone or calcification
3. MRI is not covered for patients with metallic clips on vascular aneurysms.

CMS publication 100-04 Medicare Claims Processing Manual Chapter 13 Section 40 denies coverage of MRI for: Measurement of blood flow and spectroscopy

Article Guidance

Article Text:

The following coding and billing guidance is to be used with its associated Local coverage determination.

Documentation Requirements

Supportive documentation evidencing the condition and treatment is expected to be documented in the medical record and be available upon request.

The patient's medical record must be legible and clearly indicate the necessity and reasonableness of the service.

The documentation must clearly support the ICD-10-CM code(s) reported on the claim.

An attending/treating physician's order is required for each test. The order must be properly signed and dated.

Lumbar MRI abnormalities alone do not validate the need for the test without other supporting clinical rationale. Radiologists and/or ordering physicians should include sufficient clinical information in the report to justify its necessity.

The clinical findings and relevant prior treatment that support the need for the MRI must be documented in the MRI report or clinical record and made available to the contractor upon request.

The medical record of the referring physician must support a contemplated diagnosis or treatment change derived from the MRI findings. The contractor may request medical records from the referring physician if the radiologist's documentation does not validate that the service is reasonable and necessary.

According to national regulations, clinics which are (a) not physician owned and which are (b) billing Medicare primarily for diagnostic tests may be required to enroll as IDTFs. For example, a nonphysician owner who establishes a Magnetic Resonance Imaging clinic by leasing office space, equipment, and hiring technicians, and hires a retired

ophthalmologist to provide off-site (general) supervision of diagnostic testing without treatment would be more appropriately enrolled as an IDTF rather than merely billing all services through the physician's PIN.

Utilization Guidelines

Normally only one lumbar MRI is sufficient to diagnose the patient's condition. However, a second lumbar MRI, for the same patient, may be allowed providing the documentation indicates that comparative test results were needed to make a more definitive treatment decision.

Payment will be allowed for multiple scans of different areas of the body performed on the same day for the same patient when reasonable and necessary.

Coding Information

CPT/HCPCS Codes

Group 1 Paragraph:

N/A

Group 1 Codes:

| CODE | DESCRIPTION |
|-------|---|
| 72148 | MAGNETIC RESONANCE (EG, PROTON) IMAGING, SPINAL CANAL AND CONTENTS, LUMBAR; WITHOUT CONTRAST MATERIAL |
| 72149 | MAGNETIC RESONANCE (EG, PROTON) IMAGING, SPINAL CANAL AND CONTENTS, LUMBAR; WITH CONTRAST MATERIAL(S) |
| 72158 | MAGNETIC RESONANCE (EG, PROTON) IMAGING, SPINAL CANAL AND CONTENTS, WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SEQUENCES; LUMBAR |
| A9585 | INJECTION, GADOBUTROL, 0.1 ML |
| Q9953 | INJECTION, IRON-BASED MAGNETIC RESONANCE CONTRAST AGENT, PER ML |

CPT/HCPCS Modifiers

N/A

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph:

N/A

Group 1 Codes:

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| A02.21 | Salmonella meningitis |
| A02.24 | Salmonella osteomyelitis |
| A17.0 | Tuberculous meningitis |
| A17.1 | Meningeal tuberculoma |
| A17.81 | Tuberculoma of brain and spinal cord |
| A17.82 | Tuberculous meningoencephalitis |
| A17.83 | Tuberculous neuritis |
| A18.01 | Tuberculosis of spine |
| A27.81 | Aseptic meningitis in leptospirosis |
| A39.0 | Meningococcal meningitis |
| A39.81 | Meningococcal encephalitis |
| A50.41 | Late congenital syphilitic meningitis |
| A51.41 | Secondary syphilitic meningitis |
| A52.11 | Tabes dorsalis |
| A52.13 | Late syphilitic meningitis |
| A52.16 | Charcot's arthropathy (tabetic) |
| A52.17 | General paresis |
| A52.2 | Asymptomatic neurosyphilis |
| A54.81 | Gonococcal meningitis |
| A80.0 | Acute paralytic poliomyelitis, vaccine-associated |
| A80.1 | Acute paralytic poliomyelitis, wild virus, imported |
| A80.2 | Acute paralytic poliomyelitis, wild virus, indigenous |
| A80.39 | Other acute paralytic poliomyelitis |
| A80.4 | Acute nonparalytic poliomyelitis |
| A81.1 | Subacute sclerosing panencephalitis |
| A81.2 | Progressive multifocal leukoencephalopathy |
| A81.81 | Kuru |
| A81.89 | Other atypical virus infections of central nervous system |
| A83.0 | Japanese encephalitis |
| A83.1 | Western equine encephalitis |
| A83.2 | Eastern equine encephalitis |
| A83.3 | St Louis encephalitis |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| A83.4 | Australian encephalitis |
| A83.5 | California encephalitis |
| A83.6 | Rocio virus disease |
| A83.8 | Other mosquito-borne viral encephalitis |
| A84.0 | Far Eastern tick-borne encephalitis [Russian spring-summer encephalitis] |
| A84.1 | Central European tick-borne encephalitis |
| A84.8 | Other tick-borne viral encephalitis |
| A85.0 | Enteroviral encephalitis |
| A85.1 | Adenoviral encephalitis |
| A85.8 | Other specified viral encephalitis |
| A87.0 | Enteroviral meningitis |
| A87.1 | Adenoviral meningitis |
| A87.2 | Lymphocytic choriomeningitis |
| A87.8 | Other viral meningitis |
| A88.0 | Enteroviral exanthematous fever [Boston exanthem] |
| A88.8 | Other specified viral infections of central nervous system |
| B00.3 | Herpesviral meningitis |
| B00.4 | Herpesviral encephalitis |
| B02.0 | Zoster encephalitis |
| B02.1 | Zoster meningitis |
| B02.29 | Other postherpetic nervous system involvement |
| B06.01 | Rubella encephalitis |
| B26.1 | Mumps meningitis |
| B37.5 | Candidal meningitis |
| B38.4 | Coccidioidomycosis meningitis |
| B39.0 | Acute pulmonary histoplasmosis capsulati |
| B39.1 | Chronic pulmonary histoplasmosis capsulati |
| B39.3 | Disseminated histoplasmosis capsulati |
| B39.5 | Histoplasmosis duboisii |
| B45.0 | Pulmonary cryptococcosis |
| B45.1 | Cerebral cryptococcosis |
| B45.2 | Cutaneous cryptococcosis |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| B45.3 | Osseous cryptococcosis |
| B45.7 | Disseminated cryptococcosis |
| B45.8 | Other forms of cryptococcosis |
| B60.11 | Meningoencephalitis due to Acanthamoeba (culbertsoni) |
| B60.19 | Other acanthamebic disease |
| B60.2 | Naegleriasis |
| C21.1 | Malignant neoplasm of anal canal |
| C41.2 | Malignant neoplasm of vertebral column |
| C41.4 | Malignant neoplasm of pelvic bones, sacrum and coccyx |
| C43.51 | Malignant melanoma of anal skin |
| C43.52 | Malignant melanoma of skin of breast |
| C43.59 | Malignant melanoma of other part of trunk |
| C4A.0 | Merkel cell carcinoma of lip |
| C4A.111 | Merkel cell carcinoma of right upper eyelid, including canthus |
| C4A.112 | Merkel cell carcinoma of right lower eyelid, including canthus |
| C4A.121 | Merkel cell carcinoma of left upper eyelid, including canthus |
| C4A.122 | Merkel cell carcinoma of left lower eyelid, including canthus |
| C4A.21 | Merkel cell carcinoma of right ear and external auricular canal |
| C4A.22 | Merkel cell carcinoma of left ear and external auricular canal |
| C4A.31 | Merkel cell carcinoma of nose |
| C4A.39 | Merkel cell carcinoma of other parts of face |
| C4A.4 | Merkel cell carcinoma of scalp and neck |
| C4A.51 | Merkel cell carcinoma of anal skin |
| C4A.52 | Merkel cell carcinoma of skin of breast |
| C4A.59 | Merkel cell carcinoma of other part of trunk |
| C4A.61 | Merkel cell carcinoma of right upper limb, including shoulder |
| C4A.62 | Merkel cell carcinoma of left upper limb, including shoulder |
| C4A.71 | Merkel cell carcinoma of right lower limb, including hip |
| C4A.72 | Merkel cell carcinoma of left lower limb, including hip |
| C4A.8 | Merkel cell carcinoma of overlapping sites |
| C47.5 | Malignant neoplasm of peripheral nerves of pelvis |
| C49.5 | Malignant neoplasm of connective and soft tissue of pelvis |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C50.211 | Malignant neoplasm of upper-inner quadrant of right female breast |
| C50.212 | Malignant neoplasm of upper-inner quadrant of left female breast |
| C51.0 | Malignant neoplasm of labium majus |
| C51.1 | Malignant neoplasm of labium minus |
| C51.2 | Malignant neoplasm of clitoris |
| ICD-10 CODE | DESCRIPTION |
| C51.8 | Malignant neoplasm of overlapping sites of vulva |
| C52 | Malignant neoplasm of vagina |
| C53.0 | Malignant neoplasm of endocervix |
| C53.1 | Malignant neoplasm of exocervix |
| C53.8 | Malignant neoplasm of overlapping sites of cervix uteri |
| C54.0 | Malignant neoplasm of isthmus uteri |
| C54.1 | Malignant neoplasm of endometrium |
| C54.2 | Malignant neoplasm of myometrium |
| C54.3 | Malignant neoplasm of fundus uteri |
| C54.8 | Malignant neoplasm of overlapping sites of corpus uteri |
| C56.1 | Malignant neoplasm of right ovary |
| C56.2 | Malignant neoplasm of left ovary |
| C57.01 | Malignant neoplasm of right fallopian tube |
| C57.02 | Malignant neoplasm of left fallopian tube |
| C57.11 | Malignant neoplasm of right broad ligament |
| C57.12 | Malignant neoplasm of left broad ligament |
| C57.21 | Malignant neoplasm of right round ligament |
| C57.22 | Malignant neoplasm of left round ligament |
| C57.3 | Malignant neoplasm of parametrium |
| C57.7 | Malignant neoplasm of other specified female genital organs |
| C57.8 | Malignant neoplasm of overlapping sites of female genital organs |
| C58 | Malignant neoplasm of placenta |
| C60.0 | Malignant neoplasm of prepuce |
| C60.1 | Malignant neoplasm of glans penis |
| C60.2 | Malignant neoplasm of body of penis |
| C60.8 | Malignant neoplasm of overlapping sites of penis |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| C61 | Malignant neoplasm of prostate |
| C62.01 | Malignant neoplasm of undescended right testis |
| C62.02 | Malignant neoplasm of undescended left testis |
| C62.11 | Malignant neoplasm of descended right testis |
| C62.12 | Malignant neoplasm of descended left testis |
| C63.01 | Malignant neoplasm of right epididymis |
| C63.02 | Malignant neoplasm of left epididymis |
| C63.11 | Malignant neoplasm of right spermatic cord |
| C63.12 | Malignant neoplasm of left spermatic cord |
| C63.2 | Malignant neoplasm of scrotum |
| C63.7 | Malignant neoplasm of other specified male genital organs |
| C63.8 | Malignant neoplasm of overlapping sites of male genital organs |
| C64.1 | Malignant neoplasm of right kidney, except renal pelvis |
| C64.2 | Malignant neoplasm of left kidney, except renal pelvis |
| C65.1 | Malignant neoplasm of right renal pelvis |
| C65.2 | Malignant neoplasm of left renal pelvis |
| C66.1 | Malignant neoplasm of right ureter |
| C66.2 | Malignant neoplasm of left ureter |
| C67.0 | Malignant neoplasm of trigone of bladder |
| C67.1 | Malignant neoplasm of dome of bladder |
| C67.2 | Malignant neoplasm of lateral wall of bladder |
| C67.3 | Malignant neoplasm of anterior wall of bladder |
| C67.4 | Malignant neoplasm of posterior wall of bladder |
| C67.5 | Malignant neoplasm of bladder neck |
| C67.6 | Malignant neoplasm of ureteric orifice |
| C67.7 | Malignant neoplasm of urachus |
| C67.8 | Malignant neoplasm of overlapping sites of bladder |
| C68.0 | Malignant neoplasm of urethra |
| C68.1 | Malignant neoplasm of paraurethral glands |
| C68.8 | Malignant neoplasm of overlapping sites of urinary organs |
| C70.0 | Malignant neoplasm of cerebral meninges |
| C70.1 | Malignant neoplasm of spinal meninges |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C71.0 | Malignant neoplasm of cerebrum, except lobes and ventricles |
| C71.1 | Malignant neoplasm of frontal lobe |
| C71.2 | Malignant neoplasm of temporal lobe |
| C71.3 | Malignant neoplasm of parietal lobe |
| C71.4 | Malignant neoplasm of occipital lobe |
| C71.5 | Malignant neoplasm of cerebral ventricle |
| C71.6 | Malignant neoplasm of cerebellum |
| C71.7 | Malignant neoplasm of brain stem |
| C71.8 | Malignant neoplasm of overlapping sites of brain |
| C72.0 | Malignant neoplasm of spinal cord |
| C72.1 | Malignant neoplasm of cauda equina |
| C7A.010 | Malignant carcinoid tumor of the duodenum |
| C7A.011 | Malignant carcinoid tumor of the jejunum |
| C7A.012 | Malignant carcinoid tumor of the ileum |
| C7A.020 | Malignant carcinoid tumor of the appendix |
| C7A.021 | Malignant carcinoid tumor of the cecum |
| C7A.022 | Malignant carcinoid tumor of the ascending colon |
| C7A.023 | Malignant carcinoid tumor of the transverse colon |
| C7A.024 | Malignant carcinoid tumor of the descending colon |
| C7A.025 | Malignant carcinoid tumor of the sigmoid colon |
| C7A.026 | Malignant carcinoid tumor of the rectum |
| C7A.090 | Malignant carcinoid tumor of the bronchus and lung |
| C7A.091 | Malignant carcinoid tumor of the thymus |
| C7A.092 | Malignant carcinoid tumor of the stomach |
| C7A.093 | Malignant carcinoid tumor of the kidney |
| C7A.094 | Malignant carcinoid tumor of the foregut, unspecified |
| C7A.095 | Malignant carcinoid tumor of the midgut, unspecified |
| C7A.096 | Malignant carcinoid tumor of the hindgut, unspecified |
| C7A.098 | Malignant carcinoid tumors of other sites |
| C7A.1 | Malignant poorly differentiated neuroendocrine tumors |
| C7A.8 | Other malignant neuroendocrine tumors |
| C7B.03 | Secondary carcinoid tumors of bone |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| C7B.1 | Secondary Merkel cell carcinoma |
| C76.3 | Malignant neoplasm of pelvis |
| C77.2 | Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes |
| C77.4 | Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes |
| C77.5 | Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes |
| C77.8 | Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions |
| C78.4 | Secondary malignant neoplasm of small intestine |
| C78.5 | Secondary malignant neoplasm of large intestine and rectum |
| C78.6 | Secondary malignant neoplasm of retroperitoneum and peritoneum |
| C79.31 | Secondary malignant neoplasm of brain |
| ICD-10 CODE | DESCRIPTION |
| C79.32 | Secondary malignant neoplasm of cerebral meninges |
| C79.49 | Secondary malignant neoplasm of other parts of nervous system |
| C79.51 | Secondary malignant neoplasm of bone |
| C79.52 | Secondary malignant neoplasm of bone marrow |
| C80.2 | Malignant neoplasm associated with transplanted organ |
| C81.01 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.02 | Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.03 | Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.04 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.05 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.06 | Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.07 | Nodular lymphocyte predominant Hodgkin lymphoma, spleen |
| C81.08 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.09 | Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites |
| C81.11 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.12 | Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.13 | Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C81.14 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.15 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.16 | Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.17 | Nodular sclerosis Hodgkin lymphoma, spleen |
| C81.18 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.19 | Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites |
| C81.21 | Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.22 | Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.23 | Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.24 | Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.25 | Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.26 | Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.27 | Mixed cellularity Hodgkin lymphoma, spleen |
| C81.28 | Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.29 | Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites |
| C81.31 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.32 | Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.33 | Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.34 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.35 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.36 | Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.37 | Lymphocyte depleted Hodgkin lymphoma, spleen |
| C81.38 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.39 | Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites |
| C81.41 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.42 | Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.43 | Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.44 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.45 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.46 | Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.47 | Lymphocyte-rich Hodgkin lymphoma, spleen |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C81.48 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.49 | Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites |
| C81.71 | Other Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.72 | Other Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.73 | Other Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.74 | Other Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.75 | Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.76 | Other Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.77 | Other Hodgkin lymphoma, spleen |
| C81.78 | Other Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.79 | Other Hodgkin lymphoma, extranodal and solid organ sites |
| C82.01 | Follicular lymphoma grade I, lymph nodes of head, face, and neck |
| C82.02 | Follicular lymphoma grade I, intrathoracic lymph nodes |
| C82.03 | Follicular lymphoma grade I, intra-abdominal lymph nodes |
| C82.04 | Follicular lymphoma grade I, lymph nodes of axilla and upper limb |
| C82.05 | Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb |
| C82.06 | Follicular lymphoma grade I, intrapelvic lymph nodes |
| C82.07 | Follicular lymphoma grade I, spleen |
| C82.08 | Follicular lymphoma grade I, lymph nodes of multiple sites |
| C82.09 | Follicular lymphoma grade I, extranodal and solid organ sites |
| C82.11 | Follicular lymphoma grade II, lymph nodes of head, face, and neck |
| C82.12 | Follicular lymphoma grade II, intrathoracic lymph nodes |
| C82.13 | Follicular lymphoma grade II, intra-abdominal lymph nodes |
| C82.14 | Follicular lymphoma grade II, lymph nodes of axilla and upper limb |
| C82.15 | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb |
| C82.16 | Follicular lymphoma grade II, intrapelvic lymph nodes |
| C82.17 | Follicular lymphoma grade II, spleen |
| C82.18 | Follicular lymphoma grade II, lymph nodes of multiple sites |
| C82.19 | Follicular lymphoma grade II, extranodal and solid organ sites |
| C82.31 | Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck |
| C82.32 | Follicular lymphoma grade IIIa, intrathoracic lymph nodes |
| C82.33 | Follicular lymphoma grade IIIa, intra-abdominal lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|--------------------|---|
| C82.34 | Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb |
| C82.35 | Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb |
| C82.36 | Follicular lymphoma grade IIIa, intrapelvic lymph nodes |
| C82.37 | Follicular lymphoma grade IIIa, spleen |
| C82.38 | Follicular lymphoma grade IIIa, lymph nodes of multiple sites |
| C82.39 | Follicular lymphoma grade IIIa, extranodal and solid organ sites |
| C82.41 | Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck |
| C82.42 | Follicular lymphoma grade IIIb, intrathoracic lymph nodes |
| C82.43 | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes |
| C82.44 | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb |
| C82.45 | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb |
| C82.46 | Follicular lymphoma grade IIIb, intrapelvic lymph nodes |
| C82.47 | Follicular lymphoma grade IIIb, spleen |
| C82.48 | Follicular lymphoma grade IIIb, lymph nodes of multiple sites |
| C82.49 | Follicular lymphoma grade IIIb, extranodal and solid organ sites |
| C82.51 | Diffuse follicle center lymphoma, lymph nodes of head, face, and neck |
| C82.52 | Diffuse follicle center lymphoma, intrathoracic lymph nodes |
| C82.53 | Diffuse follicle center lymphoma, intra-abdominal lymph nodes |
| C82.54 | Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb |
| C82.55 | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| ICD-10 CODE | DESCRIPTION |
| C82.56 | Diffuse follicle center lymphoma, intrapelvic lymph nodes |
| C82.57 | Diffuse follicle center lymphoma, spleen |
| C82.58 | Diffuse follicle center lymphoma, lymph nodes of multiple sites |
| C82.59 | Diffuse follicle center lymphoma, extranodal and solid organ sites |
| C82.61 | Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck |
| C82.62 | Cutaneous follicle center lymphoma, intrathoracic lymph nodes |
| C82.63 | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes |
| C82.64 | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb |
| C82.65 | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.66 | Cutaneous follicle center lymphoma, intrapelvic lymph nodes |
| C82.67 | Cutaneous follicle center lymphoma, spleen |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C82.68 | Cutaneous follicle center lymphoma, lymph nodes of multiple sites |
| C82.69 | Cutaneous follicle center lymphoma, extranodal and solid organ sites |
| C82.81 | Other types of follicular lymphoma, lymph nodes of head, face, and neck |
| C82.82 | Other types of follicular lymphoma, intrathoracic lymph nodes |
| C82.83 | Other types of follicular lymphoma, intra-abdominal lymph nodes |
| C82.84 | Other types of follicular lymphoma, lymph nodes of axilla and upper limb |
| C82.85 | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C82.86 | Other types of follicular lymphoma, intrapelvic lymph nodes |
| C82.87 | Other types of follicular lymphoma, spleen |
| C82.88 | Other types of follicular lymphoma, lymph nodes of multiple sites |
| C82.89 | Other types of follicular lymphoma, extranodal and solid organ sites |
| C83.01 | Small cell B-cell lymphoma, lymph nodes of head, face, and neck |
| C83.02 | Small cell B-cell lymphoma, intrathoracic lymph nodes |
| C83.03 | Small cell B-cell lymphoma, intra-abdominal lymph nodes |
| C83.04 | Small cell B-cell lymphoma, lymph nodes of axilla and upper limb |
| C83.05 | Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.06 | Small cell B-cell lymphoma, intrapelvic lymph nodes |
| C83.07 | Small cell B-cell lymphoma, spleen |
| C83.08 | Small cell B-cell lymphoma, lymph nodes of multiple sites |
| C83.09 | Small cell B-cell lymphoma, extranodal and solid organ sites |
| C83.31 | Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck |
| C83.32 | Diffuse large B-cell lymphoma, intrathoracic lymph nodes |
| C83.33 | Diffuse large B-cell lymphoma, intra-abdominal lymph nodes |
| C83.34 | Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb |
| C83.35 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.36 | Diffuse large B-cell lymphoma, intrapelvic lymph nodes |
| C83.37 | Diffuse large B-cell lymphoma, spleen |
| C83.38 | Diffuse large B-cell lymphoma, lymph nodes of multiple sites |
| C83.39 | Diffuse large B-cell lymphoma, extranodal and solid organ sites |
| C83.51 | Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck |
| C83.52 | Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes |
| C83.53 | Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C83.54 | Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb |
| C83.55 | Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb |
| C83.56 | Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes |
| C83.57 | Lymphoblastic (diffuse) lymphoma, spleen |
| C83.58 | Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites |
| C83.59 | Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites |
| C83.71 | Burkitt lymphoma, lymph nodes of head, face, and neck |
| C83.72 | Burkitt lymphoma, intrathoracic lymph nodes |
| C83.73 | Burkitt lymphoma, intra-abdominal lymph nodes |
| C83.74 | Burkitt lymphoma, lymph nodes of axilla and upper limb |
| C83.75 | Burkitt lymphoma, lymph nodes of inguinal region and lower limb |
| C83.76 | Burkitt lymphoma, intrapelvic lymph nodes |
| C83.77 | Burkitt lymphoma, spleen |
| C83.78 | Burkitt lymphoma, lymph nodes of multiple sites |
| C83.79 | Burkitt lymphoma, extranodal and solid organ sites |
| C83.81 | Other non-follicular lymphoma, lymph nodes of head, face, and neck |
| C83.82 | Other non-follicular lymphoma, intrathoracic lymph nodes |
| C83.83 | Other non-follicular lymphoma, intra-abdominal lymph nodes |
| C83.84 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb |
| C83.85 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C83.86 | Other non-follicular lymphoma, intrapelvic lymph nodes |
| C83.87 | Other non-follicular lymphoma, spleen |
| C83.88 | Other non-follicular lymphoma, lymph nodes of multiple sites |
| C83.89 | Other non-follicular lymphoma, extranodal and solid organ sites |
| C84.01 | Mycosis fungoides, lymph nodes of head, face, and neck |
| C84.02 | Mycosis fungoides, intrathoracic lymph nodes |
| C84.03 | Mycosis fungoides, intra-abdominal lymph nodes |
| C84.04 | Mycosis fungoides, lymph nodes of axilla and upper limb |
| C84.05 | Mycosis fungoides, lymph nodes of inguinal region and lower limb |
| C84.06 | Mycosis fungoides, intrapelvic lymph nodes |
| C84.07 | Mycosis fungoides, spleen |
| C84.08 | Mycosis fungoides, lymph nodes of multiple sites |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C84.09 | Mycosis fungoides, extranodal and solid organ sites |
| C84.11 | Sezary disease, lymph nodes of head, face, and neck |
| C84.12 | Sezary disease, intrathoracic lymph nodes |
| C84.13 | Sezary disease, intra-abdominal lymph nodes |
| C84.14 | Sezary disease, lymph nodes of axilla and upper limb |
| C84.15 | Sezary disease, lymph nodes of inguinal region and lower limb |
| C84.16 | Sezary disease, intrapelvic lymph nodes |
| C84.17 | Sezary disease, spleen |
| C84.18 | Sezary disease, lymph nodes of multiple sites |
| C84.19 | Sezary disease, extranodal and solid organ sites |
| C84.Z1 | Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck |
| C84.Z2 | Other mature T/NK-cell lymphomas, intrathoracic lymph nodes |
| C84.Z3 | Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes |
| C84.Z4 | Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb |
| C84.Z5 | Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb |
| C84.Z6 | Other mature T/NK-cell lymphomas, intrapelvic lymph nodes |
| C84.Z7 | Other mature T/NK-cell lymphomas, spleen |
| C84.Z8 | Other mature T/NK-cell lymphomas, lymph nodes of multiple sites |
| C84.Z9 | Other mature T/NK-cell lymphomas, extranodal and solid organ sites |
| C85.21 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck |
| C85.22 | Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes |
| C85.23 | Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes |
| C85.24 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb |
| C85.25 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes |
| ICD-10 CODE | DESCRIPTION |
| C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen |
| C85.28 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites |
| C85.29 | Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites |
| C85.81 | Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| C85.82 | Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes |
| C85.83 | Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes |
| C85.84 | Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C85.85 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C85.86 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes |
| C85.87 | Other specified types of non-Hodgkin lymphoma, spleen |
| C85.88 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites |
| C85.89 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites |
| C86.0 | Extranodal NK/T-cell lymphoma, nasal type |
| C86.1 | Hepatosplenic T-cell lymphoma |
| C86.2 | Enteropathy-type (intestinal) T-cell lymphoma |
| C86.3 | Subcutaneous panniculitis-like T-cell lymphoma |
| C86.4 | Blastic NK-cell lymphoma |
| C86.5 | Angioimmunoblastic T-cell lymphoma |
| C86.6 | Primary cutaneous CD30-positive T-cell proliferations |
| C88.2 | Heavy chain disease |
| C88.3 | Immunoproliferative small intestinal disease |
| C88.8 | Other malignant immunoproliferative diseases |
| C90.00 | Multiple myeloma not having achieved remission |
| C90.01 | Multiple myeloma in remission |
| C90.02 | Multiple myeloma in relapse |
| C90.10 | Plasma cell leukemia not having achieved remission |
| C90.11 | Plasma cell leukemia in remission |
| C90.12 | Plasma cell leukemia in relapse |
| C90.20 | Extramedullary plasmacytoma not having achieved remission |
| C90.21 | Extramedullary plasmacytoma in remission |
| C90.22 | Extramedullary plasmacytoma in relapse |
| C90.30 | Solitary plasmacytoma not having achieved remission |
| C90.31 | Solitary plasmacytoma in remission |
| C90.32 | Solitary plasmacytoma in relapse |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| C91.00 | Acute lymphoblastic leukemia not having achieved remission |
| C91.01 | Acute lymphoblastic leukemia, in remission |
| C91.02 | Acute lymphoblastic leukemia, in relapse |
| C91.10 | Chronic lymphocytic leukemia of B-cell type not having achieved remission |
| C91.11 | Chronic lymphocytic leukemia of B-cell type in remission |
| C91.12 | Chronic lymphocytic leukemia of B-cell type in relapse |
| C91.30 | Prolymphocytic leukemia of B-cell type not having achieved remission |
| C91.31 | Prolymphocytic leukemia of B-cell type, in remission |
| C91.32 | Prolymphocytic leukemia of B-cell type, in relapse |
| C91.40 | Hairy cell leukemia not having achieved remission |
| C91.41 | Hairy cell leukemia, in remission |
| C91.42 | Hairy cell leukemia, in relapse |
| C91.50 | Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission |
| C91.51 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission |
| C91.52 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse |
| C91.60 | Prolymphocytic leukemia of T-cell type not having achieved remission |
| C91.61 | Prolymphocytic leukemia of T-cell type, in remission |
| C91.62 | Prolymphocytic leukemia of T-cell type, in relapse |
| C91.A0 | Mature B-cell leukemia Burkitt-type not having achieved remission |
| C91.A1 | Mature B-cell leukemia Burkitt-type, in remission |
| C91.A2 | Mature B-cell leukemia Burkitt-type, in relapse |
| C91.Z0 | Other lymphoid leukemia not having achieved remission |
| C91.Z1 | Other lymphoid leukemia, in remission |
| C91.Z2 | Other lymphoid leukemia, in relapse |
| C92.00 | Acute myeloblastic leukemia, not having achieved remission |
| C92.01 | Acute myeloblastic leukemia, in remission |
| C92.02 | Acute myeloblastic leukemia, in relapse |
| C92.10 | Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission |
| C92.11 | Chronic myeloid leukemia, BCR/ABL-positive, in remission |
| C92.12 | Chronic myeloid leukemia, BCR/ABL-positive, in relapse |
| C92.20 | Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C92.21 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission |
| C92.22 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse |
| C92.30 | Myeloid sarcoma, not having achieved remission |
| C92.31 | Myeloid sarcoma, in remission |
| C92.32 | Myeloid sarcoma, in relapse |
| C92.40 | Acute promyelocytic leukemia, not having achieved remission |
| C92.41 | Acute promyelocytic leukemia, in remission |
| C92.42 | Acute promyelocytic leukemia, in relapse |
| C92.50 | Acute myelomonocytic leukemia, not having achieved remission |
| C92.51 | Acute myelomonocytic leukemia, in remission |
| C92.52 | Acute myelomonocytic leukemia, in relapse |
| C92.60 | Acute myeloid leukemia with 11q23-abnormality not having achieved remission |
| C92.61 | Acute myeloid leukemia with 11q23-abnormality in remission |
| C92.62 | Acute myeloid leukemia with 11q23-abnormality in relapse |
| C92.A0 | Acute myeloid leukemia with multilineage dysplasia, not having achieved remission |
| C92.A1 | Acute myeloid leukemia with multilineage dysplasia, in remission |
| C92.A2 | Acute myeloid leukemia with multilineage dysplasia, in relapse |
| C92.Z0 | Other myeloid leukemia not having achieved remission |
| C92.Z1 | Other myeloid leukemia, in remission |
| C92.Z2 | Other myeloid leukemia, in relapse |
| C93.00 | Acute monoblastic/monocytic leukemia, not having achieved remission |
| C93.01 | Acute monoblastic/monocytic leukemia, in remission |
| C93.02 | Acute monoblastic/monocytic leukemia, in relapse |
| C93.10 | Chronic myelomonocytic leukemia not having achieved remission |
| C93.11 | Chronic myelomonocytic leukemia, in remission |
| C93.12 | Chronic myelomonocytic leukemia, in relapse |
| C93.30 | Juvenile myelomonocytic leukemia, not having achieved remission |
| C93.31 | Juvenile myelomonocytic leukemia, in remission |
| C93.32 | Juvenile myelomonocytic leukemia, in relapse |
| C93.Z0 | Other monocytic leukemia, not having achieved remission |
| C93.Z1 | Other monocytic leukemia, in remission |
| C93.Z2 | Other monocytic leukemia, in relapse |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| C94.00 | Acute erythroid leukemia, not having achieved remission |
| C94.01 | Acute erythroid leukemia, in remission |
| C94.02 | Acute erythroid leukemia, in relapse |
| ICD-10 CODE | DESCRIPTION |
| C94.20 | Acute megakaryoblastic leukemia not having achieved remission |
| C94.21 | Acute megakaryoblastic leukemia, in remission |
| C94.22 | Acute megakaryoblastic leukemia, in relapse |
| C94.30 | Mast cell leukemia not having achieved remission |
| C94.31 | Mast cell leukemia, in remission |
| C94.32 | Mast cell leukemia, in relapse |
| C94.80 | Other specified leukemias not having achieved remission |
| C94.81 | Other specified leukemias, in remission |
| C94.82 | Other specified leukemias, in relapse |
| C96.0 | Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis |
| C96.21 | Aggressive systemic mastocytosis |
| C96.22 | Mast cell sarcoma |
| C96.4 | Sarcoma of dendritic cells (accessory cells) |
| C96.A | Histiocytic sarcoma |
| C96.Z | Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue |
| D03.51 | Melanoma in situ of anal skin |
| D03.52 | Melanoma in situ of breast (skin) (soft tissue) |
| D03.59 | Melanoma in situ of other part of trunk |
| D12.0 | Benign neoplasm of cecum |
| D12.1 | Benign neoplasm of appendix |
| D12.2 | Benign neoplasm of ascending colon |
| D12.3 | Benign neoplasm of transverse colon |
| D12.4 | Benign neoplasm of descending colon |
| D12.5 | Benign neoplasm of sigmoid colon |
| D12.7 | Benign neoplasm of rectosigmoid junction |
| D12.8 | Benign neoplasm of rectum |
| D12.9 | Benign neoplasm of anus and anal canal |
| D13.2 | Benign neoplasm of duodenum |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| D13.39 | Benign neoplasm of other parts of small intestine |
| D16.6 | Benign neoplasm of vertebral column |
| D16.8 | Benign neoplasm of pelvic bones, sacrum and coccyx |
| D17.72 | Benign lipomatous neoplasm of other genitourinary organ |
| D17.79 | Benign lipomatous neoplasm of other sites |
| D18.09 | Hemangioma of other sites |
| D18.1 | Lymphangioma, any site |
| D19.1 | Benign neoplasm of mesothelial tissue of peritoneum |
| D20.0 | Benign neoplasm of soft tissue of retroperitoneum |
| D20.1 | Benign neoplasm of soft tissue of peritoneum |
| D21.5 | Benign neoplasm of connective and other soft tissue of pelvis |
| D32.1 | Benign neoplasm of spinal meninges |
| D33.4 | Benign neoplasm of spinal cord |
| D37.1 | Neoplasm of uncertain behavior of stomach |
| D37.2 | Neoplasm of uncertain behavior of small intestine |
| D37.3 | Neoplasm of uncertain behavior of appendix |
| D37.4 | Neoplasm of uncertain behavior of colon |
| D37.5 | Neoplasm of uncertain behavior of rectum |
| D37.8 | Neoplasm of uncertain behavior of other specified digestive organs |
| D39.0 | Neoplasm of uncertain behavior of uterus |
| D39.11 | Neoplasm of uncertain behavior of right ovary |
| D39.12 | Neoplasm of uncertain behavior of left ovary |
| D39.2 | Neoplasm of uncertain behavior of placenta |
| D39.8 | Neoplasm of uncertain behavior of other specified female genital organs |
| D40.0 | Neoplasm of uncertain behavior of prostate |
| D40.11 | Neoplasm of uncertain behavior of right testis |
| D40.12 | Neoplasm of uncertain behavior of left testis |
| D40.8 | Neoplasm of uncertain behavior of other specified male genital organs |
| D41.01 | Neoplasm of uncertain behavior of right kidney |
| D41.02 | Neoplasm of uncertain behavior of left kidney |
| D41.11 | Neoplasm of uncertain behavior of right renal pelvis |
| D41.12 | Neoplasm of uncertain behavior of left renal pelvis |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| D41.21 | Neoplasm of uncertain behavior of right ureter |
| D41.22 | Neoplasm of uncertain behavior of left ureter |
| D41.3 | Neoplasm of uncertain behavior of urethra |
| D41.4 | Neoplasm of uncertain behavior of bladder |
| D41.8 | Neoplasm of uncertain behavior of other specified urinary organs |
| D42.0 | Neoplasm of uncertain behavior of cerebral meninges |
| D42.1 | Neoplasm of uncertain behavior of spinal meninges |
| D43.0 | Neoplasm of uncertain behavior of brain, supratentorial |
| D43.1 | Neoplasm of uncertain behavior of brain, infratentorial |
| D43.3 | Neoplasm of uncertain behavior of cranial nerves |
| D43.4 | Neoplasm of uncertain behavior of spinal cord |
| D43.8 | Neoplasm of uncertain behavior of other specified parts of central nervous system |
| D45 | Polycythemia vera |
| D48.0 | Neoplasm of uncertain behavior of bone and articular cartilage |
| D48.1 | Neoplasm of uncertain behavior of connective and other soft tissue |
| D48.2 | Neoplasm of uncertain behavior of peripheral nerves and autonomic nervous system |
| D48.3 | Neoplasm of uncertain behavior of retroperitoneum |
| D48.4 | Neoplasm of uncertain behavior of peritoneum |
| G00.0 | Hemophilus meningitis |
| G00.1 | Pneumococcal meningitis |
| G00.2 | Streptococcal meningitis |
| G00.3 | Staphylococcal meningitis |
| G00.8 | Other bacterial meningitis |
| G02 | Meningitis in other infectious and parasitic diseases classified elsewhere |
| G03.0 | Nonpyogenic meningitis |
| G03.1 | Chronic meningitis |
| G03.2 | Benign recurrent meningitis [Mollaret] |
| G03.8 | Meningitis due to other specified causes |
| G04.1 | Tropical spastic paraplegia |
| G04.2 | Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified |
| G06.1 | Intraspinal abscess and granuloma |
| G07 | Intracranial and intraspinal abscess and granuloma in diseases classified elsewhere |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G14 | Postpolio syndrome |
| G35 | Multiple sclerosis |
| G36.8 | Other specified acute disseminated demyelination |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.8 | Other specified demyelinating diseases of central nervous system |
| ICD-10 CODE | DESCRIPTION |
| G54.1 | Lumbosacral plexus disorders |
| G54.4 | Lumbosacral root disorders, not elsewhere classified |
| G54.5 | Neuralgic amyotrophy |
| G57.01 | Lesion of sciatic nerve, right lower limb |
| G57.02 | Lesion of sciatic nerve, left lower limb |
| G57.11 | Meralgia paresthetica, right lower limb |
| G57.12 | Meralgia paresthetica, left lower limb |
| G57.71 | Causalgia of right lower limb |
| G57.72 | Causalgia of left lower limb |
| G57.81 | Other specified mononeuropathies of right lower limb |
| G57.82 | Other specified mononeuropathies of left lower limb |
| G58.8 | Other specified mononeuropathies |
| G59 | Mononeuropathy in diseases classified elsewhere |
| G60.0 | Hereditary motor and sensory neuropathy |
| G61.0 | Guillain-Barre syndrome |
| G61.1 | Serum neuropathy |
| G61.81 | Chronic inflammatory demyelinating polyneuritis |
| G62.0 | Drug-induced polyneuropathy |
| G62.1 | Alcoholic polyneuropathy |
| G62.2 | Polyneuropathy due to other toxic agents |
| G62.81 | Critical illness polyneuropathy |
| G62.82 | Radiation-induced polyneuropathy |
| G81.01 | Flaccid hemiplegia affecting right dominant side |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| G81.02 | Flaccid hemiplegia affecting left dominant side |
| G81.03 | Flaccid hemiplegia affecting right nondominant side |
| G81.04 | Flaccid hemiplegia affecting left nondominant side |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G83.11 | Monoplegia of lower limb affecting right dominant side |
| G83.12 | Monoplegia of lower limb affecting left dominant side |
| G83.13 | Monoplegia of lower limb affecting right nondominant side |
| G83.14 | Monoplegia of lower limb affecting left nondominant side |
| G83.4 | Cauda equina syndrome |
| G95.0 | Syringomyelia and syringobulbia |
| G95.11 | Acute infarction of spinal cord (embolic) (nonembolic) |
| G95.19 | Other vascular myelopathies |
| G95.29 | Other cord compression |
| G95.81 | Conus medullaris syndrome |
| G95.89 | Other specified diseases of spinal cord |
| G96.0 | Cerebrospinal fluid leak |
| G96.11 | Dural tear |
| G96.12 | Meningeal adhesions (cerebral) (spinal) |
| G96.19 | Other disorders of meninges, not elsewhere classified |
| G96.8 | Other specified disorders of central nervous system |
| G97.1 | Other reaction to spinal and lumbar puncture |
| G97.41 | Accidental puncture or laceration of dura during a procedure |
| G97.82 | Other postprocedural complications and disorders of nervous system |
| G98.0 | Neurogenic arthritis, not elsewhere classified |
| G98.8 | Other disorders of nervous system |
| G99.8 | Other specified disorders of nervous system in diseases classified elsewhere |
| I67.3 | Progressive vascular leukoencephalopathy |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| K68.11 | Postprocedural retroperitoneal abscess |
| L02.211 | Cutaneous abscess of abdominal wall |
| L02.212 | Cutaneous abscess of back [any part, except buttock] |
| L02.214 | Cutaneous abscess of groin |
| L02.215 | Cutaneous abscess of perineum |
| L02.216 | Cutaneous abscess of umbilicus |
| L02.221 | Furuncle of abdominal wall |
| L02.231 | Carbuncle of abdominal wall |
| L02.232 | Carbuncle of back [any part, except buttock] |
| L02.234 | Carbuncle of groin |
| L02.235 | Carbuncle of perineum |
| L02.236 | Carbuncle of umbilicus |
| L02.31 | Cutaneous abscess of buttock |
| L02.32 | Furuncle of buttock |
| L02.33 | Carbuncle of buttock |
| L03.311 | Cellulitis of abdominal wall |
| L03.312 | Cellulitis of back [any part except buttock] |
| L03.314 | Cellulitis of groin |
| L03.315 | Cellulitis of perineum |
| L03.316 | Cellulitis of umbilicus |
| L03.317 | Cellulitis of buttock |
| L03.321 | Acute lymphangitis of abdominal wall |
| L03.322 | Acute lymphangitis of back [any part except buttock] |
| L03.324 | Acute lymphangitis of groin |
| L03.325 | Acute lymphangitis of perineum |
| L03.326 | Acute lymphangitis of umbilicus |
| L03.327 | Acute lymphangitis of buttock |
| L76.81 | Other intraoperative complications of skin and subcutaneous tissue |
| L76.82 | Other postprocedural complications of skin and subcutaneous tissue |
| M00.051 | Staphylococcal arthritis, right hip |
| M00.052 | Staphylococcal arthritis, left hip |
| M00.061 | Staphylococcal arthritis, right knee |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M00.062 | Staphylococcal arthritis, left knee |
| M00.071 | Staphylococcal arthritis, right ankle and foot |
| M00.072 | Staphylococcal arthritis, left ankle and foot |
| M00.08 | Staphylococcal arthritis, vertebrae |
| M00.18 | Pneumococcal arthritis, vertebrae |
| M00.251 | Other streptococcal arthritis, right hip |
| M00.252 | Other streptococcal arthritis, left hip |
| M00.261 | Other streptococcal arthritis, right knee |
| M00.262 | Other streptococcal arthritis, left knee |
| M00.271 | Other streptococcal arthritis, right ankle and foot |
| M00.272 | Other streptococcal arthritis, left ankle and foot |
| M00.28 | Other streptococcal arthritis, vertebrae |
| M00.851 | Arthritis due to other bacteria, right hip |
| ICD-10 CODE | DESCRIPTION |
| M00.852 | Arthritis due to other bacteria, left hip |
| M00.861 | Arthritis due to other bacteria, right knee |
| M00.862 | Arthritis due to other bacteria, left knee |
| M00.871 | Arthritis due to other bacteria, right ankle and foot |
| M00.872 | Arthritis due to other bacteria, left ankle and foot |
| M00.88 | Arthritis due to other bacteria, vertebrae |
| M05.051 | Felty's syndrome, right hip |
| M05.052 | Felty's syndrome, left hip |
| M05.061 | Felty's syndrome, right knee |
| M05.062 | Felty's syndrome, left knee |
| M05.071 | Felty's syndrome, right ankle and foot |
| M05.072 | Felty's syndrome, left ankle and foot |
| M05.09 | Felty's syndrome, multiple sites |
| M05.211 | Rheumatoid vasculitis with rheumatoid arthritis of right shoulder |
| M05.212 | Rheumatoid vasculitis with rheumatoid arthritis of left shoulder |
| M05.221 | Rheumatoid vasculitis with rheumatoid arthritis of right elbow |
| M05.222 | Rheumatoid vasculitis with rheumatoid arthritis of left elbow |
| M05.231 | Rheumatoid vasculitis with rheumatoid arthritis of right wrist |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M05.232 | Rheumatoid vasculitis with rheumatoid arthritis of left wrist |
| M05.241 | Rheumatoid vasculitis with rheumatoid arthritis of right hand |
| M05.242 | Rheumatoid vasculitis with rheumatoid arthritis of left hand |
| M05.251 | Rheumatoid vasculitis with rheumatoid arthritis of right hip |
| M05.252 | Rheumatoid vasculitis with rheumatoid arthritis of left hip |
| M05.261 | Rheumatoid vasculitis with rheumatoid arthritis of right knee |
| M05.262 | Rheumatoid vasculitis with rheumatoid arthritis of left knee |
| M05.271 | Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot |
| M05.272 | Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot |
| M05.29 | Rheumatoid vasculitis with rheumatoid arthritis of multiple sites |
| M05.311 | Rheumatoid heart disease with rheumatoid arthritis of right shoulder |
| M05.312 | Rheumatoid heart disease with rheumatoid arthritis of left shoulder |
| M05.321 | Rheumatoid heart disease with rheumatoid arthritis of right elbow |
| M05.322 | Rheumatoid heart disease with rheumatoid arthritis of left elbow |
| M05.331 | Rheumatoid heart disease with rheumatoid arthritis of right wrist |
| M05.332 | Rheumatoid heart disease with rheumatoid arthritis of left wrist |
| M05.341 | Rheumatoid heart disease with rheumatoid arthritis of right hand |
| M05.342 | Rheumatoid heart disease with rheumatoid arthritis of left hand |
| M05.351 | Rheumatoid heart disease with rheumatoid arthritis of right hip |
| M05.352 | Rheumatoid heart disease with rheumatoid arthritis of left hip |
| M05.361 | Rheumatoid heart disease with rheumatoid arthritis of right knee |
| M05.362 | Rheumatoid heart disease with rheumatoid arthritis of left knee |
| M05.371 | Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot |
| M05.372 | Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot |
| M05.39 | Rheumatoid heart disease with rheumatoid arthritis of multiple sites |
| M05.59 | Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites |
| M05.611 | Rheumatoid arthritis of right shoulder with involvement of other organs and systems |
| M05.612 | Rheumatoid arthritis of left shoulder with involvement of other organs and systems |
| M05.621 | Rheumatoid arthritis of right elbow with involvement of other organs and systems |
| M05.622 | Rheumatoid arthritis of left elbow with involvement of other organs and systems |
| M05.631 | Rheumatoid arthritis of right wrist with involvement of other organs and systems |
| M05.632 | Rheumatoid arthritis of left wrist with involvement of other organs and systems |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M05.641 | Rheumatoid arthritis of right hand with involvement of other organs and systems |
| M05.642 | Rheumatoid arthritis of left hand with involvement of other organs and systems |
| M05.651 | Rheumatoid arthritis of right hip with involvement of other organs and systems |
| M05.652 | Rheumatoid arthritis of left hip with involvement of other organs and systems |
| M05.661 | Rheumatoid arthritis of right knee with involvement of other organs and systems |
| M05.662 | Rheumatoid arthritis of left knee with involvement of other organs and systems |
| M05.671 | Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems |
| M05.672 | Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems |
| M05.69 | Rheumatoid arthritis of multiple sites with involvement of other organs and systems |
| M05.711 | Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement |
| M05.712 | Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement |
| M05.721 | Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement |
| M05.722 | Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement |
| M05.731 | Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement |
| M05.732 | Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement |
| M05.741 | Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement |
| M05.742 | Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement |
| M05.751 | Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement |
| M05.752 | Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement |
| M05.761 | Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement |
| M05.762 | Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement |
| M05.771 | Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | systems involvement |
| M05.772 | Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement |
| M05.79 | Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement |
| M05.811 | Other rheumatoid arthritis with rheumatoid factor of right shoulder |
| M05.812 | Other rheumatoid arthritis with rheumatoid factor of left shoulder |
| M05.821 | Other rheumatoid arthritis with rheumatoid factor of right elbow |
| M05.822 | Other rheumatoid arthritis with rheumatoid factor of left elbow |
| M05.831 | Other rheumatoid arthritis with rheumatoid factor of right wrist |
| M05.832 | Other rheumatoid arthritis with rheumatoid factor of left wrist |
| M05.841 | Other rheumatoid arthritis with rheumatoid factor of right hand |
| M05.842 | Other rheumatoid arthritis with rheumatoid factor of left hand |
| M05.851 | Other rheumatoid arthritis with rheumatoid factor of right hip |
| M05.852 | Other rheumatoid arthritis with rheumatoid factor of left hip |
| M05.861 | Other rheumatoid arthritis with rheumatoid factor of right knee |
| M05.862 | Other rheumatoid arthritis with rheumatoid factor of left knee |
| M05.871 | Other rheumatoid arthritis with rheumatoid factor of right ankle and foot |
| M05.872 | Other rheumatoid arthritis with rheumatoid factor of left ankle and foot |
| M05.89 | Other rheumatoid arthritis with rheumatoid factor of multiple sites |
| M06.011 | Rheumatoid arthritis without rheumatoid factor, right shoulder |
| M06.012 | Rheumatoid arthritis without rheumatoid factor, left shoulder |
| M06.021 | Rheumatoid arthritis without rheumatoid factor, right elbow |
| M06.022 | Rheumatoid arthritis without rheumatoid factor, left elbow |
| M06.031 | Rheumatoid arthritis without rheumatoid factor, right wrist |
| M06.032 | Rheumatoid arthritis without rheumatoid factor, left wrist |
| M06.041 | Rheumatoid arthritis without rheumatoid factor, right hand |
| M06.042 | Rheumatoid arthritis without rheumatoid factor, left hand |
| M06.051 | Rheumatoid arthritis without rheumatoid factor, right hip |
| M06.052 | Rheumatoid arthritis without rheumatoid factor, left hip |
| M06.061 | Rheumatoid arthritis without rheumatoid factor, right knee |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M06.062 | Rheumatoid arthritis without rheumatoid factor, left knee |
| M06.071 | Rheumatoid arthritis without rheumatoid factor, right ankle and foot |
| M06.072 | Rheumatoid arthritis without rheumatoid factor, left ankle and foot |
| M06.08 | Rheumatoid arthritis without rheumatoid factor, vertebrae |
| M06.09 | Rheumatoid arthritis without rheumatoid factor, multiple sites |
| M06.1 | Adult-onset Still's disease |
| M06.211 | Rheumatoid bursitis, right shoulder |
| M06.212 | Rheumatoid bursitis, left shoulder |
| M06.221 | Rheumatoid bursitis, right elbow |
| M06.222 | Rheumatoid bursitis, left elbow |
| M06.231 | Rheumatoid bursitis, right wrist |
| M06.232 | Rheumatoid bursitis, left wrist |
| M06.241 | Rheumatoid bursitis, right hand |
| M06.242 | Rheumatoid bursitis, left hand |
| M06.251 | Rheumatoid bursitis, right hip |
| M06.252 | Rheumatoid bursitis, left hip |
| M06.261 | Rheumatoid bursitis, right knee |
| M06.262 | Rheumatoid bursitis, left knee |
| M06.271 | Rheumatoid bursitis, right ankle and foot |
| M06.272 | Rheumatoid bursitis, left ankle and foot |
| M06.28 | Rheumatoid bursitis, vertebrae |
| M06.29 | Rheumatoid bursitis, multiple sites |
| M06.311 | Rheumatoid nodule, right shoulder |
| M06.312 | Rheumatoid nodule, left shoulder |
| M06.321 | Rheumatoid nodule, right elbow |
| M06.322 | Rheumatoid nodule, left elbow |
| M06.331 | Rheumatoid nodule, right wrist |
| M06.332 | Rheumatoid nodule, left wrist |
| M06.341 | Rheumatoid nodule, right hand |
| M06.342 | Rheumatoid nodule, left hand |
| M06.351 | Rheumatoid nodule, right hip |
| M06.352 | Rheumatoid nodule, left hip |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M06.361 | Rheumatoid nodule, right knee |
| M06.362 | Rheumatoid nodule, left knee |
| M06.371 | Rheumatoid nodule, right ankle and foot |
| M06.372 | Rheumatoid nodule, left ankle and foot |
| M06.38 | Rheumatoid nodule, vertebrae |
| M06.39 | Rheumatoid nodule, multiple sites |
| M06.811 | Other specified rheumatoid arthritis, right shoulder |
| M06.812 | Other specified rheumatoid arthritis, left shoulder |
| M06.821 | Other specified rheumatoid arthritis, right elbow |
| M06.822 | Other specified rheumatoid arthritis, left elbow |
| M06.831 | Other specified rheumatoid arthritis, right wrist |
| M06.832 | Other specified rheumatoid arthritis, left wrist |
| M06.841 | Other specified rheumatoid arthritis, right hand |
| M06.842 | Other specified rheumatoid arthritis, left hand |
| M06.851 | Other specified rheumatoid arthritis, right hip |
| M06.852 | Other specified rheumatoid arthritis, left hip |
| M06.861 | Other specified rheumatoid arthritis, right knee |
| M06.862 | Other specified rheumatoid arthritis, left knee |
| M06.871 | Other specified rheumatoid arthritis, right ankle and foot |
| M06.872 | Other specified rheumatoid arthritis, left ankle and foot |
| M06.88 | Other specified rheumatoid arthritis, vertebrae |
| M06.89 | Other specified rheumatoid arthritis, multiple sites |
| M08.1 | Juvenile ankylosing spondylitis |
| M08.211 | Juvenile rheumatoid arthritis with systemic onset, right shoulder |
| M08.212 | Juvenile rheumatoid arthritis with systemic onset, left shoulder |
| M08.221 | Juvenile rheumatoid arthritis with systemic onset, right elbow |
| M08.222 | Juvenile rheumatoid arthritis with systemic onset, left elbow |
| M08.231 | Juvenile rheumatoid arthritis with systemic onset, right wrist |
| M08.232 | Juvenile rheumatoid arthritis with systemic onset, left wrist |
| M08.241 | Juvenile rheumatoid arthritis with systemic onset, right hand |
| M08.242 | Juvenile rheumatoid arthritis with systemic onset, left hand |
| M08.251 | Juvenile rheumatoid arthritis with systemic onset, right hip |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M08.252 | Juvenile rheumatoid arthritis with systemic onset, left hip |
| M08.261 | Juvenile rheumatoid arthritis with systemic onset, right knee |
| M08.262 | Juvenile rheumatoid arthritis with systemic onset, left knee |
| M08.271 | Juvenile rheumatoid arthritis with systemic onset, right ankle and foot |
| M08.272 | Juvenile rheumatoid arthritis with systemic onset, left ankle and foot |
| M08.28 | Juvenile rheumatoid arthritis with systemic onset, vertebrae |
| M08.29 | Juvenile rheumatoid arthritis with systemic onset, multiple sites |
| M08.3 | Juvenile rheumatoid polyarthritis (seronegative) |
| M08.411 | Pauciarticular juvenile rheumatoid arthritis, right shoulder |
| M08.412 | Pauciarticular juvenile rheumatoid arthritis, left shoulder |
| M08.421 | Pauciarticular juvenile rheumatoid arthritis, right elbow |
| M08.422 | Pauciarticular juvenile rheumatoid arthritis, left elbow |
| M08.431 | Pauciarticular juvenile rheumatoid arthritis, right wrist |
| M08.432 | Pauciarticular juvenile rheumatoid arthritis, left wrist |
| M08.441 | Pauciarticular juvenile rheumatoid arthritis, right hand |
| M08.442 | Pauciarticular juvenile rheumatoid arthritis, left hand |
| M08.451 | Pauciarticular juvenile rheumatoid arthritis, right hip |
| M08.452 | Pauciarticular juvenile rheumatoid arthritis, left hip |
| M08.461 | Pauciarticular juvenile rheumatoid arthritis, right knee |
| M08.462 | Pauciarticular juvenile rheumatoid arthritis, left knee |
| M08.471 | Pauciarticular juvenile rheumatoid arthritis, right ankle and foot |
| M08.472 | Pauciarticular juvenile rheumatoid arthritis, left ankle and foot |
| M08.48 | Pauciarticular juvenile rheumatoid arthritis, vertebrae |
| M08.811 | Other juvenile arthritis, right shoulder |
| M08.812 | Other juvenile arthritis, left shoulder |
| M08.821 | Other juvenile arthritis, right elbow |
| M08.822 | Other juvenile arthritis, left elbow |
| M08.831 | Other juvenile arthritis, right wrist |
| M08.832 | Other juvenile arthritis, left wrist |
| M08.841 | Other juvenile arthritis, right hand |
| M08.842 | Other juvenile arthritis, left hand |
| M08.851 | Other juvenile arthritis, right hip |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M08.852 | Other juvenile arthritis, left hip |
| M08.861 | Other juvenile arthritis, right knee |
| M08.862 | Other juvenile arthritis, left knee |
| M08.871 | Other juvenile arthritis, right ankle and foot |
| ICD-10 CODE | DESCRIPTION |
| M08.872 | Other juvenile arthritis, left ankle and foot |
| M08.88 | Other juvenile arthritis, other specified site |
| M08.89 | Other juvenile arthritis, multiple sites |
| M12.551 | Traumatic arthropathy, right hip |
| M12.552 | Traumatic arthropathy, left hip |
| M12.58 | Traumatic arthropathy, other specified site |
| M40.05 | Postural kyphosis, thoracolumbar region |
| M40.14 | Other secondary kyphosis, thoracic region |
| M40.15 | Other secondary kyphosis, thoracolumbar region |
| M40.295 | Other kyphosis, thoracolumbar region |
| M40.35 | Flatback syndrome, thoracolumbar region |
| M40.36 | Flatback syndrome, lumbar region |
| M40.37 | Flatback syndrome, lumbosacral region |
| M40.45 | Postural lordosis, thoracolumbar region |
| M40.46 | Postural lordosis, lumbar region |
| M40.47 | Postural lordosis, lumbosacral region |
| M41.05 | Infantile idiopathic scoliosis, thoracolumbar region |
| M41.06 | Infantile idiopathic scoliosis, lumbar region |
| M41.07 | Infantile idiopathic scoliosis, lumbosacral region |
| M41.08 | Infantile idiopathic scoliosis, sacral and sacrococcygeal region |
| M41.115 | Juvenile idiopathic scoliosis, thoracolumbar region |
| M41.116 | Juvenile idiopathic scoliosis, lumbar region |
| M41.117 | Juvenile idiopathic scoliosis, lumbosacral region |
| M41.125 | Adolescent idiopathic scoliosis, thoracolumbar region |
| M41.126 | Adolescent idiopathic scoliosis, lumbar region |
| M41.127 | Adolescent idiopathic scoliosis, lumbosacral region |
| M41.25 | Other idiopathic scoliosis, thoracolumbar region |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M41.26 | Other idiopathic scoliosis, lumbar region |
| M41.27 | Other idiopathic scoliosis, lumbosacral region |
| M41.35 | Thoracogenic scoliosis, thoracolumbar region |
| M41.44 | Neuromuscular scoliosis, thoracic region |
| M41.45 | Neuromuscular scoliosis, thoracolumbar region |
| M41.46 | Neuromuscular scoliosis, lumbar region |
| M41.47 | Neuromuscular scoliosis, lumbosacral region |
| M41.55 | Other secondary scoliosis, thoracolumbar region |
| M41.56 | Other secondary scoliosis, lumbar region |
| M41.57 | Other secondary scoliosis, lumbosacral region |
| M41.85 | Other forms of scoliosis, thoracolumbar region |
| M41.86 | Other forms of scoliosis, lumbar region |
| M41.87 | Other forms of scoliosis, lumbosacral region |
| M43.01 | Spondylolysis, occipito-atlanto-axial region |
| M43.02 | Spondylolysis, cervical region |
| M43.03 | Spondylolysis, cervicothoracic region |
| M43.04 | Spondylolysis, thoracic region |
| M43.05 | Spondylolysis, thoracolumbar region |
| M43.06 | Spondylolysis, lumbar region |
| M43.07 | Spondylolysis, lumbosacral region |
| M43.08 | Spondylolysis, sacral and sacrococcygeal region |
| M43.09 | Spondylolysis, multiple sites in spine |
| M43.11 | Spondylolisthesis, occipito-atlanto-axial region |
| M43.12 | Spondylolisthesis, cervical region |
| M43.13 | Spondylolisthesis, cervicothoracic region |
| M43.14 | Spondylolisthesis, thoracic region |
| M43.15 | Spondylolisthesis, thoracolumbar region |
| M43.16 | Spondylolisthesis, lumbar region |
| M43.17 | Spondylolisthesis, lumbosacral region |
| M43.18 | Spondylolisthesis, sacral and sacrococcygeal region |
| M43.19 | Spondylolisthesis, multiple sites in spine |
| M43.8X5 | Other specified deforming dorsopathies, thoracolumbar region |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M43.8X6 | Other specified deforming dorsopathies, lumbar region |
| M43.8X7 | Other specified deforming dorsopathies, lumbosacral region |
| M43.8X8 | Other specified deforming dorsopathies, sacral and sacrococcygeal region |
| M45.0 | Ankylosing spondylitis of multiple sites in spine |
| M45.5 | Ankylosing spondylitis of thoracolumbar region |
| M45.6 | Ankylosing spondylitis lumbar region |
| M45.7 | Ankylosing spondylitis of lumbosacral region |
| M45.8 | Ankylosing spondylitis sacral and sacrococcygeal region |
| M46.05 | Spinal enthesopathy, thoracolumbar region |
| M46.06 | Spinal enthesopathy, lumbar region |
| M46.07 | Spinal enthesopathy, lumbosacral region |
| M46.08 | Spinal enthesopathy, sacral and sacrococcygeal region |
| M46.09 | Spinal enthesopathy, multiple sites in spine |
| M46.1 | Sacroiliitis, not elsewhere classified |
| M46.25 | Osteomyelitis of vertebra, thoracolumbar region |
| M46.26 | Osteomyelitis of vertebra, lumbar region |
| M46.27 | Osteomyelitis of vertebra, lumbosacral region |
| M46.28 | Osteomyelitis of vertebra, sacral and sacrococcygeal region |
| M46.31 | Infection of intervertebral disc (pyogenic), occipito-atlanto-axial region |
| M46.32 | Infection of intervertebral disc (pyogenic), cervical region |
| M46.33 | Infection of intervertebral disc (pyogenic), cervicothoracic region |
| M46.34 | Infection of intervertebral disc (pyogenic), thoracic region |
| M46.35 | Infection of intervertebral disc (pyogenic), thoracolumbar region |
| M46.36 | Infection of intervertebral disc (pyogenic), lumbar region |
| M46.37 | Infection of intervertebral disc (pyogenic), lumbosacral region |
| M46.38 | Infection of intervertebral disc (pyogenic), sacral and sacrococcygeal region |
| M46.46 | Discitis, unspecified, lumbar region |
| M46.47 | Discitis, unspecified, lumbosacral region |
| M46.48 | Discitis, unspecified, sacral and sacrococcygeal region |
| M46.49 | Discitis, unspecified, multiple sites in spine |
| M46.51 | Other infective spondylopathies, occipito-atlanto-axial region |
| M46.52 | Other infective spondylopathies, cervical region |

| ICD-10 CODE | DESCRIPTION |
|--------------------|--|
| M46.53 | Other infective spondylopathies, cervicothoracic region |
| M46.54 | Other infective spondylopathies, thoracic region |
| M46.55 | Other infective spondylopathies, thoracolumbar region |
| M46.56 | Other infective spondylopathies, lumbar region |
| M46.57 | Other infective spondylopathies, lumbosacral region |
| M46.58 | Other infective spondylopathies, sacral and sacrococcygeal region |
| M46.59 | Other infective spondylopathies, multiple sites in spine |
| M46.85 | Other specified inflammatory spondylopathies, thoracolumbar region |
| M46.86 | Other specified inflammatory spondylopathies, lumbar region |
| ICD-10 CODE | DESCRIPTION |
| M46.87 | Other specified inflammatory spondylopathies, lumbosacral region |
| M46.88 | Other specified inflammatory spondylopathies, sacral and sacrococcygeal region |
| M46.89 | Other specified inflammatory spondylopathies, multiple sites in spine |
| M48.45XA | Fatigue fracture of vertebra, thoracolumbar region, initial encounter for fracture |
| M48.45XD | Fatigue fracture of vertebra, thoracolumbar region, subsequent encounter for fracture with routine healing |
| M48.45XG | Fatigue fracture of vertebra, thoracolumbar region, subsequent encounter for fracture with delayed healing |
| M48.45XS | Fatigue fracture of vertebra, thoracolumbar region, sequela of fracture |
| M48.46XA | Fatigue fracture of vertebra, lumbar region, initial encounter for fracture |
| M48.46XD | Fatigue fracture of vertebra, lumbar region, subsequent encounter for fracture with routine healing |
| M48.46XG | Fatigue fracture of vertebra, lumbar region, subsequent encounter for fracture with delayed healing |
| M48.46XS | Fatigue fracture of vertebra, lumbar region, sequela of fracture |
| M48.47XA | Fatigue fracture of vertebra, lumbosacral region, initial encounter for fracture |
| M48.47XD | Fatigue fracture of vertebra, lumbosacral region, subsequent encounter for fracture with routine healing |
| M48.47XG | Fatigue fracture of vertebra, lumbosacral region, subsequent encounter for fracture with delayed healing |
| M48.47XS | Fatigue fracture of vertebra, lumbosacral region, sequela of fracture |
| M48.48XA | Fatigue fracture of vertebra, sacral and sacrococcygeal region, initial encounter for fracture |
| M48.48XD | Fatigue fracture of vertebra, sacral and sacrococcygeal region, subsequent |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | encounter for fracture with routine healing |
| M48.48XG | Fatigue fracture of vertebra, sacral and sacrococcygeal region, subsequent encounter for fracture with delayed healing |
| M48.48XS | Fatigue fracture of vertebra, sacral and sacrococcygeal region, sequela of fracture |
| M48.55XA | Collapsed vertebra, not elsewhere classified, thoracolumbar region, initial encounter for fracture |
| M48.55XD | Collapsed vertebra, not elsewhere classified, thoracolumbar region, subsequent encounter for fracture with routine healing |
| M48.55XG | Collapsed vertebra, not elsewhere classified, thoracolumbar region, subsequent encounter for fracture with delayed healing |
| M48.55XS | Collapsed vertebra, not elsewhere classified, thoracolumbar region, sequela of fracture |
| M48.56XA | Collapsed vertebra, not elsewhere classified, lumbar region, initial encounter for fracture |
| M48.56XD | Collapsed vertebra, not elsewhere classified, lumbar region, subsequent encounter for fracture with routine healing |
| M48.56XG | Collapsed vertebra, not elsewhere classified, lumbar region, subsequent encounter for fracture with delayed healing |
| M48.56XS | Collapsed vertebra, not elsewhere classified, lumbar region, sequela of fracture |
| M48.57XA | Collapsed vertebra, not elsewhere classified, lumbosacral region, initial encounter for fracture |
| M48.57XD | Collapsed vertebra, not elsewhere classified, lumbosacral region, subsequent encounter for fracture with routine healing |
| M48.57XG | Collapsed vertebra, not elsewhere classified, lumbosacral region, subsequent encounter for fracture with delayed healing |
| M48.57XS | Collapsed vertebra, not elsewhere classified, lumbosacral region, sequela of fracture |
| M48.58XA | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, initial encounter for fracture |
| M48.58XD | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, subsequent encounter for fracture with routine healing |
| M48.58XG | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, subsequent encounter for fracture with delayed healing |
| M48.58XS | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, sequela of fracture |
| M48.8X5 | Other specified spondylopathies, thoracolumbar region |
| M48.8X6 | Other specified spondylopathies, lumbar region |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M48.8X7 | Other specified spondylopathies, lumbosacral region |
| M48.8X8 | Other specified spondylopathies, sacral and sacrococcygeal region |
| M49.85 | Spondylopathy in diseases classified elsewhere, thoracolumbar region |
| M49.86 | Spondylopathy in diseases classified elsewhere, lumbar region |
| M49.87 | Spondylopathy in diseases classified elsewhere, lumbosacral region |
| M49.88 | Spondylopathy in diseases classified elsewhere, sacral and sacrococcygeal region |
| M49.89 | Spondylopathy in diseases classified elsewhere, multiple sites in spine |
| M51.06 | Intervertebral disc disorders with myelopathy, lumbar region |
| M80.88XA | Other osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture |
| M81.0 | Age-related osteoporosis without current pathological fracture |
| M84.350A | Stress fracture, pelvis, initial encounter for fracture |
| M85.08 | Fibrous dysplasia (monostotic), other site |
| M85.09 | Fibrous dysplasia (monostotic), multiple sites |
| M85.451 | Solitary bone cyst, right pelvis |
| M85.452 | Solitary bone cyst, left pelvis |
| M85.58 | Aneurysmal bone cyst, other site |
| M85.59 | Aneurysmal bone cyst, multiple sites |
| M85.68 | Other cyst of bone, other site |
| M85.69 | Other cyst of bone, multiple sites |
| M86.011 | Acute hematogenous osteomyelitis, right shoulder |
| M86.012 | Acute hematogenous osteomyelitis, left shoulder |
| M86.021 | Acute hematogenous osteomyelitis, right humerus |
| M86.022 | Acute hematogenous osteomyelitis, left humerus |
| M86.031 | Acute hematogenous osteomyelitis, right radius and ulna |
| M86.032 | Acute hematogenous osteomyelitis, left radius and ulna |
| M86.041 | Acute hematogenous osteomyelitis, right hand |
| M86.042 | Acute hematogenous osteomyelitis, left hand |
| M86.051 | Acute hematogenous osteomyelitis, right femur |
| M86.052 | Acute hematogenous osteomyelitis, left femur |
| M86.061 | Acute hematogenous osteomyelitis, right tibia and fibula |
| M86.062 | Acute hematogenous osteomyelitis, left tibia and fibula |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M86.071 | Acute hematogenous osteomyelitis, right ankle and foot |
| M86.072 | Acute hematogenous osteomyelitis, left ankle and foot |
| M86.08 | Acute hematogenous osteomyelitis, other sites |
| M86.09 | Acute hematogenous osteomyelitis, multiple sites |
| M86.151 | Other acute osteomyelitis, right femur |
| M86.152 | Other acute osteomyelitis, left femur |
| M86.251 | Subacute osteomyelitis, right femur |
| M86.252 | Subacute osteomyelitis, left femur |
| M86.28 | Subacute osteomyelitis, other site |
| M86.29 | Subacute osteomyelitis, multiple sites |
| M86.351 | Chronic multifocal osteomyelitis, right femur |
| M86.352 | Chronic multifocal osteomyelitis, left femur |
| M86.38 | Chronic multifocal osteomyelitis, other site |
| M86.39 | Chronic multifocal osteomyelitis, multiple sites |
| M86.451 | Chronic osteomyelitis with draining sinus, right femur |
| M86.452 | Chronic osteomyelitis with draining sinus, left femur |
| M86.48 | Chronic osteomyelitis with draining sinus, other site |
| M86.49 | Chronic osteomyelitis with draining sinus, multiple sites |
| M86.511 | Other chronic hematogenous osteomyelitis, right shoulder |
| M86.512 | Other chronic hematogenous osteomyelitis, left shoulder |
| M86.521 | Other chronic hematogenous osteomyelitis, right humerus |
| M86.522 | Other chronic hematogenous osteomyelitis, left humerus |
| M86.531 | Other chronic hematogenous osteomyelitis, right radius and ulna |
| M86.532 | Other chronic hematogenous osteomyelitis, left radius and ulna |
| M86.541 | Other chronic hematogenous osteomyelitis, right hand |
| M86.542 | Other chronic hematogenous osteomyelitis, left hand |
| M86.551 | Other chronic hematogenous osteomyelitis, right femur |
| M86.552 | Other chronic hematogenous osteomyelitis, left femur |
| M86.561 | Other chronic hematogenous osteomyelitis, right tibia and fibula |
| M86.562 | Other chronic hematogenous osteomyelitis, left tibia and fibula |
| M86.571 | Other chronic hematogenous osteomyelitis, right ankle and foot |
| M86.572 | Other chronic hematogenous osteomyelitis, left ankle and foot |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M86.58 | Other chronic hematogenous osteomyelitis, other site |
| M86.59 | Other chronic hematogenous osteomyelitis, multiple sites |
| M86.651 | Other chronic osteomyelitis, right thigh |
| M86.652 | Other chronic osteomyelitis, left thigh |
| M86.68 | Other chronic osteomyelitis, other site |
| M86.69 | Other chronic osteomyelitis, multiple sites |
| M86.8X0 | Other osteomyelitis, multiple sites |
| M86.8X8 | Other osteomyelitis, other site |
| M96.2 | Postradiation kyphosis |
| M96.3 | Postlaminectomy kyphosis |
| M96.4 | Postsurgical lordosis |
| M96.5 | Postradiation scoliosis |
| M96.621 | Fracture of humerus following insertion of orthopedic implant, joint prosthesis, or bone plate, right arm |
| M96.622 | Fracture of humerus following insertion of orthopedic implant, joint prosthesis, or bone plate, left arm |
| M96.65 | Fracture of pelvis following insertion of orthopedic implant, joint prosthesis, or bone plate |
| M96.661 | Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, right leg |
| M96.662 | Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, left leg |
| M96.671 | Fracture of tibia or fibula following insertion of orthopedic implant, joint prosthesis, or bone plate, right leg |
| M96.672 | Fracture of tibia or fibula following insertion of orthopedic implant, joint prosthesis, or bone plate, left leg |
| M96.69 | Fracture of other bone following insertion of orthopedic implant, joint prosthesis, or bone plate |
| M99.03 | Segmental and somatic dysfunction of lumbar region |
| M99.13 | Subluxation complex (vertebral) of lumbar region |
| M99.14 | Subluxation complex (vertebral) of sacral region |
| M99.83 | Other biomechanical lesions of lumbar region |
| M99.84 | Other biomechanical lesions of sacral region |
| N31.0 | Uninhibited neuropathic bladder, not elsewhere classified |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| P11.5 | Birth injury to spine and spinal cord |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q06.0 | Amyelia |
| Q06.1 | Hypoplasia and dysplasia of spinal cord |
| Q06.2 | Diastematomyelia |
| Q06.3 | Other congenital cauda equina malformations |
| Q06.4 | Hydromyelia |
| Q06.8 | Other specified congenital malformations of spinal cord |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q07.8 | Other specified congenital malformations of nervous system |
| Q67.5 | Congenital deformity of spine |
| Q76.0 | Spina bifida occulta |
| Q76.3 | Congenital scoliosis due to congenital bony malformation |
| Q76.415 | Congenital kyphosis, thoracolumbar region |
| Q76.425 | Congenital lordosis, thoracolumbar region |
| Q76.426 | Congenital lordosis, lumbar region |
| Q76.427 | Congenital lordosis, lumbosacral region |
| Q76.428 | Congenital lordosis, sacral and sacrococcygeal region |
| Q76.49 | Other congenital malformations of spine, not associated with scoliosis |
| Q85.01 | Neurofibromatosis, type 1 |
| Q85.02 | Neurofibromatosis, type 2 |
| Q85.03 | Schwannomatosis |
| Q85.09 | Other neurofibromatosis |
| R15.0 | Incomplete defecation |
| R15.1 | Fecal smearing |
| R15.2 | Fecal urgency |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| R15.9 | Full incontinence of feces |
| R20.0 | Anesthesia of skin |
| R20.1 | Hypoesthesia of skin |
| R20.2 | Paresthesia of skin |
| R20.3 | Hyperesthesia |
| R20.8 | Other disturbances of skin sensation |
| R26.0 | Ataxic gait |
| R26.81 | Unsteadiness on feet |
| R26.89 | Other abnormalities of gait and mobility |
| R29.2 | Abnormal reflex |
| R33.8 | Other retention of urine |
| R39.14 | Feeling of incomplete bladder emptying |
| R94.131 | Abnormal electromyogram [EMG] |
| R94.8 | Abnormal results of function studies of other organs and systems |

Group 2 Paragraph:

For Group 2 codes, see coverage requirements in the *Indications and Limitations of Coverage and/or Medical Necessity* section.

Group 2 Codes:

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| B91 | Sequelae of poliomyelitis |
| K59.01 | Slow transit constipation |
| K59.02 | Outlet dysfunction constipation |
| K59.09 | Other constipation |
| M12.011 | Chronic postrheumatic arthropathy [Jaccoud], right shoulder |
| M12.012 | Chronic postrheumatic arthropathy [Jaccoud], left shoulder |
| M12.021 | Chronic postrheumatic arthropathy [Jaccoud], right elbow |
| M12.022 | Chronic postrheumatic arthropathy [Jaccoud], left elbow |
| M12.031 | Chronic postrheumatic arthropathy [Jaccoud], right wrist |
| M12.032 | Chronic postrheumatic arthropathy [Jaccoud], left wrist |
| M12.041 | Chronic postrheumatic arthropathy [Jaccoud], right hand |
| M12.042 | Chronic postrheumatic arthropathy [Jaccoud], left hand |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M12.051 | Chronic postrheumatic arthropathy [Jaccoud], right hip |
| M12.052 | Chronic postrheumatic arthropathy [Jaccoud], left hip |
| M12.061 | Chronic postrheumatic arthropathy [Jaccoud], right knee |
| M12.062 | Chronic postrheumatic arthropathy [Jaccoud], left knee |
| M12.071 | Chronic postrheumatic arthropathy [Jaccoud], right ankle and foot |
| M12.072 | Chronic postrheumatic arthropathy [Jaccoud], left ankle and foot |
| M12.08 | Chronic postrheumatic arthropathy [Jaccoud], other specified site |
| M12.09 | Chronic postrheumatic arthropathy [Jaccoud], multiple sites |
| M16.0 | Bilateral primary osteoarthritis of hip |
| M16.11 | Unilateral primary osteoarthritis, right hip |
| M16.12 | Unilateral primary osteoarthritis, left hip |
| M16.2 | Bilateral osteoarthritis resulting from hip dysplasia |
| M16.31 | Unilateral osteoarthritis resulting from hip dysplasia, right hip |
| M16.32 | Unilateral osteoarthritis resulting from hip dysplasia, left hip |
| M16.4 | Bilateral post-traumatic osteoarthritis of hip |
| M16.51 | Unilateral post-traumatic osteoarthritis, right hip |
| M16.52 | Unilateral post-traumatic osteoarthritis, left hip |
| M16.6 | Other bilateral secondary osteoarthritis of hip |
| M16.7 | Other unilateral secondary osteoarthritis of hip |
| M25.551 | Pain in right hip |
| M25.552 | Pain in left hip |
| M25.78 | Osteophyte, vertebrae |
| M42.05 | Juvenile osteochondrosis of spine, thoracolumbar region |
| M42.06 | Juvenile osteochondrosis of spine, lumbar region |
| M42.07 | Juvenile osteochondrosis of spine, lumbosacral region |
| M42.08 | Juvenile osteochondrosis of spine, sacral and sacrococcygeal region |
| M42.09 | Juvenile osteochondrosis of spine, multiple sites in spine |
| M42.11 | Adult osteochondrosis of spine, occipito-atlanto-axial region |
| M42.12 | Adult osteochondrosis of spine, cervical region |
| M42.13 | Adult osteochondrosis of spine, cervicothoracic region |
| M42.14 | Adult osteochondrosis of spine, thoracic region |
| M42.15 | Adult osteochondrosis of spine, thoracolumbar region |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M42.16 | Adult osteochondrosis of spine, lumbar region |
| M42.17 | Adult osteochondrosis of spine, lumbosacral region |
| M42.18 | Adult osteochondrosis of spine, sacral and sacrococcygeal region |
| M42.19 | Adult osteochondrosis of spine, multiple sites in spine |
| M43.21 | Fusion of spine, occipito-atlanto-axial region |
| M43.22 | Fusion of spine, cervical region |
| M43.23 | Fusion of spine, cervicothoracic region |
| M43.24 | Fusion of spine, thoracic region |
| M43.25 | Fusion of spine, thoracolumbar region |
| M43.26 | Fusion of spine, lumbar region |
| M43.27 | Fusion of spine, lumbosacral region |
| M43.28 | Fusion of spine, sacral and sacrococcygeal region |
| M47.16 | Other spondylosis with myelopathy, lumbar region |
| M47.26 | Other spondylosis with radiculopathy, lumbar region |
| M47.27 | Other spondylosis with radiculopathy, lumbosacral region |
| M47.28 | Other spondylosis with radiculopathy, sacral and sacrococcygeal region |
| M47.815 | Spondylosis without myelopathy or radiculopathy, thoracolumbar region |
| M47.816 | Spondylosis without myelopathy or radiculopathy, lumbar region |
| M47.817 | Spondylosis without myelopathy or radiculopathy, lumbosacral region |
| M47.818 | Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region |
| M47.896 | Other spondylosis, lumbar region |
| M47.897 | Other spondylosis, lumbosacral region |
| M47.898 | Other spondylosis, sacral and sacrococcygeal region |
| M48.061 | Spinal stenosis, lumbar region without neurogenic claudication |
| M48.062 | Spinal stenosis, lumbar region with neurogenic claudication |
| M48.07 | Spinal stenosis, lumbosacral region |
| M48.15 | Ankylosing hyperostosis [Forestier], thoracolumbar region |
| M48.16 | Ankylosing hyperostosis [Forestier], lumbar region |
| M48.17 | Ankylosing hyperostosis [Forestier], lumbosacral region |
| M48.18 | Ankylosing hyperostosis [Forestier], sacral and sacrococcygeal region |
| M48.19 | Ankylosing hyperostosis [Forestier], multiple sites in spine |
| M48.25 | Kissing spine, thoracolumbar region |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M48.26 | Kissing spine, lumbar region |
| M48.27 | Kissing spine, lumbosacral region |
| M48.35 | Traumatic spondylopathy, thoracolumbar region |
| M48.36 | Traumatic spondylopathy, lumbar region |
| M48.37 | Traumatic spondylopathy, lumbosacral region |
| M48.38 | Traumatic spondylopathy, sacral and sacrococcygeal region |
| M51.14 | Intervertebral disc disorders with radiculopathy, thoracic region |
| M51.15 | Intervertebral disc disorders with radiculopathy, thoracolumbar region |
| M51.16 | Intervertebral disc disorders with radiculopathy, lumbar region |
| M51.17 | Intervertebral disc disorders with radiculopathy, lumbosacral region |
| M51.26 | Other intervertebral disc displacement, lumbar region |
| M51.27 | Other intervertebral disc displacement, lumbosacral region |
| M51.36 | Other intervertebral disc degeneration, lumbar region |
| M51.37 | Other intervertebral disc degeneration, lumbosacral region |
| M51.46 | Schmorl's nodes, lumbar region |
| M51.47 | Schmorl's nodes, lumbosacral region |
| M51.86 | Other intervertebral disc disorders, lumbar region |
| M51.87 | Other intervertebral disc disorders, lumbosacral region |
| M53.2X7 | Spinal instabilities, lumbosacral region |
| M53.2X8 | Spinal instabilities, sacral and sacrococcygeal region |
| M53.3 | Sacrococcygeal disorders, not elsewhere classified |
| M53.85 | Other specified dorsopathies, thoracolumbar region |
| M53.86 | Other specified dorsopathies, lumbar region |
| M53.87 | Other specified dorsopathies, lumbosacral region |
| M53.88 | Other specified dorsopathies, sacral and sacrococcygeal region |
| ICD-10 CODE | DESCRIPTION |
| M54.05 | Panniculitis affecting regions of neck and back, thoracolumbar region |
| M54.06 | Panniculitis affecting regions of neck and back, lumbar region |
| M54.07 | Panniculitis affecting regions of neck and back, lumbosacral region |
| M54.08 | Panniculitis affecting regions of neck and back, sacral and sacrococcygeal region |
| M54.09 | Panniculitis affecting regions, neck and back, multiple sites in spine |
| M54.15 | Radiculopathy, thoracolumbar region |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M54.16 | Radiculopathy, lumbar region |
| M54.17 | Radiculopathy, lumbosacral region |
| M54.18 | Radiculopathy, sacral and sacrococcygeal region |
| M54.31 | Sciatica, right side |
| M54.32 | Sciatica, left side |
| M54.41 | Lumbago with sciatica, right side |
| M54.42 | Lumbago with sciatica, left side |
| M54.5 | Low back pain |
| M54.89 | Other dorsalgia |
| M62.830 | Muscle spasm of back |
| M79.604 | Pain in right leg |
| M79.605 | Pain in left leg |
| M79.651 | Pain in right thigh |
| M79.652 | Pain in left thigh |
| M79.661 | Pain in right lower leg |
| M79.662 | Pain in left lower leg |
| M79.671 | Pain in right foot |
| M79.672 | Pain in left foot |
| M79.674 | Pain in right toe(s) |
| M79.675 | Pain in left toe(s) |
| M79.81 | Nontraumatic hematoma of soft tissue |
| M80.08XA | Age-related osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture |
| M80.08XD | Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with routine healing |
| M80.08XG | Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with delayed healing |
| M80.08XK | Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with nonunion |
| M80.08XP | Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with malunion |
| M80.08XS | Age-related osteoporosis with current pathological fracture, vertebra(e), sequela |
| M80.88XD | Other osteoporosis with current pathological fracture, vertebra(e), subsequent |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | encounter for fracture with routine healing |
| M80.88XG | Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with delayed healing |
| M80.88XK | Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with nonunion |
| M80.88XP | Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with malunion |
| M80.88XS | Other osteoporosis with current pathological fracture, vertebra(e), sequela |
| M81.6 | Localized osteoporosis [Lequesne] |
| M81.8 | Other osteoporosis without current pathological fracture |
| M84.350D | Stress fracture, pelvis, subsequent encounter for fracture with routine healing |
| M84.350G | Stress fracture, pelvis, subsequent encounter for fracture with delayed healing |
| M84.350K | Stress fracture, pelvis, subsequent encounter for fracture with nonunion |
| M84.350P | Stress fracture, pelvis, subsequent encounter for fracture with malunion |
| M84.350S | Stress fracture, pelvis, sequela |
| M84.38XA | Stress fracture, other site, initial encounter for fracture |
| M84.38XD | Stress fracture, other site, subsequent encounter for fracture with routine healing |
| M84.38XG | Stress fracture, other site, subsequent encounter for fracture with delayed healing |
| M84.38XK | Stress fracture, other site, subsequent encounter for fracture with nonunion |
| M84.38XP | Stress fracture, other site, subsequent encounter for fracture with malunion |
| M84.38XS | Stress fracture, other site, sequela |
| M84.451A | Pathological fracture, right femur, initial encounter for fracture |
| M84.451D | Pathological fracture, right femur, subsequent encounter for fracture with routine healing |
| M84.451G | Pathological fracture, right femur, subsequent encounter for fracture with delayed healing |
| M84.451K | Pathological fracture, right femur, subsequent encounter for fracture with nonunion |
| M84.451P | Pathological fracture, right femur, subsequent encounter for fracture with malunion |
| M84.451S | Pathological fracture, right femur, sequela |
| M84.452A | Pathological fracture, left femur, initial encounter for fracture |
| M84.452D | Pathological fracture, left femur, subsequent encounter for fracture with routine healing |
| M84.452G | Pathological fracture, left femur, subsequent encounter for fracture with delayed healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M84.452K | Pathological fracture, left femur, subsequent encounter for fracture with nonunion |
| M84.452P | Pathological fracture, left femur, subsequent encounter for fracture with malunion |
| M84.452S | Pathological fracture, left femur, sequela |
| M84.454A | Pathological fracture, pelvis, initial encounter for fracture |
| M84.454D | Pathological fracture, pelvis, subsequent encounter for fracture with routine healing |
| M84.454G | Pathological fracture, pelvis, subsequent encounter for fracture with delayed healing |
| M84.454K | Pathological fracture, pelvis, subsequent encounter for fracture with nonunion |
| M84.454P | Pathological fracture, pelvis, subsequent encounter for fracture with malunion |
| M84.454S | Pathological fracture, pelvis, sequela |
| M84.48XA | Pathological fracture, other site, initial encounter for fracture |
| M84.48XD | Pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M84.48XG | Pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M84.48XK | Pathological fracture, other site, subsequent encounter for fracture with nonunion |
| M84.48XP | Pathological fracture, other site, subsequent encounter for fracture with malunion |
| M84.48XS | Pathological fracture, other site, sequela |
| M84.550A | Pathological fracture in neoplastic disease, pelvis, initial encounter for fracture |
| M84.550D | Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with routine healing |
| M84.550G | Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with delayed healing |
| M84.550K | Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with nonunion |
| M84.550P | Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with malunion |
| M84.550S | Pathological fracture in neoplastic disease, pelvis, sequela |
| M84.551A | Pathological fracture in neoplastic disease, right femur, initial encounter for fracture |
| M84.551D | Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with routine healing |
| M84.551G | Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with delayed healing |
| M84.551K | Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| M84.551P | Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with malunion |
| M84.551S | Pathological fracture in neoplastic disease, right femur, sequela |
| M84.552A | Pathological fracture in neoplastic disease, left femur, initial encounter for fracture |
| M84.552D | Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with routine healing |
| M84.552G | Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with delayed healing |
| M84.552K | Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with nonunion |
| M84.552P | Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with malunion |
| M84.552S | Pathological fracture in neoplastic disease, left femur, sequela |
| M84.68XA | Pathological fracture in other disease, other site, initial encounter for fracture |
| M84.68XD | Pathological fracture in other disease, other site, subsequent encounter for fracture with routine healing |
| M84.68XG | Pathological fracture in other disease, other site, subsequent encounter for fracture with delayed healing |
| M84.68XK | Pathological fracture in other disease, other site, subsequent encounter for fracture with nonunion |
| M84.68XP | Pathological fracture in other disease, other site, subsequent encounter for fracture with malunion |
| M84.68XS | Pathological fracture in other disease, other site, sequela |
| M92.8 | Other specified juvenile osteochondrosis |
| ICD-10 CODE | DESCRIPTION |
| M93.1 | Kienbock's disease of adults |
| M93.851 | Other specified osteochondropathies, right thigh |
| M93.852 | Other specified osteochondropathies, left thigh |
| M93.88 | Other specified osteochondropathies other |
| M93.89 | Other specified osteochondropathies multiple sites |
| M96.1 | Postlaminectomy syndrome, not elsewhere classified |
| M99.23 | Subluxation stenosis of neural canal of lumbar region |
| M99.33 | Osseous stenosis of neural canal of lumbar region |
| M99.43 | Connective tissue stenosis of neural canal of lumbar region |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| M99.53 | Intervertebral disc stenosis of neural canal of lumbar region |
| M99.63 | Osseous and subluxation stenosis of intervertebral foramina of lumbar region |
| M99.73 | Connective tissue and disc stenosis of intervertebral foramina of lumbar region |
| R29.898 | Other symptoms and signs involving the musculoskeletal system |
| S22.080B | Wedge compression fracture of T11-T12 vertebra, initial encounter for open fracture |
| S22.080D | Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.080G | Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.080K | Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.080S | Wedge compression fracture of T11-T12 vertebra, sequela |
| S22.081A | Stable burst fracture of T11-T12 vertebra, initial encounter for closed fracture |
| S22.081B | Stable burst fracture of T11-T12 vertebra, initial encounter for open fracture |
| S22.081D | Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.081G | Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.081K | Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.081S | Stable burst fracture of T11-T12 vertebra, sequela |
| S22.082A | Unstable burst fracture of T11-T12 vertebra, initial encounter for closed fracture |
| S22.082B | Unstable burst fracture of T11-T12 vertebra, initial encounter for open fracture |
| S22.082D | Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.082G | Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.082K | Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.082S | Unstable burst fracture of T11-T12 vertebra, sequela |
| S22.088A | Other fracture of T11-T12 vertebra, initial encounter for closed fracture |
| S22.088B | Other fracture of T11-T12 vertebra, initial encounter for open fracture |
| S22.088D | Other fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.088G | Other fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | healing |
| S22.088K | Other fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion |
| S22.088S | Other fracture of T11-T12 vertebra, sequela |
| S24.134A | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter |
| S24.134D | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.134S | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, sequela |
| S24.144A | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, initial encounter |
| S24.144D | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.144S | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, sequela |
| S24.154A | Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter |
| S24.154D | Other incomplete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.154S | Other incomplete lesion at T11-T12 level of thoracic spinal cord, sequela |
| S32.010A | Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture |
| S32.010B | Wedge compression fracture of first lumbar vertebra, initial encounter for open fracture |
| S32.010D | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.010G | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.010K | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.010S | Wedge compression fracture of first lumbar vertebra, sequela |
| S32.011A | Stable burst fracture of first lumbar vertebra, initial encounter for closed fracture |
| S32.011B | Stable burst fracture of first lumbar vertebra, initial encounter for open fracture |
| S32.011D | Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.011G | Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.011K | Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.011S | Stable burst fracture of first lumbar vertebra, sequela |
| S32.012A | Unstable burst fracture of first lumbar vertebra, initial encounter for closed fracture |
| S32.012B | Unstable burst fracture of first lumbar vertebra, initial encounter for open fracture |
| S32.012D | Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.012G | Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.012K | Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.012S | Unstable burst fracture of first lumbar vertebra, sequela |
| S32.018A | Other fracture of first lumbar vertebra, initial encounter for closed fracture |
| S32.018B | Other fracture of first lumbar vertebra, initial encounter for open fracture |
| S32.018D | Other fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.018G | Other fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.018K | Other fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.018S | Other fracture of first lumbar vertebra, sequela |
| S32.020A | Wedge compression fracture of second lumbar vertebra, initial encounter for closed fracture |
| S32.020B | Wedge compression fracture of second lumbar vertebra, initial encounter for open fracture |
| S32.020D | Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.020G | Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.020K | Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.020S | Wedge compression fracture of second lumbar vertebra, sequela |
| S32.021A | Stable burst fracture of second lumbar vertebra, initial encounter for closed fracture |
| S32.021B | Stable burst fracture of second lumbar vertebra, initial encounter for open fracture |
| S32.021D | Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.021G | Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | with delayed healing |
| S32.021K | Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.021S | Stable burst fracture of second lumbar vertebra, sequela |
| S32.022A | Unstable burst fracture of second lumbar vertebra, initial encounter for closed fracture |
| S32.022B | Unstable burst fracture of second lumbar vertebra, initial encounter for open fracture |
| S32.022D | Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.022G | Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.022K | Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.022S | Unstable burst fracture of second lumbar vertebra, sequela |
| S32.028A | Other fracture of second lumbar vertebra, initial encounter for closed fracture |
| S32.028B | Other fracture of second lumbar vertebra, initial encounter for open fracture |
| S32.028D | Other fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.028G | Other fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.028K | Other fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.028S | Other fracture of second lumbar vertebra, sequela |
| S32.030A | Wedge compression fracture of third lumbar vertebra, initial encounter for closed fracture |
| S32.030B | Wedge compression fracture of third lumbar vertebra, initial encounter for open fracture |
| S32.030D | Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.030G | Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.030K | Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.030S | Wedge compression fracture of third lumbar vertebra, sequela |
| S32.031A | Stable burst fracture of third lumbar vertebra, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.031B | Stable burst fracture of third lumbar vertebra, initial encounter for open fracture |
| S32.031D | Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.031G | Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.031K | Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.031S | Stable burst fracture of third lumbar vertebra, sequela |
| S32.032A | Unstable burst fracture of third lumbar vertebra, initial encounter for closed fracture |
| S32.032B | Unstable burst fracture of third lumbar vertebra, initial encounter for open fracture |
| S32.032D | Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.032G | Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.032K | Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.032S | Unstable burst fracture of third lumbar vertebra, sequela |
| S32.038A | Other fracture of third lumbar vertebra, initial encounter for closed fracture |
| S32.038B | Other fracture of third lumbar vertebra, initial encounter for open fracture |
| S32.038D | Other fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.038G | Other fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.038K | Other fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.038S | Other fracture of third lumbar vertebra, sequela |
| S32.040A | Wedge compression fracture of fourth lumbar vertebra, initial encounter for closed fracture |
| S32.040B | Wedge compression fracture of fourth lumbar vertebra, initial encounter for open fracture |
| S32.040D | Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.040G | Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.040K | Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.040S | Wedge compression fracture of fourth lumbar vertebra, sequela |
| S32.041A | Stable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture |
| S32.041B | Stable burst fracture of fourth lumbar vertebra, initial encounter for open fracture |
| S32.041D | Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.041G | Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.041K | Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.041S | Stable burst fracture of fourth lumbar vertebra, sequela |
| S32.042A | Unstable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture |
| S32.042B | Unstable burst fracture of fourth lumbar vertebra, initial encounter for open fracture |
| S32.042D | Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.042G | Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.042K | Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.042S | Unstable burst fracture of fourth lumbar vertebra, sequela |
| S32.048A | Other fracture of fourth lumbar vertebra, initial encounter for closed fracture |
| S32.048B | Other fracture of fourth lumbar vertebra, initial encounter for open fracture |
| S32.048D | Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.048G | Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.048K | Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.048S | Other fracture of fourth lumbar vertebra, sequela |
| S32.050A | Wedge compression fracture of fifth lumbar vertebra, initial encounter for closed fracture |
| S32.050B | Wedge compression fracture of fifth lumbar vertebra, initial encounter for open fracture |
| S32.050D | Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.050G | Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.050K | Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.050S | Wedge compression fracture of fifth lumbar vertebra, sequela |
| S32.051A | Stable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture |
| S32.051B | Stable burst fracture of fifth lumbar vertebra, initial encounter for open fracture |
| S32.051D | Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.051G | Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.051K | Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.051S | Stable burst fracture of fifth lumbar vertebra, sequela |
| S32.052A | Unstable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture |
| S32.052B | Unstable burst fracture of fifth lumbar vertebra, initial encounter for open fracture |
| S32.052D | Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.052G | Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.052K | Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.052S | Unstable burst fracture of fifth lumbar vertebra, sequela |
| S32.058A | Other fracture of fifth lumbar vertebra, initial encounter for closed fracture |
| S32.058B | Other fracture of fifth lumbar vertebra, initial encounter for open fracture |
| S32.058D | Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.058G | Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.058K | Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion |
| S32.058S | Other fracture of fifth lumbar vertebra, sequela |
| S32.110A | Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture |
| S32.110B | Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture |
| S32.110D | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | routine healing |
| S32.110G | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.110K | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.110S | Nondisplaced Zone I fracture of sacrum, sequela |
| S32.111A | Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture |
| S32.111B | Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture |
| S32.111D | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.111G | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.111K | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.111S | Minimally displaced Zone I fracture of sacrum, sequela |
| S32.112A | Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture |
| S32.112B | Severely displaced Zone I fracture of sacrum, initial encounter for open fracture |
| S32.112D | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.112G | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.112K | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.112S | Severely displaced Zone I fracture of sacrum, sequela |
| S32.120A | Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture |
| S32.120B | Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture |
| S32.120D | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.120G | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.120K | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.120S | Nondisplaced Zone II fracture of sacrum, sequela |
| S32.121A | Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture |
| S32.121B | Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.121D | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.121G | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.121K | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.121S | Minimally displaced Zone II fracture of sacrum, sequela |
| S32.122A | Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture |
| S32.122B | Severely displaced Zone II fracture of sacrum, initial encounter for open fracture |
| S32.122D | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.122G | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.122K | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| ICD-10 CODE | DESCRIPTION |
| S32.122S | Severely displaced Zone II fracture of sacrum, sequela |
| S32.130A | Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture |
| S32.130B | Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture |
| S32.130D | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.130G | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.130K | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.130S | Nondisplaced Zone III fracture of sacrum, sequela |
| S32.131A | Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture |
| S32.131B | Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture |
| S32.131D | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.131G | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.131K | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.131S | Minimally displaced Zone III fracture of sacrum, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.132A | Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture |
| S32.132B | Severely displaced Zone III fracture of sacrum, initial encounter for open fracture |
| S32.132D | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.132G | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.132K | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.132S | Severely displaced Zone III fracture of sacrum, sequela |
| S32.14XA | Type 1 fracture of sacrum, initial encounter for closed fracture |
| S32.14XB | Type 1 fracture of sacrum, initial encounter for open fracture |
| S32.14XD | Type 1 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.14XG | Type 1 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.14XK | Type 1 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.14XS | Type 1 fracture of sacrum, sequela |
| S32.15XA | Type 2 fracture of sacrum, initial encounter for closed fracture |
| S32.15XB | Type 2 fracture of sacrum, initial encounter for open fracture |
| S32.15XD | Type 2 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.15XG | Type 2 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.15XK | Type 2 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.15XS | Type 2 fracture of sacrum, sequela |
| S32.16XA | Type 3 fracture of sacrum, initial encounter for closed fracture |
| S32.16XB | Type 3 fracture of sacrum, initial encounter for open fracture |
| S32.16XD | Type 3 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.16XG | Type 3 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.16XK | Type 3 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.16XS | Type 3 fracture of sacrum, sequela |
| S32.17XA | Type 4 fracture of sacrum, initial encounter for closed fracture |
| S32.17XB | Type 4 fracture of sacrum, initial encounter for open fracture |
| S32.17XD | Type 4 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.17XG | Type 4 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.17XK | Type 4 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.17XS | Type 4 fracture of sacrum, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.19XA | Other fracture of sacrum, initial encounter for closed fracture |
| S32.19XB | Other fracture of sacrum, initial encounter for open fracture |
| S32.19XD | Other fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.19XG | Other fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.19XK | Other fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.19XS | Other fracture of sacrum, sequela |
| S32.2XXA | Fracture of coccyx, initial encounter for closed fracture |
| S32.2XXB | Fracture of coccyx, initial encounter for open fracture |
| S32.2XXD | Fracture of coccyx, subsequent encounter for fracture with routine healing |
| S32.2XXG | Fracture of coccyx, subsequent encounter for fracture with delayed healing |
| S32.2XXK | Fracture of coccyx, subsequent encounter for fracture with nonunion |
| S32.2XXS | Fracture of coccyx, sequela |
| S32.311A | Displaced avulsion fracture of right ilium, initial encounter for closed fracture |
| S32.311B | Displaced avulsion fracture of right ilium, initial encounter for open fracture |
| S32.311D | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.311G | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.311K | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.311S | Displaced avulsion fracture of right ilium, sequela |
| S32.312A | Displaced avulsion fracture of left ilium, initial encounter for closed fracture |
| S32.312B | Displaced avulsion fracture of left ilium, initial encounter for open fracture |
| S32.312D | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.312G | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.312K | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.312S | Displaced avulsion fracture of left ilium, sequela |
| S32.314A | Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture |
| S32.314B | Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture |
| S32.314D | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.314G | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.314K | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.314S | Nondisplaced avulsion fracture of right ilium, sequela |
| S32.315A | Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture |
| S32.315B | Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture |
| S32.315D | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.315G | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.315K | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.315S | Nondisplaced avulsion fracture of left ilium, sequela |
| S32.391A | Other fracture of right ilium, initial encounter for closed fracture |
| S32.391B | Other fracture of right ilium, initial encounter for open fracture |
| S32.391D | Other fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.391G | Other fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.391K | Other fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.391S | Other fracture of right ilium, sequela |
| S32.392A | Other fracture of left ilium, initial encounter for closed fracture |
| S32.392B | Other fracture of left ilium, initial encounter for open fracture |
| S32.392D | Other fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.392G | Other fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.392K | Other fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.392S | Other fracture of left ilium, sequela |
| S32.411A | Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture |
| S32.411B | Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture |
| S32.411D | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.411G | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.411K | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.411S | Displaced fracture of anterior wall of right acetabulum, sequela |
| S32.412A | Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture |
| S32.412B | Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture |
| S32.412D | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| ICD-10 CODE | DESCRIPTION |
| S32.412G | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.412K | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.412S | Displaced fracture of anterior wall of left acetabulum, sequela |
| S32.414A | Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture |
| S32.414B | Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture |
| S32.414D | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.414G | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.414K | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.414S | Nondisplaced fracture of anterior wall of right acetabulum, sequela |
| S32.415A | Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture |
| S32.415B | Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture |
| S32.415D | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.415G | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.415K | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.415S | Nondisplaced fracture of anterior wall of left acetabulum, sequela |
| S32.421A | Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture |
| S32.421B | Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture |
| S32.421D | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.421G | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.421K | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.421S | Displaced fracture of posterior wall of right acetabulum, sequela |
| S32.422A | Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture |
| S32.422B | Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture |
| S32.422D | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.422G | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.422K | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.422S | Displaced fracture of posterior wall of left acetabulum, sequela |
| S32.424A | Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture |
| S32.424B | Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture |
| S32.424D | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.424G | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.424K | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.424S | Nondisplaced fracture of posterior wall of right acetabulum, sequela |
| S32.425A | Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.425B | Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture |
| S32.425D | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.425G | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.425K | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.425S | Nondisplaced fracture of posterior wall of left acetabulum, sequela |
| S32.431A | Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture |
| S32.431B | Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture |
| S32.431D | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.431G | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.431K | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.431S | Displaced fracture of anterior column [iliopubic] of right acetabulum, sequela |
| S32.432A | Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture |
| S32.432B | Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture |
| S32.432D | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.432G | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.432K | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.432S | Displaced fracture of anterior column [iliopubic] of left acetabulum, sequela |
| S32.434A | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture |
| S32.434B | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture |
| S32.434D | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.434G | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.434K | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.434S | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, sequela |
| S32.435A | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture |
| S32.435B | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture |
| S32.435D | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.435G | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.435K | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.435S | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, sequela |
| S32.441A | Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture |
| S32.441B | Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture |
| S32.441D | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.441G | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.441K | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.441S | Displaced fracture of posterior column [ilioischial] of right acetabulum, sequela |
| S32.442A | Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture |
| S32.442B | Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture |
| S32.442D | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.442G | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.442K | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.442S | Displaced fracture of posterior column [ilioischial] of left acetabulum, sequela |
| S32.444A | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture |
| S32.444B | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture |
| S32.444D | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.444G | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.444K | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.444S | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, sequela |
| S32.445A | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture |
| S32.445B | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture |
| S32.445D | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.445G | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.445K | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.445S | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, sequela |
| S32.451A | Displaced transverse fracture of right acetabulum, initial encounter for closed fracture |
| S32.451B | Displaced transverse fracture of right acetabulum, initial encounter for open fracture |
| S32.451D | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.451G | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.451K | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.451S | Displaced transverse fracture of right acetabulum, sequela |
| S32.452A | Displaced transverse fracture of left acetabulum, initial encounter for closed fracture |
| S32.452B | Displaced transverse fracture of left acetabulum, initial encounter for open fracture |
| S32.452D | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | with routine healing |
| S32.452G | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.452K | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.452S | Displaced transverse fracture of left acetabulum, sequela |
| S32.454A | Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture |
| ICD-10 CODE | DESCRIPTION |
| S32.454B | Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture |
| S32.454D | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.454G | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.454K | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.454S | Nondisplaced transverse fracture of right acetabulum, sequela |
| S32.455A | Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture |
| S32.455B | Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture |
| S32.455D | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.455G | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.455K | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.455S | Nondisplaced transverse fracture of left acetabulum, sequela |
| S32.461A | Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture |
| S32.461B | Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture |
| S32.461D | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.461G | Displaced associated transverse-posterior fracture of right acetabulum, subsequent |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | encounter for fracture with delayed healing |
| S32.461K | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.461S | Displaced associated transverse-posterior fracture of right acetabulum, sequela |
| S32.462A | Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture |
| S32.462B | Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture |
| S32.462D | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.462G | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.462K | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.462S | Displaced associated transverse-posterior fracture of left acetabulum, sequela |
| S32.464A | Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture |
| S32.464B | Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture |
| S32.464D | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.464G | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.464K | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.464S | Nondisplaced associated transverse-posterior fracture of right acetabulum, sequela |
| S32.465A | Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture |
| S32.465B | Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture |
| S32.465D | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.465G | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.465K | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.465S | Nondisplaced associated transverse-posterior fracture of left acetabulum, sequela |
| S32.471A | Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture |
| S32.471B | Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture |
| S32.471D | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.471G | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.471K | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.471S | Displaced fracture of medial wall of right acetabulum, sequela |
| S32.472A | Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture |
| S32.472B | Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture |
| S32.472D | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.472G | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.472K | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.472S | Displaced fracture of medial wall of left acetabulum, sequela |
| S32.474A | Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture |
| S32.474B | Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture |
| S32.474D | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.474G | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.474K | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.474S | Nondisplaced fracture of medial wall of right acetabulum, sequela |
| S32.475A | Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.475B | Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture |
| S32.475D | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.475G | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.475K | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.475S | Nondisplaced fracture of medial wall of left acetabulum, sequela |
| S32.481A | Displaced dome fracture of right acetabulum, initial encounter for closed fracture |
| S32.481B | Displaced dome fracture of right acetabulum, initial encounter for open fracture |
| S32.481D | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.481G | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.481K | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.481S | Displaced dome fracture of right acetabulum, sequela |
| S32.482A | Displaced dome fracture of left acetabulum, initial encounter for closed fracture |
| S32.482B | Displaced dome fracture of left acetabulum, initial encounter for open fracture |
| S32.482D | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.482G | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.482K | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.482S | Displaced dome fracture of left acetabulum, sequela |
| S32.484A | Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture |
| S32.484B | Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture |
| S32.484D | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.484G | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.484K | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S32.484S | Nondisplaced dome fracture of right acetabulum, sequela |
| S32.485A | Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture |
| S32.485B | Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture |
| S32.485D | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.485G | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.485K | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.485S | Nondisplaced dome fracture of left acetabulum, sequela |
| S32.491A | Other specified fracture of right acetabulum, initial encounter for closed fracture |
| S32.491B | Other specified fracture of right acetabulum, initial encounter for open fracture |
| S32.491D | Other specified fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.491G | Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.491K | Other specified fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.491S | Other specified fracture of right acetabulum, sequela |
| S32.492A | Other specified fracture of left acetabulum, initial encounter for closed fracture |
| S32.492B | Other specified fracture of left acetabulum, initial encounter for open fracture |
| S32.492D | Other specified fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.492G | Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.492K | Other specified fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.492S | Other specified fracture of left acetabulum, sequela |
| S32.511A | Fracture of superior rim of right pubis, initial encounter for closed fracture |
| S32.511B | Fracture of superior rim of right pubis, initial encounter for open fracture |
| S32.511D | Fracture of superior rim of right pubis, subsequent encounter for fracture with routine healing |
| S32.511G | Fracture of superior rim of right pubis, subsequent encounter for fracture with delayed healing |
| S32.511K | Fracture of superior rim of right pubis, subsequent encounter for fracture with |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | nonunion |
| ICD-10 CODE | DESCRIPTION |
| S32.511S | Fracture of superior rim of right pubis, sequela |
| S32.512A | Fracture of superior rim of left pubis, initial encounter for closed fracture |
| S32.512B | Fracture of superior rim of left pubis, initial encounter for open fracture |
| S32.512D | Fracture of superior rim of left pubis, subsequent encounter for fracture with routine healing |
| S32.512G | Fracture of superior rim of left pubis, subsequent encounter for fracture with delayed healing |
| S32.512K | Fracture of superior rim of left pubis, subsequent encounter for fracture with nonunion |
| S32.512S | Fracture of superior rim of left pubis, sequela |
| S32.591A | Other specified fracture of right pubis, initial encounter for closed fracture |
| S32.591B | Other specified fracture of right pubis, initial encounter for open fracture |
| S32.591D | Other specified fracture of right pubis, subsequent encounter for fracture with routine healing |
| S32.591G | Other specified fracture of right pubis, subsequent encounter for fracture with delayed healing |
| S32.591K | Other specified fracture of right pubis, subsequent encounter for fracture with nonunion |
| S32.591S | Other specified fracture of right pubis, sequela |
| S32.592A | Other specified fracture of left pubis, initial encounter for closed fracture |
| S32.592B | Other specified fracture of left pubis, initial encounter for open fracture |
| S32.592D | Other specified fracture of left pubis, subsequent encounter for fracture with routine healing |
| S32.592G | Other specified fracture of left pubis, subsequent encounter for fracture with delayed healing |
| S32.592K | Other specified fracture of left pubis, subsequent encounter for fracture with nonunion |
| S32.592S | Other specified fracture of left pubis, sequela |
| S32.611A | Displaced avulsion fracture of right ischium, initial encounter for closed fracture |
| S32.611B | Displaced avulsion fracture of right ischium, initial encounter for open fracture |
| S32.611D | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.611G | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | delayed healing |
| S32.611K | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.611S | Displaced avulsion fracture of right ischium, sequela |
| S32.612A | Displaced avulsion fracture of left ischium, initial encounter for closed fracture |
| S32.612B | Displaced avulsion fracture of left ischium, initial encounter for open fracture |
| S32.612D | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.612G | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.612K | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.612S | Displaced avulsion fracture of left ischium, sequela |
| S32.614A | Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture |
| S32.614B | Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture |
| S32.614D | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.614G | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.614K | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.614S | Nondisplaced avulsion fracture of right ischium, sequela |
| S32.615A | Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture |
| S32.615B | Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture |
| S32.615D | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.615G | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.615K | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.615S | Nondisplaced avulsion fracture of left ischium, sequela |
| S32.691A | Other specified fracture of right ischium, initial encounter for closed fracture |
| S32.691B | Other specified fracture of right ischium, initial encounter for open fracture |
| S32.691D | Other specified fracture of right ischium, subsequent encounter for fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.691G | Other specified fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.691K | Other specified fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.691S | Other specified fracture of right ischium, sequela |
| S32.692A | Other specified fracture of left ischium, initial encounter for closed fracture |
| S32.692B | Other specified fracture of left ischium, initial encounter for open fracture |
| S32.692D | Other specified fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.692G | Other specified fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.692K | Other specified fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.692S | Other specified fracture of left ischium, sequela |
| S32.810A | Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for closed fracture |
| S32.810B | Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture |
| S32.810D | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.810G | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.810K | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.810S | Multiple fractures of pelvis with stable disruption of pelvic ring, sequela |
| S32.811A | Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture |
| S32.811B | Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture |
| S32.811D | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.811G | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.811K | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.811S | Multiple fractures of pelvis with unstable disruption of pelvic ring, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S32.82XA | Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for closed fracture |
| S32.82XB | Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for open fracture |
| S32.82XD | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.82XG | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.82XK | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.82XS | Multiple fractures of pelvis without disruption of pelvic ring, sequela |
| S32.89XA | Fracture of other parts of pelvis, initial encounter for closed fracture |
| S32.89XB | Fracture of other parts of pelvis, initial encounter for open fracture |
| S32.89XD | Fracture of other parts of pelvis, subsequent encounter for fracture with routine healing |
| S32.89XG | Fracture of other parts of pelvis, subsequent encounter for fracture with delayed healing |
| S32.89XK | Fracture of other parts of pelvis, subsequent encounter for fracture with nonunion |
| S32.89XS | Fracture of other parts of pelvis, sequela |
| S33.0XXA | Traumatic rupture of lumbar intervertebral disc, initial encounter |
| S33.0XXD | Traumatic rupture of lumbar intervertebral disc, subsequent encounter |
| S33.0XXS | Traumatic rupture of lumbar intervertebral disc, sequela |
| S33.110A | Subluxation of L1/L2 lumbar vertebra, initial encounter |
| S33.110D | Subluxation of L1/L2 lumbar vertebra, subsequent encounter |
| S33.110S | Subluxation of L1/L2 lumbar vertebra, sequela |
| S33.111A | Dislocation of L1/L2 lumbar vertebra, initial encounter |
| S33.111D | Dislocation of L1/L2 lumbar vertebra, subsequent encounter |
| S33.111S | Dislocation of L1/L2 lumbar vertebra, sequela |
| S33.120A | Subluxation of L2/L3 lumbar vertebra, initial encounter |
| S33.120D | Subluxation of L2/L3 lumbar vertebra, subsequent encounter |
| S33.120S | Subluxation of L2/L3 lumbar vertebra, sequela |
| S33.121A | Dislocation of L2/L3 lumbar vertebra, initial encounter |
| S33.121D | Dislocation of L2/L3 lumbar vertebra, subsequent encounter |
| S33.121S | Dislocation of L2/L3 lumbar vertebra, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S33.130A | Subluxation of L3/L4 lumbar vertebra, initial encounter |
| S33.130D | Subluxation of L3/L4 lumbar vertebra, subsequent encounter |
| S33.130S | Subluxation of L3/L4 lumbar vertebra, sequela |
| S33.131A | Dislocation of L3/L4 lumbar vertebra, initial encounter |
| S33.131D | Dislocation of L3/L4 lumbar vertebra, subsequent encounter |
| S33.131S | Dislocation of L3/L4 lumbar vertebra, sequela |
| ICD-10 CODE | DESCRIPTION |
| S33.140A | Subluxation of L4/L5 lumbar vertebra, initial encounter |
| S33.140D | Subluxation of L4/L5 lumbar vertebra, subsequent encounter |
| S33.140S | Subluxation of L4/L5 lumbar vertebra, sequela |
| S33.141A | Dislocation of L4/L5 lumbar vertebra, initial encounter |
| S33.141D | Dislocation of L4/L5 lumbar vertebra, subsequent encounter |
| S33.141S | Dislocation of L4/L5 lumbar vertebra, sequela |
| S33.2XXA | Dislocation of sacroiliac and sacrococcygeal joint, initial encounter |
| S33.2XXD | Dislocation of sacroiliac and sacrococcygeal joint, subsequent encounter |
| S33.2XXS | Dislocation of sacroiliac and sacrococcygeal joint, sequela |
| S33.5XXA | Sprain of ligaments of lumbar spine, initial encounter |
| S33.5XXD | Sprain of ligaments of lumbar spine, subsequent encounter |
| S33.5XXS | Sprain of ligaments of lumbar spine, sequela |
| S33.6XXA | Sprain of sacroiliac joint, initial encounter |
| S33.6XXD | Sprain of sacroiliac joint, subsequent encounter |
| S33.6XXS | Sprain of sacroiliac joint, sequela |
| S33.8XXA | Sprain of other parts of lumbar spine and pelvis, initial encounter |
| S33.8XXD | Sprain of other parts of lumbar spine and pelvis, subsequent encounter |
| S33.8XXS | Sprain of other parts of lumbar spine and pelvis, sequela |
| S34.01XA | Concussion and edema of lumbar spinal cord, initial encounter |
| S34.01XD | Concussion and edema of lumbar spinal cord, subsequent encounter |
| S34.01XS | Concussion and edema of lumbar spinal cord, sequela |
| S34.02XA | Concussion and edema of sacral spinal cord, initial encounter |
| S34.02XD | Concussion and edema of sacral spinal cord, subsequent encounter |
| S34.02XS | Concussion and edema of sacral spinal cord, sequela |
| S34.111A | Complete lesion of L1 level of lumbar spinal cord, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S34.111D | Complete lesion of L1 level of lumbar spinal cord, subsequent encounter |
| S34.111S | Complete lesion of L1 level of lumbar spinal cord, sequela |
| S34.112A | Complete lesion of L2 level of lumbar spinal cord, initial encounter |
| S34.112S | Complete lesion of L2 level of lumbar spinal cord, sequela |
| S34.113A | Complete lesion of L3 level of lumbar spinal cord, initial encounter |
| S34.113D | Complete lesion of L3 level of lumbar spinal cord, subsequent encounter |
| S34.113S | Complete lesion of L3 level of lumbar spinal cord, sequela |
| S34.114A | Complete lesion of L4 level of lumbar spinal cord, initial encounter |
| S34.114D | Complete lesion of L4 level of lumbar spinal cord, subsequent encounter |
| S34.114S | Complete lesion of L4 level of lumbar spinal cord, sequela |
| S34.115A | Complete lesion of L5 level of lumbar spinal cord, initial encounter |
| S34.115D | Complete lesion of L5 level of lumbar spinal cord, subsequent encounter |
| S34.115S | Complete lesion of L5 level of lumbar spinal cord, sequela |
| S34.121A | Incomplete lesion of L1 level of lumbar spinal cord, initial encounter |
| S34.121D | Incomplete lesion of L1 level of lumbar spinal cord, subsequent encounter |
| S34.121S | Incomplete lesion of L1 level of lumbar spinal cord, sequela |
| S34.122A | Incomplete lesion of L2 level of lumbar spinal cord, initial encounter |
| S34.122D | Incomplete lesion of L2 level of lumbar spinal cord, subsequent encounter |
| S34.122S | Incomplete lesion of L2 level of lumbar spinal cord, sequela |
| S34.123A | Incomplete lesion of L3 level of lumbar spinal cord, initial encounter |
| S34.123D | Incomplete lesion of L3 level of lumbar spinal cord, subsequent encounter |
| S34.123S | Incomplete lesion of L3 level of lumbar spinal cord, sequela |
| S34.124A | Incomplete lesion of L4 level of lumbar spinal cord, initial encounter |
| S34.124D | Incomplete lesion of L4 level of lumbar spinal cord, subsequent encounter |
| S34.124S | Incomplete lesion of L4 level of lumbar spinal cord, sequela |
| S34.125A | Incomplete lesion of L5 level of lumbar spinal cord, initial encounter |
| S34.125D | Incomplete lesion of L5 level of lumbar spinal cord, subsequent encounter |
| S34.125S | Incomplete lesion of L5 level of lumbar spinal cord, sequela |
| S34.131A | Complete lesion of sacral spinal cord, initial encounter |
| S34.131D | Complete lesion of sacral spinal cord, subsequent encounter |
| S34.131S | Complete lesion of sacral spinal cord, sequela |
| S34.132A | Incomplete lesion of sacral spinal cord, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S34.132D | Incomplete lesion of sacral spinal cord, subsequent encounter |
| S34.132S | Incomplete lesion of sacral spinal cord, sequela |
| S34.21XA | Injury of nerve root of lumbar spine, initial encounter |
| S34.21XD | Injury of nerve root of lumbar spine, subsequent encounter |
| S34.21XS | Injury of nerve root of lumbar spine, sequela |
| S34.22XA | Injury of nerve root of sacral spine, initial encounter |
| S34.22XD | Injury of nerve root of sacral spine, subsequent encounter |
| S34.22XS | Injury of nerve root of sacral spine, sequela |
| S34.3XXA | Injury of cauda equina, initial encounter |
| S34.3XXD | Injury of cauda equina, subsequent encounter |
| S34.3XXS | Injury of cauda equina, sequela |
| S34.4XXA | Injury of lumbosacral plexus, initial encounter |
| S34.4XXD | Injury of lumbosacral plexus, subsequent encounter |
| S34.4XXS | Injury of lumbosacral plexus, sequela |
| S34.5XXA | Injury of lumbar, sacral and pelvic sympathetic nerves, initial encounter |
| S34.5XXD | Injury of lumbar, sacral and pelvic sympathetic nerves, subsequent encounter |
| S34.5XXS | Injury of lumbar, sacral and pelvic sympathetic nerves, sequela |
| S34.6XXA | Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, initial encounter |
| S34.6XXD | Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, subsequent encounter |
| S34.6XXS | Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, sequela |
| S34.8XXA | Injury of other nerves at abdomen, lower back and pelvis level, initial encounter |
| S34.8XXD | Injury of other nerves at abdomen, lower back and pelvis level, subsequent encounter |
| S34.8XXS | Injury of other nerves at abdomen, lower back and pelvis level, sequela |
| S38.1XXA | Crushing injury of abdomen, lower back, and pelvis, initial encounter |
| S38.1XXD | Crushing injury of abdomen, lower back, and pelvis, subsequent encounter |
| S38.1XXS | Crushing injury of abdomen, lower back, and pelvis, sequela |
| S39.011A | Strain of muscle, fascia and tendon of abdomen, initial encounter |
| S39.011D | Strain of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.011S | Strain of muscle, fascia and tendon of abdomen, sequela |
| S39.012A | Strain of muscle, fascia and tendon of lower back, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S39.012D | Strain of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.012S | Strain of muscle, fascia and tendon of lower back, sequela |
| S39.013A | Strain of muscle, fascia and tendon of pelvis, initial encounter |
| S39.013D | Strain of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.013S | Strain of muscle, fascia and tendon of pelvis, sequela |
| S39.091A | Other injury of muscle, fascia and tendon of abdomen, initial encounter |
| S39.091D | Other injury of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.091S | Other injury of muscle, fascia and tendon of abdomen, sequela |
| S39.092A | Other injury of muscle, fascia and tendon of lower back, initial encounter |
| S39.092D | Other injury of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.092S | Other injury of muscle, fascia and tendon of lower back, sequela |
| S39.093A | Other injury of muscle, fascia and tendon of pelvis, initial encounter |
| S39.093D | Other injury of muscle, fascia and tendon of pelvis, subsequent encounter |
| ICD-10 CODE | DESCRIPTION |
| S39.093S | Other injury of muscle, fascia and tendon of pelvis, sequela |
| S39.81XA | Other specified injuries of abdomen, initial encounter |
| S39.81XD | Other specified injuries of abdomen, subsequent encounter |
| S39.81XS | Other specified injuries of abdomen, sequela |
| S39.82XA | Other specified injuries of lower back, initial encounter |
| S39.82XD | Other specified injuries of lower back, subsequent encounter |
| S39.82XS | Other specified injuries of lower back, sequela |
| S39.83XA | Other specified injuries of pelvis, initial encounter |
| S39.83XD | Other specified injuries of pelvis, subsequent encounter |
| S39.83XS | Other specified injuries of pelvis, sequela |
| S72.021A | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture |
| S72.021B | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II |
| S72.021C | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.021D | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing |
| S72.021E | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | encounter for open fracture type I or II with routine healing |
| S72.021F | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.021G | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.021H | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.021J | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.021K | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion |
| S72.021M | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.021N | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.021P | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion |
| S72.021Q | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.021R | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.021S | Displaced fracture of epiphysis (separation) (upper) of right femur, sequela |
| S72.022A | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture |
| S72.022B | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II |
| S72.022C | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.022D | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing |
| S72.022E | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.022F | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.022G | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.022H | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | encounter for open fracture type I or II with delayed healing |
| S72.022J | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.022K | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion |
| S72.022M | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.022N | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.022P | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion |
| S72.022Q | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.022R | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.022S | Displaced fracture of epiphysis (separation) (upper) of left femur, sequela |
| S72.024A | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture |
| S72.024B | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II |
| S72.024C | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.024D | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing |
| S72.024E | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.024F | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.024G | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.024H | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.024J | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.024K | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion |
| S72.024M | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | encounter for open fracture type I or II with nonunion |
| S72.024N | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.024P | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion |
| S72.024Q | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.024R | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.024S | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, sequela |
| S72.025A | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture |
| S72.025B | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II |
| S72.025C | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.025D | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing |
| S72.025E | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.025F | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.025G | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.025H | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.025J | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.025K | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion |
| S72.025M | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.025N | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.025P | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion |
| S72.025Q | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | encounter for open fracture type I or II with malunion |
| S72.025R | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.025S | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, sequela |
| S72.031A | Displaced midcervical fracture of right femur, initial encounter for closed fracture |
| S72.031B | Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II |
| S72.031C | Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.031D | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.031E | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.031F | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.031G | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.031H | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.031J | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.031K | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.031M | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.031N | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.031P | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.031Q | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.031R | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.031S | Displaced midcervical fracture of right femur, sequela |
| S72.032A | Displaced midcervical fracture of left femur, initial encounter for closed fracture |
| S72.032B | Displaced midcervical fracture of left femur, initial encounter for open fracture type I |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | or II |
| S72.032C | Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.032D | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.032E | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.032F | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.032G | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.032H | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.032J | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.032K | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion |
| ICD-10 CODE | DESCRIPTION |
| S72.032M | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.032N | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.032P | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.032Q | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.032R | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.032S | Displaced midcervical fracture of left femur, sequela |
| S72.034A | Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture |
| S72.034B | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II |
| S72.034C | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.034D | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S72.034E | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.034F | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.034G | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.034H | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.034J | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.034K | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.034M | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.034N | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.034P | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.034Q | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.034R | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.034S | Nondisplaced midcervical fracture of right femur, sequela |
| S72.035A | Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture |
| S72.035B | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II |
| S72.035C | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.035D | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.035E | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.035F | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.035G | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.035H | Nondisplaced midcervical fracture of left femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | fracture type I or II with delayed healing |
| S72.035J | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.035K | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.035M | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.035N | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.035P | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.035Q | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.035R | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.035S | Nondisplaced midcervical fracture of left femur, sequela |
| S72.041A | Displaced fracture of base of neck of right femur, initial encounter for closed fracture |
| S72.041B | Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II |
| S72.041C | Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.041D | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.041E | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.041F | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.041G | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.041H | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.041J | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.041K | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.041M | Displaced fracture of base of neck of right femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | fracture type I or II with nonunion |
| S72.041N | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.041P | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.041Q | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.041R | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.041S | Displaced fracture of base of neck of right femur, sequela |
| S72.042A | Displaced fracture of base of neck of left femur, initial encounter for closed fracture |
| S72.042B | Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II |
| S72.042C | Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.042D | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.042E | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.042F | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.042G | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.042H | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.042J | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.042K | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.042M | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.042N | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.042P | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.042Q | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S72.042R | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.042S | Displaced fracture of base of neck of left femur, sequela |
| S72.044A | Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture |
| S72.044B | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II |
| S72.044C | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.044D | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.044E | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.044F | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.044G | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.044H | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.044J | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.044K | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.044M | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.044N | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.044P | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.044Q | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.044R | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.044S | Nondisplaced fracture of base of neck of right femur, sequela |
| S72.045A | Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture |
| S72.045B | Nondisplaced fracture of base of neck of left femur, initial encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | fracture type I or II |
| S72.045C | Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.045D | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.045E | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.045F | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.045G | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.045H | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.045J | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.045K | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.045M | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.045N | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.045P | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.045Q | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| ICD-10 CODE | DESCRIPTION |
| S72.045R | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.045S | Nondisplaced fracture of base of neck of left femur, sequela |
| S72.061A | Displaced articular fracture of head of right femur, initial encounter for closed fracture |
| S72.061B | Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II |
| S72.061C | Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.061D | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S72.061E | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.061F | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.061G | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.061H | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.061J | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.061K | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion |
| S72.061M | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.061N | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.061P | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion |
| S72.061Q | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.061R | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.061S | Displaced articular fracture of head of right femur, sequela |
| S72.062A | Displaced articular fracture of head of left femur, initial encounter for closed fracture |
| S72.062B | Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II |
| S72.062C | Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.062D | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing |
| S72.062E | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.062F | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.062G | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.062H | Displaced articular fracture of head of left femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | fracture type I or II with delayed healing |
| S72.062J | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.062K | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion |
| S72.062M | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.062N | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.062P | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion |
| S72.062Q | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.062R | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.062S | Displaced articular fracture of head of left femur, sequela |
| S72.064A | Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture |
| S72.064B | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II |
| S72.064C | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.064D | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing |
| S72.064E | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.064F | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.064G | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.064H | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.064J | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.064K | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion |
| S72.064M | Nondisplaced articular fracture of head of right femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | open fracture type I or II with nonunion |
| S72.064N | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.064P | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion |
| S72.064Q | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.064R | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.064S | Nondisplaced articular fracture of head of right femur, sequela |
| S72.065A | Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture |
| S72.065B | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II |
| S72.065C | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.065D | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing |
| S72.065E | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.065F | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.065G | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.065H | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.065J | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.065K | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion |
| S72.065M | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.065N | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.065P | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion |
| S72.065Q | Nondisplaced articular fracture of head of left femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | fracture type I or II with malunion |
| S72.065R | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.065S | Nondisplaced articular fracture of head of left femur, sequela |
| S72.091A | Other fracture of head and neck of right femur, initial encounter for closed fracture |
| S72.091B | Other fracture of head and neck of right femur, initial encounter for open fracture type I or II |
| S72.091C | Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.091D | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.091E | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.091F | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.091G | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.091H | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.091J | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.091K | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.091M | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.091N | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.091P | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.091Q | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.091R | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.091S | Other fracture of head and neck of right femur, sequela |
| S72.092A | Other fracture of head and neck of left femur, initial encounter for closed fracture |
| S72.092B | Other fracture of head and neck of left femur, initial encounter for open fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | type I or II |
| S72.092C | Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.092D | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.092E | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.092F | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.092G | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.092H | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.092J | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.092K | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.092M | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.092N | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.092P | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.092Q | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.092R | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.092S | Other fracture of head and neck of left femur, sequela |
| S72.111A | Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture |
| S72.111B | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II |
| ICD-10 CODE | DESCRIPTION |
| S72.111C | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.111D | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S72.111E | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.111F | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.111G | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.111H | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.111J | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.111K | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.111M | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.111N | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.111P | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.111Q | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.111R | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.111S | Displaced fracture of greater trochanter of right femur, sequela |
| S72.112A | Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture |
| S72.112B | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II |
| S72.112C | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.112D | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.112E | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.112F | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.112G | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S72.112H | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.112J | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.112K | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.112M | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.112N | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.112P | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.112Q | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.112R | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.112S | Displaced fracture of greater trochanter of left femur, sequela |
| S72.114A | Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture |
| S72.114B | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II |
| S72.114C | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.114D | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.114E | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.114F | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.114G | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.114H | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.114J | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.114K | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S72.114M | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.114N | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.114P | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.114Q | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.114R | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.114S | Nondisplaced fracture of greater trochanter of right femur, sequela |
| S72.115A | Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture |
| S72.115B | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II |
| S72.115C | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.115D | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.115E | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.115F | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.115G | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.115H | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.115J | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.115K | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.115M | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.115N | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.115P | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S72.115Q | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.115R | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.115S | Nondisplaced fracture of greater trochanter of left femur, sequela |
| S72.121A | Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture |
| S72.121B | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II |
| S72.121C | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.121D | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.121E | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.121F | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.121G | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.121H | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.121J | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.121K | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.121M | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.121N | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.121P | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.121Q | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.121R | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.121S | Displaced fracture of lesser trochanter of right femur, sequela |
| S72.122A | Displaced fracture of lesser trochanter of left femur, initial encounter for closed |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | fracture |
| S72.122B | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II |
| S72.122C | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.122D | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.122E | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.122F | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.122G | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.122H | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.122J | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.122K | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.122M | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.122N | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.122P | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.122Q | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.122R | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.122S | Displaced fracture of lesser trochanter of left femur, sequela |
| S72.124A | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture |
| S72.124B | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II |
| S72.124C | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.124D | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | closed fracture with routine healing |
| S72.124E | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.124F | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| ICD-10 CODE | DESCRIPTION |
| S72.124G | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.124H | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.124J | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.124K | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.124M | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.124N | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.124P | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.124Q | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.124R | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.124S | Nondisplaced fracture of lesser trochanter of right femur, sequela |
| S72.125A | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture |
| S72.125B | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II |
| S72.125C | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.125D | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.125E | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.125F | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S72.125G | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.125H | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.125J | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.125K | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.125M | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.125N | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.125P | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.125Q | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.125R | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.125S | Nondisplaced fracture of lesser trochanter of left femur, sequela |
| S72.131A | Displaced apophyseal fracture of right femur, initial encounter for closed fracture |
| S72.131B | Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II |
| S72.131C | Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.131D | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.131E | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.131F | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.131G | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.131H | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.131J | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.131K | Displaced apophyseal fracture of right femur, subsequent encounter for closed |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | fracture with nonunion |
| S72.131M | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.131N | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.131P | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.131Q | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.131R | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.131S | Displaced apophyseal fracture of right femur, sequela |
| S72.132A | Displaced apophyseal fracture of left femur, initial encounter for closed fracture |
| S72.132B | Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II |
| S72.132C | Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.132D | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.132E | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.132F | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.132G | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.132H | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.132J | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.132K | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.132M | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.132N | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.132P | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S72.132Q | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.132R | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.132S | Displaced apophyseal fracture of left femur, sequela |
| S72.134A | Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture |
| S72.134B | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II |
| S72.134C | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.134D | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.134E | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.134F | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.134G | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.134H | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.134J | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.134K | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.134M | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.134N | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.134P | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.134Q | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.134R | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.134S | Nondisplaced apophyseal fracture of right femur, sequela |
| S72.135A | Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S72.135B | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II |
| S72.135C | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.135D | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.135E | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.135F | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.135G | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.135H | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.135J | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.135K | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.135M | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.135N | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.135P | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.135Q | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.135R | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.135S | Nondisplaced apophyseal fracture of left femur, sequela |
| S72.141A | Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture |
| S72.141B | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.141C | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.141D | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S72.141E | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.141F | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.141G | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.141H | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.141J | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.141K | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| ICD-10 CODE | DESCRIPTION |
| S72.141M | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.141N | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.141P | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.141Q | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.141R | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.141S | Displaced intertrochanteric fracture of right femur, sequela |
| S72.142A | Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture |
| S72.142B | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.142C | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.142D | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.142E | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.142F | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.142G | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S72.142H | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.142J | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.142K | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.142M | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.142N | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.142P | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.142Q | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.142R | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.142S | Displaced intertrochanteric fracture of left femur, sequela |
| S72.144A | Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture |
| S72.144B | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.144C | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.144D | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.144E | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.144F | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.144G | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.144H | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.144J | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.144K | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S72.144M | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.144N | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.144P | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.144Q | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.144R | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.144S | Nondisplaced intertrochanteric fracture of right femur, sequela |
| S72.145A | Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture |
| S72.145B | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.145C | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.145D | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.145E | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.145F | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.145G | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.145H | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.145J | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.145K | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.145M | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.145N | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.145P | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| S72.145Q | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.145R | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.145S | Nondisplaced intertrochanteric fracture of left femur, sequela |
| S72.21XA | Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture |
| S72.21XB | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.21XC | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.21XD | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.21XE | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.21XF | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.21XG | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.21XH | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.21XJ | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.21XK | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.21XM | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.21XN | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.21XP | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.21XQ | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.21XR | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.21XS | Displaced subtrochanteric fracture of right femur, sequela |
| S72.22XA | Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| S72.22XB | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.22XC | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.22XD | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.22XE | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.22XF | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.22XG | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.22XH | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.22XJ | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.22XK | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.22XM | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.22XN | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.22XP | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.22XQ | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.22XR | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.22XS | Displaced subtrochanteric fracture of left femur, sequela |
| S72.24XA | Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture |
| S72.24XB | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.24XC | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.24XD | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|--------------------|--|
| S72.24XE | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.24XF | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.24XG | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.24XH | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.24XJ | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.24XK | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.24XM | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.24XN | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.24XP | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.24XQ | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| ICD-10 CODE | DESCRIPTION |
| S72.24XR | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.24XS | Nondisplaced subtrochanteric fracture of right femur, sequela |
| S72.25XA | Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture |
| S72.25XB | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.25XC | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.25XD | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.25XE | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.25XF | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.25XG | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | closed fracture with delayed healing |
| S72.25XH | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.25XJ | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.25XK | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.25XM | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.25XN | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.25XP | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.25XQ | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.25XR | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.25XS | Nondisplaced subtrochanteric fracture of left femur, sequela |
| T81.12XA | Postprocedural septic shock, initial encounter |
| T81.12XD | Postprocedural septic shock, subsequent encounter |
| T81.12XS | Postprocedural septic shock, sequela |
| T81.32XA | Disruption of internal operation (surgical) wound, not elsewhere classified, initial encounter |
| T81.32XD | Disruption of internal operation (surgical) wound, not elsewhere classified, subsequent encounter |
| T81.33XA | Disruption of traumatic injury wound repair, initial encounter |
| T81.33XD | Disruption of traumatic injury wound repair, subsequent encounter |
| T81.33XS | Disruption of traumatic injury wound repair, sequela |
| T81.42XA | Infection following a procedure, deep incisional surgical site, initial encounter |
| T81.42XD | Infection following a procedure, deep incisional surgical site, subsequent encounter |
| T81.42XS | Infection following a procedure, deep incisional surgical site, sequela |
| T81.510A | Adhesions due to foreign body accidentally left in body following surgical operation, initial encounter |
| T81.510D | Adhesions due to foreign body accidentally left in body following surgical operation, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T81.510S | Adhesions due to foreign body accidentally left in body following surgical operation, sequela |
| T81.511A | Adhesions due to foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.511D | Adhesions due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.511S | Adhesions due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.512A | Adhesions due to foreign body accidentally left in body following kidney dialysis, initial encounter |
| T81.512D | Adhesions due to foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.512S | Adhesions due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.514A | Adhesions due to foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.514D | Adhesions due to foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.514S | Adhesions due to foreign body accidentally left in body following endoscopic examination, sequela |
| T81.515A | Adhesions due to foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.515D | Adhesions due to foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.515S | Adhesions due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.516A | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, initial encounter |
| T81.516D | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.516S | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.517A | Adhesions due to foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| T81.517D | Adhesions due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.517S | Adhesions due to foreign body accidentally left in body following removal of catheter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | or packing, sequela |
| T81.518A | Adhesions due to foreign body accidentally left in body following other procedure, initial encounter |
| T81.518D | Adhesions due to foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.518S | Adhesions due to foreign body accidentally left in body following other procedure, sequela |
| T81.520A | Obstruction due to foreign body accidentally left in body following surgical operation, initial encounter |
| T81.520D | Obstruction due to foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.520S | Obstruction due to foreign body accidentally left in body following surgical operation, sequela |
| T81.521A | Obstruction due to foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.521D | Obstruction due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.521S | Obstruction due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.522A | Obstruction due to foreign body accidentally left in body following kidney dialysis, initial encounter |
| T81.522S | Obstruction due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.523A | Obstruction due to foreign body accidentally left in body following injection or immunization, initial encounter |
| T81.523S | Obstruction due to foreign body accidentally left in body following injection or immunization, sequela |
| T81.524A | Obstruction due to foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.524S | Obstruction due to foreign body accidentally left in body following endoscopic examination, sequela |
| T81.525A | Obstruction due to foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.525S | Obstruction due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.526A | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T81.526D | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.526S | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.527A | Obstruction due to foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| T81.527D | Obstruction due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.527S | Obstruction due to foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.528A | Obstruction due to foreign body accidentally left in body following other procedure, initial encounter |
| T81.528S | Obstruction due to foreign body accidentally left in body following other procedure, sequela |
| T81.530A | Perforation due to foreign body accidentally left in body following surgical operation, initial encounter |
| T81.530S | Perforation due to foreign body accidentally left in body following surgical operation, sequela |
| T81.531A | Perforation due to foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.531D | Perforation due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.531S | Perforation due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.532A | Perforation due to foreign body accidentally left in body following kidney dialysis, initial encounter |
| T81.532D | Perforation due to foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.532S | Perforation due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.533A | Perforation due to foreign body accidentally left in body following injection or immunization, initial encounter |
| T81.533S | Perforation due to foreign body accidentally left in body following injection or immunization, sequela |
| T81.534A | Perforation due to foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.534S | Perforation due to foreign body accidentally left in body following endoscopic |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | examination, sequela |
| T81.535A | Perforation due to foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.535S | Perforation due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.536A | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, initial encounter |
| T81.536D | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.536S | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.537A | Perforation due to foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| T81.537D | Perforation due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.537S | Perforation due to foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.538A | Perforation due to foreign body accidentally left in body following other procedure, initial encounter |
| T81.538S | Perforation due to foreign body accidentally left in body following other procedure, sequela |
| T81.590A | Other complications of foreign body accidentally left in body following surgical operation, initial encounter |
| T81.590D | Other complications of foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.590S | Other complications of foreign body accidentally left in body following surgical operation, sequela |
| ICD-10 CODE | DESCRIPTION |
| T81.591A | Other complications of foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.591D | Other complications of foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.591S | Other complications of foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.592A | Other complications of foreign body accidentally left in body following kidney dialysis, initial encounter |
| T81.592S | Other complications of foreign body accidentally left in body following kidney |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| | dialysis, sequela |
| T81.593A | Other complications of foreign body accidentally left in body following injection or immunization, initial encounter |
| T81.593D | Other complications of foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.593S | Other complications of foreign body accidentally left in body following injection or immunization, sequela |
| T81.594A | Other complications of foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.594D | Other complications of foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.594S | Other complications of foreign body accidentally left in body following endoscopic examination, sequela |
| T81.595A | Other complications of foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.595D | Other complications of foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.595S | Other complications of foreign body accidentally left in body following heart catheterization, sequela |
| T81.596A | Other complications of foreign body accidentally left in body following aspiration, puncture or other catheterization, initial encounter |
| T81.596D | Other complications of foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.596S | Other complications of foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.597A | Other complications of foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| T81.597D | Other complications of foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.597S | Other complications of foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.598A | Other complications of foreign body accidentally left in body following other procedure, initial encounter |
| T81.598D | Other complications of foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.598S | Other complications of foreign body accidentally left in body following other procedure, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T81.61XA | Aseptic peritonitis due to foreign substance accidentally left during a procedure, initial encounter |
| T81.61XD | Aseptic peritonitis due to foreign substance accidentally left during a procedure, subsequent encounter |
| T81.61XS | Aseptic peritonitis due to foreign substance accidentally left during a procedure, sequela |
| T81.69XA | Other acute reaction to foreign substance accidentally left during a procedure, initial encounter |
| T81.69XD | Other acute reaction to foreign substance accidentally left during a procedure, subsequent encounter |
| T81.69XS | Other acute reaction to foreign substance accidentally left during a procedure, sequela |
| T81.710A | Complication of mesenteric artery following a procedure, not elsewhere classified, initial encounter |
| T81.710D | Complication of mesenteric artery following a procedure, not elsewhere classified, subsequent encounter |
| T81.710S | Complication of mesenteric artery following a procedure, not elsewhere classified, sequela |
| T81.711A | Complication of renal artery following a procedure, not elsewhere classified, initial encounter |
| T81.711D | Complication of renal artery following a procedure, not elsewhere classified, subsequent encounter |
| T81.711S | Complication of renal artery following a procedure, not elsewhere classified, sequela |
| T81.718A | Complication of other artery following a procedure, not elsewhere classified, initial encounter |
| T81.718D | Complication of other artery following a procedure, not elsewhere classified, subsequent encounter |
| T81.718S | Complication of other artery following a procedure, not elsewhere classified, sequela |
| T81.72XA | Complication of vein following a procedure, not elsewhere classified, initial encounter |
| T81.72XD | Complication of vein following a procedure, not elsewhere classified, subsequent encounter |
| T81.72XS | Complication of vein following a procedure, not elsewhere classified, sequela |
| T81.83XA | Persistent postprocedural fistula, initial encounter |
| T81.83XD | Persistent postprocedural fistula, subsequent encounter |
| T81.83XS | Persistent postprocedural fistula, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T81.89XA | Other complications of procedures, not elsewhere classified, initial encounter |
| T81.89XD | Other complications of procedures, not elsewhere classified, subsequent encounter |
| T81.89XS | Other complications of procedures, not elsewhere classified, sequela |
| T82.312A | Breakdown (mechanical) of femoral arterial graft (bypass), initial encounter |
| T82.312D | Breakdown (mechanical) of femoral arterial graft (bypass), subsequent encounter |
| T82.312S | Breakdown (mechanical) of femoral arterial graft (bypass), sequela |
| T82.318A | Breakdown (mechanical) of other vascular grafts, initial encounter |
| T82.318D | Breakdown (mechanical) of other vascular grafts, subsequent encounter |
| T82.318S | Breakdown (mechanical) of other vascular grafts, sequela |
| T82.320A | Displacement of aortic (bifurcation) graft (replacement), initial encounter |
| T82.320D | Displacement of aortic (bifurcation) graft (replacement), subsequent encounter |
| T82.320S | Displacement of aortic (bifurcation) graft (replacement), sequela |
| T82.321A | Displacement of carotid arterial graft (bypass), initial encounter |
| T82.321D | Displacement of carotid arterial graft (bypass), subsequent encounter |
| T82.321S | Displacement of carotid arterial graft (bypass), sequela |
| T82.322A | Displacement of femoral arterial graft (bypass), initial encounter |
| T82.322D | Displacement of femoral arterial graft (bypass), subsequent encounter |
| T82.322S | Displacement of femoral arterial graft (bypass), sequela |
| T82.328A | Displacement of other vascular grafts, initial encounter |
| T82.328D | Displacement of other vascular grafts, subsequent encounter |
| T82.328S | Displacement of other vascular grafts, sequela |
| T82.330A | Leakage of aortic (bifurcation) graft (replacement), initial encounter |
| T82.330D | Leakage of aortic (bifurcation) graft (replacement), subsequent encounter |
| T82.330S | Leakage of aortic (bifurcation) graft (replacement), sequela |
| T82.331A | Leakage of carotid arterial graft (bypass), initial encounter |
| T82.331D | Leakage of carotid arterial graft (bypass), subsequent encounter |
| T82.331S | Leakage of carotid arterial graft (bypass), sequela |
| T82.332A | Leakage of femoral arterial graft (bypass), initial encounter |
| T82.332D | Leakage of femoral arterial graft (bypass), subsequent encounter |
| T82.332S | Leakage of femoral arterial graft (bypass), sequela |
| T82.338A | Leakage of other vascular grafts, initial encounter |
| T82.338D | Leakage of other vascular grafts, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T82.338S | Leakage of other vascular grafts, sequela |
| T82.390A | Other mechanical complication of aortic (bifurcation) graft (replacement), initial encounter |
| T82.390D | Other mechanical complication of aortic (bifurcation) graft (replacement), subsequent encounter |
| T82.390S | Other mechanical complication of aortic (bifurcation) graft (replacement), sequela |
| T82.391A | Other mechanical complication of carotid arterial graft (bypass), initial encounter |
| T82.391D | Other mechanical complication of carotid arterial graft (bypass), subsequent encounter |
| T82.391S | Other mechanical complication of carotid arterial graft (bypass), sequela |
| T82.392A | Other mechanical complication of femoral arterial graft (bypass), initial encounter |
| T82.392D | Other mechanical complication of femoral arterial graft (bypass), subsequent encounter |
| T82.392S | Other mechanical complication of femoral arterial graft (bypass), sequela |
| T82.398A | Other mechanical complication of other vascular grafts, initial encounter |
| T82.398D | Other mechanical complication of other vascular grafts, subsequent encounter |
| T82.398S | Other mechanical complication of other vascular grafts, sequela |
| T82.41XA | Breakdown (mechanical) of vascular dialysis catheter, initial encounter |
| T82.41XD | Breakdown (mechanical) of vascular dialysis catheter, subsequent encounter |
| T82.41XS | Breakdown (mechanical) of vascular dialysis catheter, sequela |
| T82.42XA | Displacement of vascular dialysis catheter, initial encounter |
| T82.42XD | Displacement of vascular dialysis catheter, subsequent encounter |
| T82.42XS | Displacement of vascular dialysis catheter, sequela |
| T82.43XA | Leakage of vascular dialysis catheter, initial encounter |
| T82.43XD | Leakage of vascular dialysis catheter, subsequent encounter |
| T82.43XS | Leakage of vascular dialysis catheter, sequela |
| T82.49XA | Other complication of vascular dialysis catheter, initial encounter |
| T82.49XD | Other complication of vascular dialysis catheter, subsequent encounter |
| T82.49XS | Other complication of vascular dialysis catheter, sequela |
| T82.510A | Breakdown (mechanical) of surgically created arteriovenous fistula, initial encounter |
| T82.510D | Breakdown (mechanical) of surgically created arteriovenous fistula, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T82.510S | Breakdown (mechanical) of surgically created arteriovenous fistula, sequela |
| T82.511A | Breakdown (mechanical) of surgically created arteriovenous shunt, initial encounter |
| T82.511D | Breakdown (mechanical) of surgically created arteriovenous shunt, subsequent encounter |
| T82.511S | Breakdown (mechanical) of surgically created arteriovenous shunt, sequela |
| T82.512A | Breakdown (mechanical) of artificial heart, initial encounter |
| T82.512D | Breakdown (mechanical) of artificial heart, subsequent encounter |
| T82.512S | Breakdown (mechanical) of artificial heart, sequela |
| T82.513A | Breakdown (mechanical) of balloon (counterpulsation) device, initial encounter |
| T82.513D | Breakdown (mechanical) of balloon (counterpulsation) device, subsequent encounter |
| T82.513S | Breakdown (mechanical) of balloon (counterpulsation) device, sequela |
| T82.514A | Breakdown (mechanical) of infusion catheter, initial encounter |
| T82.514D | Breakdown (mechanical) of infusion catheter, subsequent encounter |
| T82.514S | Breakdown (mechanical) of infusion catheter, sequela |
| T82.515A | Breakdown (mechanical) of umbrella device, initial encounter |
| T82.515D | Breakdown (mechanical) of umbrella device, subsequent encounter |
| T82.515S | Breakdown (mechanical) of umbrella device, sequela |
| T82.518A | Breakdown (mechanical) of other cardiac and vascular devices and implants, initial encounter |
| T82.518D | Breakdown (mechanical) of other cardiac and vascular devices and implants, subsequent encounter |
| T82.518S | Breakdown (mechanical) of other cardiac and vascular devices and implants, sequela |
| T82.520A | Displacement of surgically created arteriovenous fistula, initial encounter |
| T82.520D | Displacement of surgically created arteriovenous fistula, subsequent encounter |
| T82.520S | Displacement of surgically created arteriovenous fistula, sequela |
| T82.521A | Displacement of surgically created arteriovenous shunt, initial encounter |
| T82.521D | Displacement of surgically created arteriovenous shunt, subsequent encounter |
| T82.521S | Displacement of surgically created arteriovenous shunt, sequela |
| T82.522A | Displacement of artificial heart, initial encounter |
| T82.522D | Displacement of artificial heart, subsequent encounter |
| T82.522S | Displacement of artificial heart, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| T82.523A | Displacement of balloon (counterpulsation) device, initial encounter |
| T82.523D | Displacement of balloon (counterpulsation) device, subsequent encounter |
| T82.523S | Displacement of balloon (counterpulsation) device, sequela |
| T82.524A | Displacement of infusion catheter, initial encounter |
| T82.524D | Displacement of infusion catheter, subsequent encounter |
| T82.524S | Displacement of infusion catheter, sequela |
| T82.525A | Displacement of umbrella device, initial encounter |
| T82.525D | Displacement of umbrella device, subsequent encounter |
| T82.525S | Displacement of umbrella device, sequela |
| T82.528A | Displacement of other cardiac and vascular devices and implants, initial encounter |
| T82.528D | Displacement of other cardiac and vascular devices and implants, subsequent encounter |
| T82.528S | Displacement of other cardiac and vascular devices and implants, sequela |
| T82.533A | Leakage of balloon (counterpulsation) device, initial encounter |
| T82.533D | Leakage of balloon (counterpulsation) device, subsequent encounter |
| T82.533S | Leakage of balloon (counterpulsation) device, sequela |
| T82.534A | Leakage of infusion catheter, initial encounter |
| T82.534D | Leakage of infusion catheter, subsequent encounter |
| T82.534S | Leakage of infusion catheter, sequela |
| T82.535A | Leakage of umbrella device, initial encounter |
| T82.535D | Leakage of umbrella device, subsequent encounter |
| T82.535S | Leakage of umbrella device, sequela |
| T82.538A | Leakage of other cardiac and vascular devices and implants, initial encounter |
| T82.538D | Leakage of other cardiac and vascular devices and implants, subsequent encounter |
| T82.538S | Leakage of other cardiac and vascular devices and implants, sequela |
| T82.593A | Other mechanical complication of balloon (counterpulsation) device, initial encounter |
| T82.593D | Other mechanical complication of balloon (counterpulsation) device, subsequent encounter |
| T82.593S | Other mechanical complication of balloon (counterpulsation) device, sequela |
| T82.594A | Other mechanical complication of infusion catheter, initial encounter |
| T82.594D | Other mechanical complication of infusion catheter, subsequent encounter |
| T82.594S | Other mechanical complication of infusion catheter, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| T82.595A | Other mechanical complication of umbrella device, initial encounter |
| T82.595D | Other mechanical complication of umbrella device, subsequent encounter |
| T82.595S | Other mechanical complication of umbrella device, sequela |
| T82.598A | Other mechanical complication of other cardiac and vascular devices and implants, initial encounter |
| T82.598D | Other mechanical complication of other cardiac and vascular devices and implants, subsequent encounter |
| T82.598S | Other mechanical complication of other cardiac and vascular devices and implants, sequela |
| T82.7XXA | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, initial encounter |
| T82.7XXD | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, subsequent encounter |
| T82.7XXS | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, sequela |
| T82.818A | Embolism due to vascular prosthetic devices, implants and grafts, initial encounter |
| T82.818D | Embolism due to vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.818S | Embolism due to vascular prosthetic devices, implants and grafts, sequela |
| T82.828A | Fibrosis due to vascular prosthetic devices, implants and grafts, initial encounter |
| T82.828D | Fibrosis due to vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.828S | Fibrosis due to vascular prosthetic devices, implants and grafts, sequela |
| T82.838A | Hemorrhage due to vascular prosthetic devices, implants and grafts, initial encounter |
| T82.838D | Hemorrhage due to vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.838S | Hemorrhage due to vascular prosthetic devices, implants and grafts, sequela |
| T82.848A | Pain due to vascular prosthetic devices, implants and grafts, initial encounter |
| T82.848D | Pain due to vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.848S | Pain due to vascular prosthetic devices, implants and grafts, sequela |
| T82.858A | Stenosis of other vascular prosthetic devices, implants and grafts, initial encounter |
| T82.858D | Stenosis of other vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.858S | Stenosis of other vascular prosthetic devices, implants and grafts, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| T82.868A | Thrombosis due to vascular prosthetic devices, implants and grafts, initial encounter |
| T82.868D | Thrombosis due to vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.868S | Thrombosis due to vascular prosthetic devices, implants and grafts, sequela |
| T82.898A | Other specified complication of vascular prosthetic devices, implants and grafts, initial encounter |
| T82.898D | Other specified complication of vascular prosthetic devices, implants and grafts, subsequent encounter |
| T82.898S | Other specified complication of vascular prosthetic devices, implants and grafts, sequela |
| T83.010A | Breakdown (mechanical) of cystostomy catheter, initial encounter |
| T83.010D | Breakdown (mechanical) of cystostomy catheter, subsequent encounter |
| T83.010S | Breakdown (mechanical) of cystostomy catheter, sequela |
| T83.018A | Breakdown (mechanical) of other urinary catheter, initial encounter |
| T83.018D | Breakdown (mechanical) of other urinary catheter, subsequent encounter |
| T83.018S | Breakdown (mechanical) of other urinary catheter, sequela |
| T83.020A | Displacement of cystostomy catheter, initial encounter |
| T83.020D | Displacement of cystostomy catheter, subsequent encounter |
| T83.020S | Displacement of cystostomy catheter, sequela |
| ICD-10 CODE | DESCRIPTION |
| T83.028A | Displacement of other urinary catheter, initial encounter |
| T83.028D | Displacement of other urinary catheter, subsequent encounter |
| T83.028S | Displacement of other urinary catheter, sequela |
| T83.030A | Leakage of cystostomy catheter, initial encounter |
| T83.030D | Leakage of cystostomy catheter, subsequent encounter |
| T83.030S | Leakage of cystostomy catheter, sequela |
| T83.038A | Leakage of other urinary catheter, initial encounter |
| T83.038D | Leakage of other urinary catheter, subsequent encounter |
| T83.038S | Leakage of other urinary catheter, sequela |
| T83.090A | Other mechanical complication of cystostomy catheter, initial encounter |
| T83.090D | Other mechanical complication of cystostomy catheter, subsequent encounter |
| T83.090S | Other mechanical complication of cystostomy catheter, sequela |
| T83.098A | Other mechanical complication of other urinary catheter, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T83.098D | Other mechanical complication of other urinary catheter, subsequent encounter |
| T83.098S | Other mechanical complication of other urinary catheter, sequela |
| T83.110A | Breakdown (mechanical) of urinary electronic stimulator device, initial encounter |
| T83.110D | Breakdown (mechanical) of urinary electronic stimulator device, subsequent encounter |
| T83.110S | Breakdown (mechanical) of urinary electronic stimulator device, sequela |
| T83.111A | Breakdown (mechanical) of implanted urinary sphincter, initial encounter |
| T83.111D | Breakdown (mechanical) of implanted urinary sphincter, subsequent encounter |
| T83.111S | Breakdown (mechanical) of implanted urinary sphincter, sequela |
| T83.112A | Breakdown (mechanical) of indwelling ureteral stent, initial encounter |
| T83.112D | Breakdown (mechanical) of indwelling ureteral stent, subsequent encounter |
| T83.112S | Breakdown (mechanical) of indwelling ureteral stent, sequela |
| T83.118A | Breakdown (mechanical) of other urinary devices and implants, initial encounter |
| T83.118D | Breakdown (mechanical) of other urinary devices and implants, subsequent encounter |
| T83.118S | Breakdown (mechanical) of other urinary devices and implants, sequela |
| T83.120A | Displacement of urinary electronic stimulator device, initial encounter |
| T83.120D | Displacement of urinary electronic stimulator device, subsequent encounter |
| T83.120S | Displacement of urinary electronic stimulator device, sequela |
| T83.121A | Displacement of implanted urinary sphincter, initial encounter |
| T83.121D | Displacement of implanted urinary sphincter, subsequent encounter |
| T83.121S | Displacement of implanted urinary sphincter, sequela |
| T83.190A | Other mechanical complication of urinary electronic stimulator device, initial encounter |
| T83.190D | Other mechanical complication of urinary electronic stimulator device, subsequent encounter |
| T83.190S | Other mechanical complication of urinary electronic stimulator device, sequela |
| T83.191A | Other mechanical complication of implanted urinary sphincter, initial encounter |
| T83.191D | Other mechanical complication of implanted urinary sphincter, subsequent encounter |
| T83.191S | Other mechanical complication of implanted urinary sphincter, sequela |
| T83.192A | Other mechanical complication of indwelling ureteral stent, initial encounter |
| T83.192D | Other mechanical complication of indwelling ureteral stent, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T83.192S | Other mechanical complication of indwelling ureteral stent, sequela |
| T83.198A | Other mechanical complication of other urinary devices and implants, initial encounter |
| T83.198D | Other mechanical complication of other urinary devices and implants, subsequent encounter |
| T83.198S | Other mechanical complication of other urinary devices and implants, sequela |
| T83.21XA | Breakdown (mechanical) of graft of urinary organ, initial encounter |
| T83.21XD | Breakdown (mechanical) of graft of urinary organ, subsequent encounter |
| T83.21XS | Breakdown (mechanical) of graft of urinary organ, sequela |
| T83.22XA | Displacement of graft of urinary organ, initial encounter |
| T83.22XD | Displacement of graft of urinary organ, subsequent encounter |
| T83.22XS | Displacement of graft of urinary organ, sequela |
| T83.23XA | Leakage of graft of urinary organ, initial encounter |
| T83.23XD | Leakage of graft of urinary organ, subsequent encounter |
| T83.23XS | Leakage of graft of urinary organ, sequela |
| T83.29XA | Other mechanical complication of graft of urinary organ, initial encounter |
| T83.29XD | Other mechanical complication of graft of urinary organ, subsequent encounter |
| T83.29XS | Other mechanical complication of graft of urinary organ, sequela |
| T83.31XA | Breakdown (mechanical) of intrauterine contraceptive device, initial encounter |
| T83.31XD | Breakdown (mechanical) of intrauterine contraceptive device, subsequent encounter |
| T83.31XS | Breakdown (mechanical) of intrauterine contraceptive device, sequela |
| T83.32XA | Displacement of intrauterine contraceptive device, initial encounter |
| T83.32XD | Displacement of intrauterine contraceptive device, subsequent encounter |
| T83.32XS | Displacement of intrauterine contraceptive device, sequela |
| T83.39XA | Other mechanical complication of intrauterine contraceptive device, initial encounter |
| T83.39XD | Other mechanical complication of intrauterine contraceptive device, subsequent encounter |
| T83.39XS | Other mechanical complication of intrauterine contraceptive device, sequela |
| T83.410A | Breakdown (mechanical) of implanted penile prosthesis, initial encounter |
| T83.410D | Breakdown (mechanical) of implanted penile prosthesis, subsequent encounter |
| T83.410S | Breakdown (mechanical) of implanted penile prosthesis, sequela |
| T83.418A | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| T83.418D | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.418S | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.420A | Displacement of implanted penile prosthesis, initial encounter |
| T83.420D | Displacement of implanted penile prosthesis, subsequent encounter |
| T83.420S | Displacement of implanted penile prosthesis, sequela |
| T83.428A | Displacement of other prosthetic devices, implants and grafts of genital tract, initial encounter |
| T83.428D | Displacement of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.428S | Displacement of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.490A | Other mechanical complication of implanted penile prosthesis, initial encounter |
| T83.490D | Other mechanical complication of implanted penile prosthesis, subsequent encounter |
| T83.490S | Other mechanical complication of implanted penile prosthesis, sequela |
| T83.498A | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, initial encounter |
| T83.498D | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.498S | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.69XA | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, initial encounter |
| T83.69XD | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, subsequent encounter |
| T83.711A | Erosion of implanted vaginal mesh to surrounding organ or tissue, initial encounter |
| T83.711D | Erosion of implanted vaginal mesh to surrounding organ or tissue, subsequent encounter |
| T83.711S | Erosion of implanted vaginal mesh to surrounding organ or tissue, sequela |
| T83.718A | Erosion of other implanted mesh to organ or tissue, initial encounter |
| T83.718D | Erosion of other implanted mesh to organ or tissue, subsequent encounter |
| T83.718S | Erosion of other implanted mesh to organ or tissue, sequela |
| T83.721A | Exposure of implanted vaginal mesh into vagina, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| T83.721D | Exposure of implanted vaginal mesh into vagina, subsequent encounter |
| T83.721S | Exposure of implanted vaginal mesh into vagina, sequela |
| T83.728A | Exposure of other implanted mesh into organ or tissue, initial encounter |
| T83.728D | Exposure of other implanted mesh into organ or tissue, subsequent encounter |
| T83.728S | Exposure of other implanted mesh into organ or tissue, sequela |
| T83.81XA | Embolism due to genitourinary prosthetic devices, implants and grafts, initial encounter |
| T83.81XD | Embolism due to genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| ICD-10 CODE | DESCRIPTION |
| T83.81XS | Embolism due to genitourinary prosthetic devices, implants and grafts, sequela |
| T83.82XA | Fibrosis due to genitourinary prosthetic devices, implants and grafts, initial encounter |
| T83.82XD | Fibrosis due to genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.82XS | Fibrosis due to genitourinary prosthetic devices, implants and grafts, sequela |
| T83.83XA | Hemorrhage due to genitourinary prosthetic devices, implants and grafts, initial encounter |
| T83.83XD | Hemorrhage due to genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.83XS | Hemorrhage due to genitourinary prosthetic devices, implants and grafts, sequela |
| T83.84XA | Pain due to genitourinary prosthetic devices, implants and grafts, initial encounter |
| T83.84XD | Pain due to genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.84XS | Pain due to genitourinary prosthetic devices, implants and grafts, sequela |
| T83.85XA | Stenosis due to genitourinary prosthetic devices, implants and grafts, initial encounter |
| T83.85XS | Stenosis due to genitourinary prosthetic devices, implants and grafts, sequela |
| T83.86XA | Thrombosis due to genitourinary prosthetic devices, implants and grafts, initial encounter |
| T83.86XD | Thrombosis due to genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.86XS | Thrombosis due to genitourinary prosthetic devices, implants and grafts, sequela |
| T83.89XA | Other specified complication of genitourinary prosthetic devices, implants and grafts, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T83.89XD | Other specified complication of genitourinary prosthetic devices, implants and grafts, subsequent encounter |
| T83.89XS | Other specified complication of genitourinary prosthetic devices, implants and grafts, sequela |
| T84.010A | Broken internal right hip prosthesis, initial encounter |
| T84.010D | Broken internal right hip prosthesis, subsequent encounter |
| T84.010S | Broken internal right hip prosthesis, sequela |
| T84.011A | Broken internal left hip prosthesis, initial encounter |
| T84.011D | Broken internal left hip prosthesis, subsequent encounter |
| T84.011S | Broken internal left hip prosthesis, sequela |
| T84.012A | Broken internal right knee prosthesis, initial encounter |
| T84.012D | Broken internal right knee prosthesis, subsequent encounter |
| T84.012S | Broken internal right knee prosthesis, sequela |
| T84.013A | Broken internal left knee prosthesis, initial encounter |
| T84.013D | Broken internal left knee prosthesis, subsequent encounter |
| T84.013S | Broken internal left knee prosthesis, sequela |
| T84.018A | Broken internal joint prosthesis, other site, initial encounter |
| T84.018D | Broken internal joint prosthesis, other site, subsequent encounter |
| T84.018S | Broken internal joint prosthesis, other site, sequela |
| T84.020A | Dislocation of internal right hip prosthesis, initial encounter |
| T84.020D | Dislocation of internal right hip prosthesis, subsequent encounter |
| T84.020S | Dislocation of internal right hip prosthesis, sequela |
| T84.021A | Dislocation of internal left hip prosthesis, initial encounter |
| T84.021D | Dislocation of internal left hip prosthesis, subsequent encounter |
| T84.021S | Dislocation of internal left hip prosthesis, sequela |
| T84.022A | Instability of internal right knee prosthesis, initial encounter |
| T84.022D | Instability of internal right knee prosthesis, subsequent encounter |
| T84.022S | Instability of internal right knee prosthesis, sequela |
| T84.023A | Instability of internal left knee prosthesis, initial encounter |
| T84.023D | Instability of internal left knee prosthesis, subsequent encounter |
| T84.023S | Instability of internal left knee prosthesis, sequela |
| T84.028A | Dislocation of other internal joint prosthesis, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T84.028D | Dislocation of other internal joint prosthesis, subsequent encounter |
| T84.028S | Dislocation of other internal joint prosthesis, sequela |
| T84.030A | Mechanical loosening of internal right hip prosthetic joint, initial encounter |
| T84.030D | Mechanical loosening of internal right hip prosthetic joint, subsequent encounter |
| T84.030S | Mechanical loosening of internal right hip prosthetic joint, sequela |
| T84.031A | Mechanical loosening of internal left hip prosthetic joint, initial encounter |
| T84.031D | Mechanical loosening of internal left hip prosthetic joint, subsequent encounter |
| T84.031S | Mechanical loosening of internal left hip prosthetic joint, sequela |
| T84.032A | Mechanical loosening of internal right knee prosthetic joint, initial encounter |
| T84.032D | Mechanical loosening of internal right knee prosthetic joint, subsequent encounter |
| T84.032S | Mechanical loosening of internal right knee prosthetic joint, sequela |
| T84.033A | Mechanical loosening of internal left knee prosthetic joint, initial encounter |
| T84.033D | Mechanical loosening of internal left knee prosthetic joint, subsequent encounter |
| T84.033S | Mechanical loosening of internal left knee prosthetic joint, sequela |
| T84.038A | Mechanical loosening of other internal prosthetic joint, initial encounter |
| T84.038D | Mechanical loosening of other internal prosthetic joint, subsequent encounter |
| T84.038S | Mechanical loosening of other internal prosthetic joint, sequela |
| T85.610A | Breakdown (mechanical) of cranial or spinal infusion catheter, initial encounter |
| T85.610D | Breakdown (mechanical) of cranial or spinal infusion catheter, subsequent encounter |
| T85.610S | Breakdown (mechanical) of cranial or spinal infusion catheter, sequela |
| T85.611A | Breakdown (mechanical) of intraperitoneal dialysis catheter, initial encounter |
| T85.611D | Breakdown (mechanical) of intraperitoneal dialysis catheter, subsequent encounter |
| T85.611S | Breakdown (mechanical) of intraperitoneal dialysis catheter, sequela |
| T85.612A | Breakdown (mechanical) of permanent sutures, initial encounter |
| T85.612D | Breakdown (mechanical) of permanent sutures, subsequent encounter |
| T85.612S | Breakdown (mechanical) of permanent sutures, sequela |
| T85.613A | Breakdown (mechanical) of artificial skin graft and decellularized allodermis, initial encounter |
| T85.613D | Breakdown (mechanical) of artificial skin graft and decellularized allodermis, subsequent encounter |
| T85.613S | Breakdown (mechanical) of artificial skin graft and decellularized allodermis, sequela |
| T85.614A | Breakdown (mechanical) of insulin pump, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|--------------------|--|
| T85.614D | Breakdown (mechanical) of insulin pump, subsequent encounter |
| T85.614S | Breakdown (mechanical) of insulin pump, sequela |
| T85.618A | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, initial encounter |
| T85.618D | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.618S | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, sequela |
| T85.620A | Displacement of cranial or spinal infusion catheter, initial encounter |
| T85.620D | Displacement of cranial or spinal infusion catheter, subsequent encounter |
| T85.620S | Displacement of cranial or spinal infusion catheter, sequela |
| T85.621A | Displacement of intraperitoneal dialysis catheter, initial encounter |
| T85.621D | Displacement of intraperitoneal dialysis catheter, subsequent encounter |
| T85.621S | Displacement of intraperitoneal dialysis catheter, sequela |
| T85.622A | Displacement of permanent sutures, initial encounter |
| T85.622D | Displacement of permanent sutures, subsequent encounter |
| T85.622S | Displacement of permanent sutures, sequela |
| T85.623A | Displacement of artificial skin graft and decellularized allodermis, initial encounter |
| T85.623D | Displacement of artificial skin graft and decellularized allodermis, subsequent encounter |
| T85.623S | Displacement of artificial skin graft and decellularized allodermis, sequela |
| T85.624A | Displacement of insulin pump, initial encounter |
| T85.624D | Displacement of insulin pump, subsequent encounter |
| T85.624S | Displacement of insulin pump, sequela |
| T85.625A | Displacement of other nervous system device, implant or graft, initial encounter |
| T85.625D | Displacement of other nervous system device, implant or graft, subsequent encounter |
| T85.625S | Displacement of other nervous system device, implant or graft, sequela |
| T85.628A | Displacement of other specified internal prosthetic devices, implants and grafts, initial encounter |
| ICD-10 CODE | DESCRIPTION |
| T85.628D | Displacement of other specified internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.628S | Displacement of other specified internal prosthetic devices, implants and grafts, |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | sequela |
| T85.630A | Leakage of cranial or spinal infusion catheter, initial encounter |
| T85.630D | Leakage of cranial or spinal infusion catheter, subsequent encounter |
| T85.630S | Leakage of cranial or spinal infusion catheter, sequela |
| T85.631A | Leakage of intraperitoneal dialysis catheter, initial encounter |
| T85.631D | Leakage of intraperitoneal dialysis catheter, subsequent encounter |
| T85.631S | Leakage of intraperitoneal dialysis catheter, sequela |
| T85.633A | Leakage of insulin pump, initial encounter |
| T85.633D | Leakage of insulin pump, subsequent encounter |
| T85.633S | Leakage of insulin pump, sequela |
| T85.635A | Leakage of other nervous system device, implant or graft, initial encounter |
| T85.635D | Leakage of other nervous system device, implant or graft, subsequent encounter |
| T85.635S | Leakage of other nervous system device, implant or graft, sequela |
| T85.638A | Leakage of other specified internal prosthetic devices, implants and grafts, initial encounter |
| T85.638D | Leakage of other specified internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.638S | Leakage of other specified internal prosthetic devices, implants and grafts, sequela |
| T85.690A | Other mechanical complication of cranial or spinal infusion catheter, initial encounter |
| T85.690D | Other mechanical complication of cranial or spinal infusion catheter, subsequent encounter |
| T85.690S | Other mechanical complication of cranial or spinal infusion catheter, sequela |
| T85.691A | Other mechanical complication of intraperitoneal dialysis catheter, initial encounter |
| T85.691D | Other mechanical complication of intraperitoneal dialysis catheter, subsequent encounter |
| T85.691S | Other mechanical complication of intraperitoneal dialysis catheter, sequela |
| T85.692A | Other mechanical complication of permanent sutures, initial encounter |
| T85.692D | Other mechanical complication of permanent sutures, subsequent encounter |
| T85.692S | Other mechanical complication of permanent sutures, sequela |
| T85.693A | Other mechanical complication of artificial skin graft and decellularized allodermis, initial encounter |
| T85.693D | Other mechanical complication of artificial skin graft and decellularized allodermis, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---|
| T85.693S | Other mechanical complication of artificial skin graft and decellularized allodermis, sequela |
| T85.694A | Other mechanical complication of insulin pump, initial encounter |
| T85.694D | Other mechanical complication of insulin pump, subsequent encounter |
| T85.694S | Other mechanical complication of insulin pump, sequela |
| T85.695A | Other mechanical complication of other nervous system device, implant or graft, initial encounter |
| T85.695D | Other mechanical complication of other nervous system device, implant or graft, subsequent encounter |
| T85.695S | Other mechanical complication of other nervous system device, implant or graft, sequela |
| T85.698A | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, initial encounter |
| T85.698D | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.698S | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, sequela |
| T85.71XA | Infection and inflammatory reaction due to peritoneal dialysis catheter, initial encounter |
| T85.71XD | Infection and inflammatory reaction due to peritoneal dialysis catheter, subsequent encounter |
| T85.71XS | Infection and inflammatory reaction due to peritoneal dialysis catheter, sequela |
| T85.72XA | Infection and inflammatory reaction due to insulin pump, initial encounter |
| T85.72XD | Infection and inflammatory reaction due to insulin pump, subsequent encounter |
| T85.72XS | Infection and inflammatory reaction due to insulin pump, sequela |
| T85.79XA | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, initial encounter |
| T85.79XD | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.79XS | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, sequela |
| T85.890A | Other specified complication of nervous system prosthetic devices, implants and grafts, initial encounter |
| T85.890D | Other specified complication of nervous system prosthetic devices, implants and grafts, subsequent encounter |
| T85.890S | Other specified complication of nervous system prosthetic devices, implants and |

| ICD-10 CODE | DESCRIPTION |
|-------------|--|
| | grafts, sequela |
| T86.848 | Other complications of corneal transplant |
| T88.0XXA | Infection following immunization, initial encounter |
| T88.0XXD | Infection following immunization, subsequent encounter |
| T88.0XXS | Infection following immunization, sequela |
| T88.1XXA | Other complications following immunization, not elsewhere classified, initial encounter |
| T88.1XXD | Other complications following immunization, not elsewhere classified, subsequent encounter |
| T88.1XXS | Other complications following immunization, not elsewhere classified, sequela |
| T88.2XXA | Shock due to anesthesia, initial encounter |
| T88.2XXD | Shock due to anesthesia, subsequent encounter |
| T88.2XXS | Shock due to anesthesia, sequela |
| T88.3XXA | Malignant hyperthermia due to anesthesia, initial encounter |
| T88.3XXD | Malignant hyperthermia due to anesthesia, subsequent encounter |
| T88.3XXS | Malignant hyperthermia due to anesthesia, sequela |
| T88.4XXA | Failed or difficult intubation, initial encounter |
| T88.4XXD | Failed or difficult intubation, subsequent encounter |
| T88.4XXS | Failed or difficult intubation, sequela |
| T88.51XA | Hypothermia following anesthesia, initial encounter |
| T88.51XD | Hypothermia following anesthesia, subsequent encounter |
| T88.51XS | Hypothermia following anesthesia, sequela |
| T88.52XA | Failed moderate sedation during procedure, initial encounter |
| T88.52XD | Failed moderate sedation during procedure, subsequent encounter |
| T88.52XS | Failed moderate sedation during procedure, sequela |
| T88.59XA | Other complications of anesthesia, initial encounter |
| T88.59XD | Other complications of anesthesia, subsequent encounter |
| T88.59XS | Other complications of anesthesia, sequela |
| T88.8XXA | Other specified complications of surgical and medical care, not elsewhere classified, initial encounter |
| T88.8XXD | Other specified complications of surgical and medical care, not elsewhere classified, subsequent encounter |
| T88.8XXS | Other specified complications of surgical and medical care, not elsewhere classified, |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------|
| | sequela |

ICD-10 Codes that DO NOT Support Medical Necessity

N/A

Additional ICD-10 Information

N/A

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

| CODE | DESCRIPTION |
|------|----------------|
| 999x | Not Applicable |

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

| CODE | DESCRIPTION |
|-------|----------------|
| 99999 | Not Applicable |

Other Coding Information

N/A

Revision History Information

N/A

Associated Documents

Related Local Coverage Document(s)

Article(s)

A56017 - Response to Comments: Lumbar MRI

LCD(s)

L34220 - Lumbar MRI

DL34220

- (MCD Archive Site)

Related National Coverage Document(s)

N/A

Statutory Requirements URL(s)

N/A

Rules and Regulations URL(s)

N/A

CMS Manual Explanations URL(s)

N/A

Other URL(s)

N/A

Public Version(s)

Updated on 09/20/2019 with effective dates 10/01/2019 - N/A

Keywords

- 72148
- 72149
- 72158
- A9585
- Q9953