



Centers for Medicare & Medicaid Services (CMS)
7500 Security Blvd
Baltimore, MD 21244-1850

Standard Companion Guide
Health Care Claim: Institutional (837I)

Based on ASC X12N Implementation Guide, Version
005010X223A2

Companion Guide Version Number: 6.0,
June, 2019

Disclosure Statement

The Centers for Medicare & Medicaid Services (CMS) is committed to maintaining the integrity and security of health care data in accordance with applicable laws and regulations. Disclosure of Medicare claims is restricted under the provisions of the Privacy Act of 1974 and Health Insurance Portability and Accountability Act of 1996. This Companion Guide is to be used for conducting Medicare business only.

Preface

This CG to the Accredited Standards Committee (ASC) X12N Technical Report Type 3 (TR3) Version 005010 and associated errata adopted under HIPAA clarifies and specifies the data content when exchanging transactions electronically with Medicare. Transmissions based on this CG, used in tandem with the TR3 are compliant with both ASC X12N syntax and those guides. This CG is intended to convey information that is within the framework of the TR3 adopted for use under HIPAA. This CG is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

This CG contains instructions for electronic communications with the publishing entity, as well as supplemental information for creating transactions while ensuring compliance with the associated ASC X12N TR3s and the Council for Affordable Quality Healthcare – Committee on Operating Rules for Information Exchange (CAQH CORE) companion guide operating rules.

In addition, this CG contains the information needed by Trading Partners to send and receive electronic data with the publishing entity, who is acting on behalf of CMS, including detailed instructions for submission of specific electronic transactions. The instructional content is limited by ASC X12N's copyrights and Fair Use statement.

Table of Contents

Disclosure Statement	iii
Preface	iv
1 Introduction	1
1.1 Scope	1
1.2 Overview	1
1.3 References	2
1.4 Additional Information	2
2 Getting Started.....	3
2.1 Working Together	3
2.2 Trading Partner Registration.....	3
2.3 Trading Partner Certification and Testing Process	5
3 Testing and Certification Requirements	6
3.1 Testing Requirements	6
3.2 Certification Requirements.....	7
4 Connectivity/Communications	7
4.1 Process Flows	7
4.2 Transmission	8
4.2.1 Re-transmission Procedures	8
4.3 Communication Protocol Specifications.....	8
4.4 Security Protocols and Passwords	8
5 Contact Information.....	9
5.1 EDI Customer Service.....	9
5.2 EDI Technical Assistance	10
5.3 Trading Partner Service Number	11
5.4 Applicable Websites / Email	11
6 Control Segments / Envelopes.....	11
6.1 ISA-IEA.....	13
6.2 GS-GE	14
6.3 ST-SE.....	14
7 Specific Business Rules.....	14
7.1 General Notes	14
8 Acknowledgments and Reports	15
8.1 Report Inventory.....	15
9 Trading Partner Agreement	16

10	Transaction-Specific Information.....	16
10.1	Header.....	16
10.1.1	Header and Information Source	16
10.1.2	Loop 1000A Submitter Name.....	17
10.1.3	Loop 1000B Receiver Name.....	18
10.2	Subscriber Detail.....	18
10.2.1	Loop 2000B Subscriber Hierarchical Level.....	18
10.2.2	Loop 2010BA Subscriber Name	19
10.2.3	Loop 2010BB Payer Name.....	20
10.3	Patient Detail	21
10.3.1	Loop 2300 Claim Information	21
10.3.2	Loop 2310A Attending Provider Name	22
10.3.3	Loop 2310B Operating Physician Name.....	22
10.3.4	Loop 2310C Other Operating Physician Name	23
10.3.5	Loop 2310D Rendering Provider Name	23
10.3.6	Loop 2310F Referring Provider Name	23
10.3.7	Loop 2320 Other Subscriber Information.....	24
10.3.8	Loop 2330A Other Subscriber Name	25
10.3.9	Loop 2330B Other Payer Name	25
10.3.10	Loop 2400 Service Line Number	26
10.3.11	Loop 2410 Drug Identification	27
10.3.12	Loop 2420A Operating Physician Name	27
10.3.13	Loop 2420B Other Operating Physician Name	28
10.3.14	Loop 2420C Rendering Provider Name.....	28
10.3.15	Loop 2420D Referring Provider Name.....	28
10.3.16	Loop 2430 Line Adjudication Information	29
10.3.17	Transaction Set Trailer	29
11	Appendices.....	30
11.1	Implementation Checklist.....	30
11.2	Transmission Examples.....	30
11.3	Frequently Asked Questions	31
11.4	Acronym Listing.....	31
11.5	Change Summary	32

List of Tables

Table 1 – EDI Transactions and Code Set References.....	2
Table 2 – Additional EDI Resources	3
Table 3 – Control Segments / Envelope Requirements.....	12
Table 4 – Segment / Elements Not Accepted by Medicare	14
Table 5 – Header and Information Source.....	17
Table 6 – Loop 1000A Submitter Name.....	17
Table 7 – Loop 1000B Receiver Name	18
Table 8 – Loop 2000B Subscriber Hierarchical Level	18
Table 9 – Loop 2010BA Subscriber Name	19
Table 10 – Loop 2010BB Payer Name.....	21
Table 11 – Loop 2300 Claim Information.....	21
Table 12 – Loop 2310A Attending Provider Name	22
Table 13 – Loop 2310B Operating Physician Name.....	22
Table 14 – Loop 2310C Other Operating Physician Name.....	23
Table 15 – Loop 2310D Rendering Provider Name.....	23
Table 16 – Loop 2310F Referring Provider Name.....	24
Table 17 – Loop 2320 Other Subscriber Information	24
Table 18 – Loop 2330A Other Subscriber Name.....	25
Table 19 – Loop 2330B Other Payer Name.....	26
Table 20 – Loop 2400 Service Line Number	26
Table 21 – Loop 2410 Drug Identification.....	27
Table 22 – Loop 2420A Operating Physician Name.....	27
Table 23 – Loop 2420B Other Operating Physician Name.....	28
Table 24 – Loop 2420C Rendering Provider Name.....	28
Table 25 – Loop 2420D Referring Provider Name	28
Table 26 – Loop 2430 Line Adjudication Information.....	29
Table 27 – Transaction Set Trailer	30
Table 28 – Acronyms Listing and Definitions.....	31
Table 29 – Companion Guide Version History.....	32

1 Introduction

This document is intended to provide information from the author of this guide to Trading Partners to give them the information they need to exchange Electronic Data Interchange (EDI) data with the author. This includes information about registration, testing, support, and specific information about control record setup.

An EDI Trading Partner is defined as any Medicare customer (e.g., provider/supplier, billing service, clearinghouse, or software vendor) that transmits to, or receives electronic data from Medicare. Medicare's EDI transaction system supports transactions adopted under HIPAA as well as additional supporting transactions as described in this guide.

Medicare Fee-For-Service (FFS) is publishing this Companion Guide (CG) to clarify, supplement, and further define specific data content requirements to be used in conjunction with, and not in place of, the ASC X12N Technical Report Type 3 (TR3) Version 005010 for all transactions mandated by HIPAA and/or adopted by Medicare FFS for EDI.

This CG provides communication, connectivity and transaction-specific information to Medicare FFS Trading Partners and serves as the authoritative source for Medicare FFS-specific EDI protocols.

Additional information on Medicare FFS EDI practices are referenced within Internet-only Manual (IOM) Pub. 100-04 Medicare Claims Processing Manual:

- Chapter 24 - General EDI and EDI Support, Requirements, Electronic Claims, and Mandatory Electronic Filing of Medicare Claims. This document can be accessed at <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/clm104c24.pdf>.

1.1 Scope

EDI addresses how Trading Partners exchange professional and institutional claims, claim acknowledgments, claim remittance advice, claim status inquiry and responses, and eligibility inquiry and responses electronically with Medicare. This CG also applies to ASC X12N 837I transactions that are being exchanged with Medicare by third parties such as clearinghouses, billing services or network service vendors.

This CG provides technical and connectivity specification for the 837 Health Care Claim: Institutional transaction Version 005010.

1.2 Overview

This CG includes information needed to commence and maintain communication exchange with Medicare. In addition, this CG has been written to assist you in designing and implementing ASC X12N 837I transaction standards to meet Medicare's processing standards. This information is organized in the sections listed below:

- **Getting Started:** This section includes information related to hours of operation, data services, and audit procedures. Information concerning Trading Partner registration and the Trading Partner testing process is also included in this section.
- **Testing and Certification Requirements:** This section includes detailed transaction testing information as well as certification requirements needed to complete transaction testing with Medicare.
- **Connectivity/Communications:** This section includes information on Medicare’s transmission procedures as well as communication and security protocols.
- **Contact Information:** This section includes EDI customer service, EDI technical assistance, Trading Partner services and applicable websites.
- **Control Segments/Envelopes:** This section contains information needed to create the Interchange Control Header/Trailer (ISA/IEA), Functional Group Header/Trailer (GS/GE), and Transaction Set Header/Trailer (ST/SE) control segments for transactions to be submitted to or received from Medicare.
- **Specific Business Rules and Limitations:** This section contains Medicare business rules and limitations specific to the ASC X12N 837I.
- **Acknowledgments and Reports:** This section contains information on all transaction acknowledgments sent by Medicare and report inventory.
- **Trading Partner Agreement:** This section contains information related to implementation checklists, transmission examples, Trading Partner Agreements and other resources.
- **Transaction Specific Information:** This section describes the specific CMS requirements over and above the information in the ASC X12N 837I TR3.

1.3 References

The following websites provide information for where to obtain documentation for Medicare-adopted EDI transactions and code sets.

Table 1 – EDI Transactions and Code Set References

Resource	Web Address
ASC X12N TR3s	http://store.x12.org/store/
Washington Publishing Company Health Care Code Sets	http://wpc-edi.com/Reference/

1.4 Additional Information

The website linked in the following table provides additional resources for HIPAA Version 005010 implementation:

Table 2 – Additional EDI Resources

Resource	Web Address
Medicare FFS EDI Operations	http://www.cms.gov/ElectronicBillingEDITrans/

2 Getting Started

2.1 Working Together

Noridian Healthcare Solutions (NHS) is dedicated to providing communication channels to ensure communication remains constant and efficient. NHS has several options to assist the community with their electronic data exchange needs. By using any of these methods, NHS is focused on supplying the Trading Partner community with a variety of support tools.

An EDI help desk is established for the first point of contact for basic information and troubleshooting. The help desk is available to support most EDI questions/incidents while at the same time being structured to triage each incident if more advanced research is needed. Email is also accessible as a method of communicating with NHS EDI. The email account is monitored by knowledgeable staff ready to assist you. When communicating via email, please exclude any protected health information (PHI) to ensure security is maintained. In addition to the NHS's EDI help desk and email access, see Section 5 for additional contact information.

NHS also has several external communication components in place to reach out to the Trading Partner community. NHS posts all critical updates, system issues and EDI-specific billing material to their website, <http://www.edissweb.com/cgp/>. All Trading Partners are encouraged to visit this page to ensure familiarity with the content of the site. NHS also distributes EDI-pertinent information in the form of an EDI newsletter or comparable publication, which is posted to the website every month. In addition to the website, a distribution list has been established in order to broadcast urgent messages.

Please register for NHS's EDI distribution list at <http://www.edissweb.com/cgp/>. Select News and click the link to subscribe.

Specific information about the above-mentioned items can be found in the following sections.

2.2 Trading Partner Registration

An EDI Trading Partner is any entity (provider, billing service, clearinghouse, software vendor, employer group, financial institution, etc.) that transmits electronic data to, or receives electronic data from, another entity.

Medicare FFS and NHS support many different types of Trading Partners or customers for EDI. To ensure proper registration, it is important to understand the terminology associated with each customer type:

- **Submitter** – the entity that owns the submitter ID associated with the health care data being submitted. It is most likely the Trading Partner, hospital, clinic, supplier, etc., but could also be a third

party submitting on behalf of one of these entities. However, a submitter must be directly linked to each billing National Provider Identifier (NPI). Often the terms submitter and Trading Partner are used interchangeably because a Trading Partner is defined as the entity engaged in the exchange or transmission of electronic transactions. Thus, the entity that is submitting electronic administrative transactions to NHS is a Medicare FFS Trading Partner.

- **Vendor** – an entity that provides hardware, software, and/or ongoing technical support for covered entities. In EDI, a vendor can be classified as a software vendor, billing or network service vendor, or clearinghouse.
- **Software Vendor** – an entity that creates software used by Trading Partners to conduct the exchange of electronic transactions with Medicare FFS.
- **Billing Service** – a third party that prepares and/or submits claims for a Trading Partner.
- **Clearinghouse** – a third party that submits and/or exchanges electronic transactions (claims, claim status or eligibility inquiries, remittance advice, etc.) on behalf of a Trading Partner.
- **Network Service Vendor** – a third party that provides connectivity between a Trading Partner and NHS.

Medicare requires all trading partners to complete EDI registration and the EDI Enrollment form. The EDI enrollment form designates the Medicare contractor and/or CEDI as the entity they agree to engage in for EDI and ensures agreement between parties to implement standard policies and practices to ensure the security and integrity of information exchanged. The forms can be accessed by creating an account with the Noridian EDISS Connect Registration portal at: <https://connect.edissweb.com/>

A Trading Partner's EDISS Connect profile will hold all contact and billing information as well as list vendor associations. All required forms can be printed directly from the website. EDISS Connect can also be accessed from the registration page on the Noridian EDISS website, <http://www.edissweb.com>.

Under HIPAA, EDI applies to all covered entities transmitting the following HIPAA-established administrative transactions: 837I and 837P, 835, 270/271, 276/277, and the National Council for Prescription Drug Programs (NCPDP) D.O. Additionally, Medicare Administrative Contractors (MACs) and Common Electronic Data Interchange (CEDI) will use the Interchange Acknowledgment (TA1), Implementation Acknowledgment (999), and 277 Claim Acknowledgment (277CA) error-handling transactions.

Medicare requires that NHS furnish information on EDI to new Trading Partners that request Medicare claim privileges. Additionally, Medicare requires NHS to assess the capability of entities to submit data electronically, establish their qualifications (see test requirements in Section 3), and enroll and assign submitter EDI identification numbers to those approved to use EDI.

A provider must obtain an NPI and furnish that NPI to NHS prior to completion of an initial EDI Enrollment Agreement and issuance of an initial EDI number and password by that contractor. NHS is required to verify that NPI is on the Provider Enrollment Chain and Ownership System (PECOS). If the NPI is not verified on the PECOS, the EDI Enrollment Agreement is denied, and the provider is encouraged to contact NHS enrollment department (for Medicare Part A and Part B providers) or the National Supplier Clearinghouse (for Durable

Medical Equipment [DME] suppliers) to resolve the issue. Once the NPI is properly verified, the provider can reapply the EDI Enrollment Agreement.

A provider's EDI number and password serve as an electronic signature and the provider would be liable for any improper usage or illegal action performed with it. A provider's EDI access number and password are not part of the capital property of the provider's operation and may not be given to a new owner of the provider's operation. A new owner must obtain their own EDI access number and password.

If providers elect to submit/receive transactions electronically using a third party such as a billing agent, a clearinghouse, or network services vendor, then the provider is required to have an agreement signed by that third party. The third party must agree to meet the same Medicare security and privacy requirements that apply to the provider in regard to viewing or using Medicare beneficiary data. These agreements are not to be submitted to Medicare but are to be retained by the provider. Providers will notify NHS which third party agents they will be using on their EDI Enrollment form.

Third parties are required to register with NHS by completing the third-party agreement form. This will ensure that their connectivity is completed properly, however they may need to enroll in mailing lists separately in order to receive all publications and email notifications.

Additional third-party billing information can be found at <http://www.edissweb.com/cgp/vendors/>.

The providers must also be informed that they are not permitted to share their personal EDI access number and password with any billing agent, clearinghouse, or network service vendor. Providers must also not share their personal EDI access number with anyone on their own staff who does not need to see the data for completion of a valid electronic claim, to process a remittance advice for a claim, to verify beneficiary eligibility, or to determine the status of a claim. No other non-staff individuals or entities may be permitted to use a Provider's EDI number and password to access Medicare systems. Clearinghouse and other third-party representatives must obtain and use their own unique EDI access number and password from NHS. For a complete reference to security requirements, see Section 4.4.

2.3 Trading Partner Certification and Testing Process

Noridian trading partner certification and testing is managed within the EDISS Connect website. When a trading partner registers for transactions, EDISS Connect will indicate which of the new transactions require testing. A file containing at least 10 claims must be submitted for each transaction that requires testing.

NHS EDISS will assign a unique user id and password to each Trading Partner not utilizing HTTPS connectivity. Credential information will be sent to the Trading Partner upon successful registration through EDISS Connect.

Prior to submitting a test file, please allow 10 business days from the date your direct 837 transaction was added to Connect for your testing setup to be completed.

Submit your test file. Please ensure there is a 'T' indicator in the ISA15.

Retrieve your response reports. Section 8 of this document contains specific information regarding the acknowledgement reports you will receive.

If all transmissions have been accepted, NHS will approve the transaction for production. Production status will be granted within 7-10 days of submitting a successful test file. A file is considered accepted if:

- The TA1 response report does not contain a TA104 equal to "R".
- The 999 response report does not contain contains an AK901 equal to "R".
- The 277CA response report does not contain a 2200B Rejected Quantity segment.

If rejected, the response reports will provide details on the errors in the file. Please correct the errors and resubmit your test file.

If assistance with the rejection is needed, you can contact EDISS. See section 5 for the relevant contact information.

3 Testing and Certification Requirements

3.1 Testing Requirements

All submitters must produce accurate electronic test files before being allowed to submit claim transactions in production. Test claims are subject to ASC X12N standard syntax and Implementation Guide (IG) semantic data edits. Documentation will be provided when this process detects errors.

- Standard syntax testing validates the programming of the incoming file and includes file layout, record sequencing, balancing, alpha-numeric/numeric/date file conventions, field values, and relational edits. Test files must pass 100 percent of the standard syntax tests before submission to production is approved.
- IG Semantic Data testing validates data required for claims processing, e.g., procedure/ diagnosis codes, modifiers. A submitter must demonstrate, at a minimum, 95 percent accuracy rate in data testing before submission in production is approved where, in the judgment of NHS, the vendor/submitter will make the necessary correction(s) prior to submitting a production file. For MACs, the minimum 95 percent accuracy rate includes the front-end edits applied implementation guide editing module at <http://www.edissweb.com/docs/shared/837I.pdf>.
 - Test results will be provided to the submitter within three business days; during HIPAA version transitions this time period may be extended, not to exceed ten business days.

Many submitters use the same software, or the same clearinghouse to submit their electronic transactions to Medicare. Billing Services or Clearinghouses submitting test files on behalf of providers are eligible for Blanket Approval. Once the minimum criteria have been met, no further testing will be required. All providers submitting directly to Noridian EDISS will be required to test.

Trading Partners who submit transactions directly to more than one A/B MAC must contact each A/B MAC with whom they exchange EDI transactions to inquire about the need for supplemental testing whenever they plan to begin to use an additional EDI transaction, different or significantly modified software for submission of a previously used EDI transaction, or before a billing agent or clearinghouse begins to submit transactions on behalf of an additional Trading Partner. The individual A/B MAC may need to retest at that time to re-establish compatibility and accuracy, particularly if there will also be a change in the telecommunication connection to be used.

Billing services and clearinghouses are not permitted to begin to submit or receive EDI transactions on behalf of a Trading Partner prior to submission of written authorization by the Trading Partner that the billing agent or clearinghouse has been authorized to handle those transactions on the Trading Partner’s behalf. See Section 2.2 for further information on EDI enrollment.

3.2 Certification Requirements

Medicare FFS does not certify Trading Partners. However, NHS does certify vendors, clearinghouses, and billing services by conducting testing with them and maintaining an approved vendor list that can be accessed at:

<http://www.edissweb.com/cgp/vendors/>

4 Connectivity/Communications

4.1 Process Flows




Figure 1 – NHS EDISS 837I Process Flow

All Medicare claims are collected in Noridian EDISS’s front-end processing system. Claim files go through two levels of editing. Claims that don’t pass the first level of editing are returned to Trading Partner’s in the form of a 999 acknowledgment. Claims that passed the first level of edits are moved into the CMS Combined Common Edits/Enhancements Module (CCEM) for further editing. The CCEM creates a report called the 277CA to notify Trading Partners of claims that are accepted or rejected. Clean claims from the CCEM will get passed to the Medicare payment system for processing and produce an 835 Remittance Advice.

4.2 Transmission

Access to NHS is obtained through an approved Network Service Vendor (NSV), or via SOAP/MIME protocols using an X.509 Certificate.

- Approved NSV's can be found on our website.
 - <http://www.edissweb.com/cgp/software/>
- SOAP/MIME information can be found in section 4.4
 - See Section 4.4 for a list of approved X.509 Certificate vendors.
 - The X.509 certificate will be uploaded to EDI Connect when a trading partner registers for HTTPS connectivity.

4.2.1 Re-transmission Procedures

Transmissions that have received successful 999 or 277CA acknowledgement reports should not be resubmitted unless NHS has provided specific instruction to resend the transmission. A notice will be posted via email distribution if re-transmissions are necessary.

4.3 Communication Protocol Specifications

- Utilization of a third-party Network Service Vendor (NSV)
 - A network service vendor can provide secure connectivity to NHS for the 837, 835, and 276-277 transactions. Please contact the NSV's for details about the specific products and services they offer. A list of NSV's that currently connect to NHS can be found here: <http://www.edissweb.com/cgp/software/>.
- HTTPS connectivity using SOAP or MIME
 - Trading partners can submit 276-277 transactions; and receive 835's, via HTTPS connectivity. Security is provided by an X.509 certificate. This certificate must be obtained by the submitter. See section 4.4 for more details.
 - Note: This connectivity is conducted as defined by the CORE Operating Rules. 276-277 and 835 transactions are eligible to use HTTPS. See CORE Rule 270 for more information. <https://www.caqh.org/sites/default/files/core/phase-ii/policy-rules/270-v5010.pdf>

4.4 Security Protocols and Passwords

All Trading Partners must adhere to CMS information security policies; including, but not limited to, the transmission of electronic claims, claim status, receipt of the remittance advice, or any system access to obtain beneficiary PHI and/or eligibility information. Violation of this policy will result in revocation of all methods of system access. NHS is responsible for notifying all affected Trading Partners as well as reporting the system revocation to CMS. Additional information can be found at: <https://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/CIO-Directives-and-Policies/CIO-IT-Policy-Library-Items/STANDARD-ARS-Acceptable-Risk-Safeguards.html>

NHS EDISS assigns a unique user id and password to each Trading Partner not utilizing HTTPS connectivity. Credential information will be sent to the Trading Partner upon successful registration through EDISS Connect.

Trading partners using HTTPS connectivity must utilize an X.509 certificate to secure the connection. Noridian accepts the following certificates:

Digicert

- DigiCert SHA2 Assured ID CA
- DigiCert SHA2 Secure Server CA
- DigiCert SHA2 Extended Validation Server CA
- DigiCert SHA2 High Assurance Server CA
- DigiCert Assured ID CA G2
- DigiCert Global CA G2

Entrust

- Entrust Certification Authority – L1K
- Entrust Certification Authority – L1M

Passwords are set to automatically expire every 60 days, and new passwords must follow a specific set of defined criteria. If a Trading Partner needs their password reset, procedures are in place to verify specific information within the Trading Partner profile to make sure we are providing an authorized individual with the new password.

Trading Partners are only allowed to send the electronic transactions for which they are registered for with EDISS, all other transactions will be rejected.

5 Contact Information

5.1 EDI Customer Service

Noridian EDISS provides support to our Trading Partner community through several different methods. We provide a help desk for incoming support calls, an email address to which questions can be directed, and a full service website which contains user guides and online tutorials.

Phone:

- Jurisdiction E (JE) Part A and B: 855-609-9960
- Jurisdiction F (JF) Part A and B: 877-908-8431

Fax Number:

- 701-277-7850

Hours of Operation:

- Monday - Friday 8:00 A.M. - 7:00 P.M. (CT)

Training Closure Schedule:

- <http://www.edissweb.com/cgp/contact/closures.html>

Mailing Address:

EDI Support Services

PO Box 6729

Fargo, ND 58108-6729

Email:

- support@edissweb.com

5.2 EDI Technical Assistance

Noridian EDISS is available to assist our Trading Partner community with questions on error reports, files sent, the Ability | PC-ACE software, among many other things; however, we are not able to assist with technical issues concerning networking.

Ability PC | ACE allows you to:

- Submit electronic claims
- Check claim status
- Review and print electronic remittance advice
- Track claim submission and payment

Additional information regarding Ability | PC-ACE can be found at

<http://www.edissweb.com/cgp/software/pace.html>

Phone:

- Jurisdiction E (JE) Part A and B: 855-609-9960
- Jurisdiction F (JF) Part A and B: 877-908-8431

Fax Number:

- 701-277-7850

Hours of Operation:

- Monday - Friday 8:00 A.M. - 7:00 P.M. (CT)

Training Closure Schedule:

- <http://www.edissweb.com/cgp/contact/closures.html>

Mailing Address:

EDI Support Services

PO Box 6729

Fargo, ND 58108-6729

Email

- support@edissweb.com

5.3 Trading Partner Service Number

See Section 5.2 for Trading Partner Service Number

5.4 Applicable Websites / Email

See Section 5.2 for Applicable Websites/ Email

6 Control Segments / Envelopes

Enveloping information must be as follows:

Table 3 – Control Segments / Envelope Requirements

Page #	Element	Name	Codes/Content	Notes/Comments
	ISA	Interchange Control Header		
C.4	ISA01	Authorization Information Qualifier	00	Medicare expects the value to be “00”.
C.4	ISA02	Authorization Information		ISA02 shall contain 10 blank spaces.
C.4	ISA03	Security Information Qualifier	00	Medicare expects the value to be “00” and ISA03 shall contain 2 blank spaces.
C.4	ISA04	Security Information		Medicare does not use Security Information and will ignore content sent in ISA04.
C.4	ISA05	Interchange ID Qualifier	28, ZZ	Must be “28” or “ZZ”.
C.4	ISA06	Interchange Sender ID		Noridian Assigned submitter id.
C.5	ISA07	Interchange ID Qualifier	28, ZZ	Must be “28” or “ZZ”.
C.5	ISA08	Interchange Receiver ID		Medicare Administrative Contractor (MAC) contract number for the inbound transactions. For specific numbers required for inbound transactions, please view the Carrier Code listing on the EDISS website: http://www.edissweb.com/docs/shared/carrier_codes.pdf
C.5	ISA11	Repetition Separator		Must be present.
C.5	ISA14	Acknowledgement Requested		
	GS	Functional Group Header		
C.7	GS02	Application Sender Code		Each MAC will assign its own code.

Page #	Element	Name	Codes/Content	Notes/Comments
C.7	GS03	Application Receiver Code		Each MAC will assign its own code.
C.7	GS04	Functional Group Creation Date		Must not be a future date.
C.7	GS08	Version Identifier Code	005010X223A2	Medicare expects the value to be "005010X223A2".

Interchange Control (ISA/IEA) and Function Group (GS/GE) and the Transaction (ST/SE) sets must be used as described in the TR3. Medicare’s expectations for the Control Segments and Envelopes are detailed in Sections 6.1, 6.2, and 6.3.

6.1 ISA-IEA

Delimiters – Inbound Transactions

As detailed in the TR3, delimiters are determined by the characters sent in specified, set positions of the ISA header. For transmissions inbound to Medicare FFS, these characters are determined by the submitter and can be any characters as defined in the TR3 and must not be contained within any data elements within the ISA/IEA Interchange Envelope.

Delimiters – Outbound Transactions

Trading Partners should contact NHS for a list of delimiters to expect from Medicare. Note that these characters will not be used in data elements within an ISA/IEA Interchange Envelope.

NHS utilizes the following delimiters

Table 4 – NHS Delimiters

Page #	Element
Data Element Separator	*
Repetition Separator	^
Component Element Separator	:
Segment Terminator	~

Inbound Data Element Detail and Explanation

All data elements within the ISA/IEA interchange envelope must follow ASC X12N syntax rules as defined within the TR3.

6.2 GS-GE

Functional group (GS-GE) codes are transaction-specific. Therefore, information concerning the GS/GE Functional Group Envelope can be found in Table 3.

6.3 ST-SE

Medicare FFS follows the HIPAA-adopted TR3 requirements.

7 Specific Business Rules

This section describes the specific requirements that CMS requires over and above the standard information in the TR3.

7.1 General Notes

Errors identified for business level edits performed prior to the Subscriber loop (2000B) will result in immediate file failure at that point. When this occurs, no further editing will be performed beyond the point of failure.

The billing provider must be associated with an approved electronic submitter. Claims submitted for billing providers that are not associated to an approved electronic submitter will be rejected. The following table describes segments/elements not accepted by Medicare.

Table 5 – Segment / Elements Not Accepted by Medicare

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
81	2000A	CUR	Foreign Currency Information		Medicare does not support the submission of foreign currency.
99	2010AC	Loop Rule	Pay to Plan Loop		Must not be present.
120	2010BA	REF	Subscriber Secondary Identification (REF01 = "SY")		Must not be present.
127	2010BB	REF	Payer Secondary Identification		Must not be present.

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
131	2000C	Loop Rule	Patient Hierarchical Level		Must not be present. For Medicare, the subscriber is always the same as the patient.
158	2300	CN1	Contract Information		Must not be present.
396	2330C	Loop Rule	Other Payer Attending Provider		Must not be present.
400	2330D	Loop Rule	Other Payer Operating Physician		Must not be present.
404	2330E	Loop Rule	Other Payer Other Operating Physician		Must not be present.
408	2330F	Loop Rule	Other Payer Service Facility Location		Must not be present.
412	2330G	Loop Rule	Other Payer Rendering Provider Name		Must not be present.
416	2330H	Loop Rule	Other Payer Referring Provider		Must not be present.
420	2330I	Loop Rule	Other Payer Billing Provider		Must not be present.

8 Acknowledgments and Reports

Medicare has adopted three new acknowledgement transactions with the Version 005010 implementation: the 277CA, the 999, and the TA1 segment – which provides the capability for the interchange receiver to notify the sender that a valid envelope was received or that problems were encountered with the interchange control structure. These acknowledgments will replace proprietary reports previously provided by the MACs.

Medicare FFS has adopted a process to only reject claim submissions that are out of compliance with the ASC X12N Version 005010 standard; the appropriate response for such errors will be returned on a 999. Batch submissions with errors will not be rejected in totality, unless warranted.

8.1 Report Inventory

- TA1 Interchange Acknowledgement
 - The TA1 interchange acknowledgement confirms successful receipt of an interchange or transmission.
- 999 Functional Acknowledgement

- The 999 functional acknowledgement confirms the claim file passed standard level syntax and structure editing.
- 277CA Claims Acknowledgement
 - The 277CA claims acknowledgement provides claim-level acknowledgement of all claims received.

More information regarding the above acknowledgements can be found at <http://www.edissweb.com/cgp/reports/>.

9 Trading Partner Agreement

EDI Trading Partner Agreements ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

Medicare FFS requires all Trading Partners to sign a Trading Partner Agreement with NHS. This agreement can be found while enrolling at <https://connect.edissweb.com/>.

Additionally, NHS requires trading partners to follow the registration process outlined in section 2.2.

10 Transaction-Specific Information

This section defines specific requirements that CMS requires over and above the standard information in the ASC X12N 837I TR3.

10.1 Header

The following sub-sections contain specific details for the header.

10.1.1 Header and Information Source

The following table defines specific details associated with Header and Information Source:

Table 6 – Header and Information Source

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
		ST	Transaction Set Header			
67		ST02	Transaction Set Control Number		9	The MAC will reject an interchange (transmission) that is not submitted with unique values in the ST02 (Transaction Set Control Number) elements.
		BHT	Beginning of Hierarchical Transaction			
68		BHT02	Transaction Set Purpose Code	00	2	Must equal "00" (ORIGINAL).
69		BHT06	Claim/Encounter Identifier	CH	2	Must equal "CH" (CHARGEABLE).

10.1.2 Loop 1000A Submitter Name

The following table defines specific details associated with Loop 1000A Submitter Name:

Table 7 – Loop 1000A Submitter Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	1000A	NM1	Submitter Name			
72	1000A	NM105	Submitter Middle Name or Initial		25	The first position must be alphabetic (A-Z).
72	1000A	NM109	Submitter ID		80	The MAC will reject an interchange (transmission) that is submitted with a submitter identification number that is not authorized for electronic claim submission. Submitter ID must match the value submitted in ISA06 and GS02.

10.1.3 Loop 1000B Receiver Name

The following table defines specific details associated with Loop 1000B Receiver Name.

Table 8 – Loop 1000B Receiver Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	1000B	NM1	Receiver Name			
77	1000B	NM103	Receiver Name		60	
77	1000B	NM109	Receiver Primary Identifier		80	The MAC will reject an interchange (transmission) that is not submitted with a valid Part A MAC code. Each individual MAC determines this identifier. Submitter ID must match the value submitted in ISA08 and GS03.

10.2 Subscriber Detail

The following sub-sections contain specific requirements for the Subscriber Detail.

10.2.1 Loop 2000B Subscriber Hierarchical Level

The following table defines specific details associated with Loop 2000B Subscriber Hierarchical Level.

Table 9 – Loop 2000B Subscriber Hierarchical Level

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2000B	HL	Subscriber Hierarchical Level			
108	2000B	HL04	Hierarchical Child Code	0	1	The value accepted is "0".
	2000B	SBR	Subscriber Information			

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
109	2000B	SBR01	Payer Responsibility Sequence Number Code	P, S, T	1	The values accepted are “P” or “S” or “T”.
110	2000B	SBR02	Individual Relationship Code	18	2	For Medicare, the subscriber is always the same as the patient.
110	2000B	SBR09	Claim Filing Indicator Code	MA	2	For Medicare, the subscriber is always the same as the patient.

10.2.2 Loop 2010BA Subscriber Name

The following table defines specific details associated with Loop 2010BA Subscriber Name.

Table 10 – Loop 2010BA Subscriber Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2010BA	NM1	Subscriber Name			
113	2010BA	NM102	Subscriber Entity Type Qualifier	1	1	The value accepted is “1”.
113	2010BA	NM105	Subscriber Middle Name or Initial		25	The first position must be alphabetic (A-Z).
114	2010BA	NM108	Subscriber Identification Code Qualifier	MI	2	The value accepted is “MI”.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
114	2010BA	NM109	Subscriber Primary Identifier		80	<p>If a Medicare Health Insurance Claim Number (HICN): Must be 10 – 11 positions in the format of NNNNNNNNNA or NNNNNNNNNAA or NNNNNNNNNAN where “A” represents an alpha character and “N” represents a numeric digit.</p> <p>If Railroad IDs: must be 7 – 12 positions in the format of ANNNNNNN, AANNNNNN, ANNNNNNNNN, AANNNNNNNNN, AAANNNNNNNN, or AAANNNNNNNNN where “A” represents an alpha character and “N” represents a numeric digit.</p> <p>If MBI: must be 11 positions in the format of C A AN N A AN N A A N N where “C” represents a constrained numeric 1 thru 9, “A” represents alphabetic character A – Z but excluding S, L, O, I, B, Z, “N” represents numeric 0 thru 9, and “AN” represents either “A” or “N”.</p>
	2010BA	DMG	Subscriber Demographic Information			
118	2010BA	DMG02	Subscriber Birth Date		35	Must not be a future date.

10.2.3 Loop 2010BB Payer Name

The following table defines specific details associated with Loop 2010BB Payer Name.

Table 11 – Loop 2010BB Payer Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2010BB	NM1	Payer Name			
123	2010BB	NM108	Payer Identification Code Qualifier	PI	2	The value accepted is "PI".

10.3 Patient Detail

The following sub-sections contain specific requirements for the Patient Detail.

10.3.1 Loop 2300 Claim Information

The following table defines specific details associated with Loop 2300 Claim Information.

Table 12 – Loop 2300 Claim Information

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2300	CLM	Claim Information			
144	2300	CLM01	Patient Control Number		38	Only 20 characters will be stored and returned by Medicare.
145	2300	CLM02	Total Claim Charge Amount		10	When Medicare is primary payer, CLM02 must equal the sum of all SV203 service line charge amounts. When Medicare is Secondary or Tertiary payer, Total Submitted Charges (CLM02) must equal the sum of all 2320 & 2430 CAS amounts and the 2320 AMT02 (AMT01= "D").
147	2300	CLM20	Delay Reason Code		2	Data submitted in CLM20 will not be used for processing.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2300	DTP	Date Elements			
148	2300	DTP03	Admission Date			Must not be a future date.
149	2300	DTP03	Discharge Hour			Must be in format HHMM.MM
	2300	PWK	Claim Supplement Information			Only the first iteration of the PWK, at either the claim level and/or line level, will be considered in the claim adjudication.
156	2300	PWK02	Attachment Transmission Code	BM, FX, FT, EL	2	Must be "BM", "FX", "FT", or "EL".

10.3.2 Loop 2310A Attending Provider Name

The following table defines specific details associated with Loop 2310A Attending Provider Name.

Table 13 – Loop 2310A Attending Provider Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2310A	NM1	Attending Provider Name			
320	2310A	NM105	Attending Provider Middle Name		25	The first position must be alphabetic (A-Z).

10.3.3 Loop 2310B Operating Physician Name

The following table defines specific details associated with Loop 2310B Operating Physician Name.

Table 14 – Loop 2310B Operating Physician Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2310B	NM1	Operating Physician Name			

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
327	2310B	NM105	Operating Physician Middle Name		25	The first position must be alphabetic (A-Z).

10.3.4 Loop 2310C Other Operating Physician Name

The following table defines specific details associated with Loop 2310C Other Operating Physician Name.

Table 15 – Loop 2310C Other Operating Physician Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2310C	NM1	Other Operating Physician Name			
332	2310C	NM105	Other Operating Physician Middle Name		25	The first position must be alphabetic (A-Z).

10.3.5 Loop 2310D Rendering Provider Name

The following table defines specific details associated with Loop 2310D Rendering Provider Name.

Table 16 – Loop 2310D Rendering Provider Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2310D	NM1	Rendering Provider Name			
337	2310D	NM105	Rendering Provider Middle Name		25	The first position must be alphabetic (A-Z).

10.3.6 Loop 2310F Referring Provider Name

The following table defines specific details associated with Loop 2310E Referring Provider Name.

Table 17 – Loop 2310F Referring Provider Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2310F	NM1	Referring Provider Name			
350	2310F	NM105	Referring Provider Middle Name		25	The first position must be alphabetic (A-Z).
	2310F	REF	Referring Provider Name Secondary Identification			Must not be present (non-VA contractors). Submission of this segment will cause your claim to reject.

10.3.7 Loop 2320 Other Subscriber Information

The following table defines specific details associated with Loop 2320 Other Subscriber Information.

Table 18 – Loop 2320 Other Subscriber Information

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2320	SBR	Other Subscriber Information			
355	2320	SBR01	Payer Responsibility Sequence Number Code		1	The SBR must contain a different value in each iteration of the SBR01. Each value may only be used one time per claim.
356	2320	SBR09	Claim Filing Indicator Code		2	The value cannot be “MA” or “MB”.
	2320	CAS	Claim Level Adjustments			CAS segment must not be present when 2000B SBR01 = “P”.
	2320	AMT	Coordination of Benefits (COB) Payer Paid Amount			

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
364	2320	AMT01	COB Payer Paid Amount	D		Medicare requires that one occurrence of 2320 loop with an AMT segment where AMT01 = "D" must be present when 2000B SBR01 = "S".

10.3.8 Loop 2330A Other Subscriber Name

The following table defines specific details associated with Loop 2330A Other Subscriber Name.

Table 19 – Loop 2330A Other Subscriber Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2330A	NM1	Other Subscriber Name			
378	2330A	NM105	Other Insured Middle Name			The first position must be alphabetic (A-Z).
	2330A	REF	Other Subscriber Secondary Identification			
383	2330A	REF02	Other Insured Additional Identifier		9	Must be 9 digits with no punctuation. First 3 digits cannot be higher than "272". Digits 1-3, 4-5, and 6-9 cannot be zeros.

10.3.9 Loop 2330B Other Payer Name

The following table defines specific details associated with Loop 2330B Other Payer Name.

Table 20 – Loop 2330B Other Payer Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2330B	DTP	Claim Check or Remittance Date			
389	2330B	DTP03	Adjudication or Payment Date		35	Must not be a future date.

10.3.10 Loop 2400 Service Line Number

The following table defines specific details associated with Loop 2400 Service Line Number.

Table 21 – Loop 2400 Service Line Number

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2400	LX	Service Line Number			
423	2400	LX01	Assigned Number			LX01 must be greater than zero and less than or equal to “449”. An individual claim with service lines greater than “449” will be rejected (However, the transmission of claims will be accepted, per HIPAA).
	2400	SV2	Institutional Service			
425	2400	SV202-1	Product or Service ID Qualifier	HC, HP	2	Must be “HC” or “HP”.
426	2400	SV202-2	Procedure Code			If A0427, A0428 (with a QL modifier in SV202-3, SV202-4, SV202-5, or SV202-6), A0425, A0429, A0430, A0431, A0432, A0433, A0434, A0435, A0488, or A0436 (non-scheduled transportation claim) are the only codes present, 2310A NM1 must not be preset. Otherwise, 2310A NM1 must

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
						be present.
427	2400	SV203	Line Item Charge Amount		10	SV203 must be greater than zero. SV203's decimal positions are limited to 0, 1, or 2.
428	2400	SV205	Quantity		15	SV205 must be greater than zero and less than or equal to "999,999.9". Must be 0 or 1 decimal position.
	2400	DTP	Service Date			
434	2400	DTP03	Service Date		35	Must not be a future date.

10.3.11 Loop 2410 Drug Identification

The following table defines specific details associated with Loop 2410 Drug Identification.

Table 22 – Loop 2410 Drug Identification

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2410	CTP	Drug Quantity			
452	2410	CTP04	National Drug Unit Count		15	CTP04 must be greater than "0" and less than or equal to "9,999,999.999". CTP04 is limited to up to 3 decimal positions.

10.3.12 Loop 2420A Operating Physician Name

The following table defines specific details associated with Loop 2420A Operating Physician Name.

Table 23 – Loop 2420A Operating Physician Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2420A	NM1	Operating Physician Name			

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
457	2420A	NM105	Operating Physician Middle Name			The first position must be alphabetic (A-Z).

10.3.13 Loop 2420B Other Operating Physician Name

The following table defines specific details associated with Loop 2420B Other Operating Physician Name.

Table 24 – Loop 2420B Other Operating Physician Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2420B	NM1	Other Operating Physician Name			
462	2420B	NM105	Other Operating Physician Middle Name			The first position must be alphabetic (A-Z).

10.3.14 Loop 2420C Rendering Provider Name

The following table defines specific details associated with Loop 2420C Rendering Provider Name.

Table 25 – Loop 2420C Rendering Provider Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2420C	NM1	Rendering Provider Physician Name			
467	2420C	NM105	Rendering Provider Middle Name			The first position must be alphabetic (A-Z).

10.3.15 Loop 2420D Referring Provider Name

The following table defines specific details associated with Loop 2420D Referring Provider Name.

Table 26 – Loop 2420D Referring Provider Name

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2420D	NM1	Referring Provider Name			

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
472	2420D	NM105	Referring Provider Middle Name			The first position must be alphabetic (A-Z).

10.3.16 Loop 2430 Line Adjudication Information

The following table defines specific details associated with Loop 2430 Line Adjudication Information.

Table 27 – Loop 2430 Line Adjudication Information

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2430	SVD	Line Adjudication Information			
477	2430	SVD03	Product/Service ID Qualifier	HC, HP	2	Must be “HC” or “HP”.
479	2430	SVD05	Quantity		15	Must be greater than zero. Must be less than or equal to “999,999.9”. Must be 0 or 1 decimal position.
479	2430	SVD06	Bundled Line Number		6	Must be an integer (no decimals).
	2430	DTP	Line Check or Remittance Date			
486	2430	DTP03	Line Check/Remit Date		35	Must not be a future date.

10.3.17 Transaction Set Trailer

The following table defines specific details associated with the Transaction Set Trailer.

Table 28 – Transaction Set Trailer

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
		SE	Transaction Set Trailer			
496		SE02	Transaction Set Control Number		9	Must have the same value as ST02. Must be greater than zero.

11 Appendices

11.1 Implementation Checklist

Register in EDISS Connect

- Section 2.2 can assist with registering via EDISS Connect.

Sign up for the newsletter

- Section 2.1 contains instructions for subscribing to the EDISS newsletter.

Electronically sign Enrollment Form

- The Enrollment form is signed as part of the EDISS Connect registration process. Section 2.2 and Section 9 contain additional information regarding the Enrollment Form.

Test the transaction (Only required for 837 transactions)

- Section 3 details testing policies and procedures.

Noridian EDISS created a guide on our website for providers transitioning to electronic transactions.

<http://www.edissweb.com/cgp/registration/>

11.2 Transmission Examples

999

ISA*00* *00* *ZZ*02402 *ZZ*ID99999 *YYMMDD*HHMM*^*00501*999999999*0*P*:~

GS*FA*02402* ID99999*YYYYMMDD*HHMM*1632*X* 005010X231A1~

GE*1*1632~

IEA*1*999999999~

277CA

ISA*00* *00* *ZZ*02402 *ZZ*ID99999 *YYMMDD*HHMM*^*00501*999999999*0*P*:~

GS*HN*02402* ID99999*YYYYMMDD*HHMM*1632*X* 005010X214~

GE*1*1632~

IEA*1*999999999~

11.3 Frequently Asked Questions

Frequently asked questions can be accessed at http://www.edissweb.com/docs/shared/edi_faq.pdf.

11.4 Acronym Listing

Table 29 – Acronyms Listing and Definitions

Acronym	Definition
277CA	277 Claim Acknowledgement
999	Implementation Acknowledgment
CAQH CORE	Council for Affordable Quality Healthcare - Committee on Operating Rules for Information Exchange
CCEM	Combined Common Edits/Enhancements Module
CG	Companion Guide
CMS	Centers for Medicare & Medicaid Services
EDI	Electronic Data Interchange
FFS	Medicare Fee-For-Service
FISMA	Federal Information Security Management Act
GS/GE	GS – Functional Group Header / GE – Functional Group Trailer
HICN	Health Insurance Claim Number
HIPAA	Health Insurance Portability and Accountability Act of 1996

Acronym	Definition
IG	Implementation Guide
IOM	Internet-only Manual
ISA/IEA	ISA – Interchange Control Header / IEA – Interchange Control Trailer
MAC	Medicare Administrative Contractor
NCPDP	National Council for Prescription Drug Programs
NPI	National Provider Identifier
PECOS	Provider Enrollment Chain and Ownership System
PHI	Protected Health Information
ST/SE	ST – Transaction Set Header / SE – Transaction Set Trailer
TA1	Interchange Acknowledgment
TR3	Technical Report Type 3
X12	A standards development organization that develops EDI standards and related documents for national and global markets (See: http://www.x12.org/)
X12N	Insurance subcommittee of X12

11.5 Change Summary

The following table details the version history of this CG.

Table 30 – Companion Guide Version History

Version	Date	Section(s) Changed	Change Summary
1.0	November 5, 2010	All	Initial Draft
2.0	January 3, 2011	All	1 st Publication Version
3.0	April 2011	6.0	2 nd Publication Version
4.0	September 2015	All	3 rd Publication Version
5.0	March 2019	All	4 th Publication Version
6.0	June 2019	2.2, 3.1, 5.1, 5.2, 11.3	5 th Publication Version Hyperlinks in the listed sections were updated.