

# Local Coverage Determination (LCD): MoIDX-CDD: Decipher® Prostate Cancer Classifier Assay (L36345)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

## Contractor Information

Contractor Name	Contract Type	Contract Number	Jurisdiction	State(s)
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	02101 - MAC A	J - F	Alaska
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	02102 - MAC B	J - F	Alaska
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	02201 - MAC A	J - F	Idaho
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	02202 - MAC B	J - F	Idaho
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	02301 - MAC A	J - F	Oregon
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	02302 - MAC B	J - F	Oregon
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	02401 - MAC A	J - F	Washington
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	02402 - MAC B	J - F	Washington
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03101 - MAC A	J - F	Arizona
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03102 - MAC B	J - F	Arizona
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03201 - MAC A	J - F	Montana
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03202 - MAC B	J - F	Montana
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03301 - MAC A	J - F	North Dakota
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03302 - MAC B	J - F	North Dakota
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03401 - MAC A	J - F	South Dakota
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03402 - MAC B	J - F	South Dakota
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03501 - MAC A	J - F	Utah
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03502 - MAC B	J - F	Utah
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03601 - MAC A	J - F	Wyoming
<a href="#">Noridian Healthcare Solutions, LLC</a>	A and B MAC	03602 - MAC B	J - F	Wyoming

[Back to Top](#)

## LCD Information

### Document Information

LCD ID L36345	Original Effective Date For services performed on or after 10/15/2015
LCD Title MoIDX-CDD: Decipher® Prostate Cancer Classifier Assay	Revision Effective Date For services performed on or after 11/17/2016
AMA CPT / ADA CDT / AHA NUBC Copyright Statement CPT only copyright 2002-2016 American Medical Association. All Rights Reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.	Revision Ending Date N/A
	Retirement Date N/A
	Notice Period Start Date 08/30/2015
	Notice Period End Date 10/14/2015

The Code on Dental Procedures and Nomenclature (Code) is published in Current Dental Terminology (CDT). Copyright © American Dental Association. All rights reserved. CDT and CDT-2016 are trademarks of the American Dental Association.

UB-04 Manual. OFFICIAL UB-04 DATA SPECIFICATIONS MANUAL, 2014, is copyrighted by American Hospital Association ("AHA"), Chicago, Illinois. No portion of OFFICIAL UB-04 MANUAL may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior express, written consent of AHA." Health Forum reserves the right to change the copyright notice from time to time upon written notice to Company.

CMS National Coverage Policy Title XVIII of the Social Security Act (SSA), §1862(a)(1)(A), states that no Medicare payment shall be made for items or services that "are not reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member."

Title XVIII of the Social Security Act, §1833(e), prohibits Medicare payment for any claim lacking the necessary documentation to process the claim.

42 Code of Federal Regulations (CFR) §410.32 Diagnostic x-ray tests, diagnostic laboratory tests, and other diagnostic tests: Conditions.

CMS Internet-Only Manuals, Publication 100-04, *Medicare Claims Processing Manual*, Ch. 16, §50.5 Jurisdiction of Laboratory Claims, §60.12 Independent Laboratory Specimen Drawing, §60.2. Travel Allowance.

Coverage Guidance

### **Coverage Indications, Limitations, and/or Medical Necessity**

### **Coverage Indications, Limitations, and/or Medical Necessity**

Noridian will provide limited coverage for the Decipher® prostate cancer classifier assay (GenomeDX Biosciences Corp) when used to determine which patients traditionally considered high risk of recurrence after radical prostatectomy (RP) may be closely followed rather than receive post-operative radiation therapy (XRT).

### **Background**

In 2014 the estimated new cases of prostate cancer is 233,000 which represents 14% of all new cancer diagnosis. More than 29,000 men will die from this disease representing 5% of all cancer deaths. Gratefully 98.9% of men are surviving at 5 years.

Many individuals do not need treatment for their prostate cancer in as much as their prognosis is excellent even without treatment. Physicians and patients struggle to know who can safely be observed versus the subgroup that needs more aggressive treatment to achieve cure.

Traditionally, clinicopathologic characteristics are utilized to determine risk and subsequent treatment. Nearly 50% of men with prostate cancer treated with surgery will have adverse pathology or subsequent PSA rise and are, therefore, considered at increased risk for developing biochemical recurrence (BCR) and ultimately metastatic disease. This represents around 40,000 American men each year. The standard of care for these men is, according to AUA/ASTRO and NCCN clinical practice guidelines, 6-8 weeks of daily postoperative XRT. This recommendation is based on the results of three randomized phase III studies where men who were considered higher risk for BCR were randomized to radiation versus observation. As a group the men who received radiation did better overall, yet approximately 50% of the men in the control group had excellent prognosis without XRT. In the radiation group there was an increase in both acute and chronic adverse events such as rectal complications, urethral strictures and urinary incontinence.

The identification of the subgroup of men who do not need XRT is important. However, prospective studies of outcomes of early prostate cancer (especially where there is a non-intervention arm) will take decades to complete.

### **Decipher® Prostate Cancer Classifier Assay**

## Test Description

The Decipher® prostate cancer assay, a 22-biomarker expression signature using oligonucleotide microarray technology, interrogates 1.4 million RNAs extracted from a formalin-fixed paraffin embedded (FFPE) tissue block of the index lesion (defined by highest tumor stage or histological Gleason grade) from the RP specimen. The biomarkers that comprise the Decipher classifier include cell cycle progression, androgen signaling, cell adhesion, tumor cell motility, migration and immune evasion functions.

## Test Performance

The clinical performance of this assay was assessed in several blinded, retrospective, clinical validation studies, enrolling more than 1200 patients. Validation studies included a wide diversity of patients with intermediate or high-risk prostate cancer who underwent RP, many of whom subsequently developed metastatic disease.

## Clinical Trials

In a cohort of patients status-post RP with high-risk features (PSA > 20 or GS ≥8) 11% of men received adjuvant XRT and 34% received adjuvant hormone therapy, although it is unclear which patients received salvage RT. In this high-risk population which was largely untreated by adjuvant therapy, the overall risk of metastases was only 7.2% at 10 years. Decipher® classifier (GC) scores of <0.4 (low) demonstrated a <5% risk of developing metastasis at 10 years, where the > 0.6 group (high risk) had over a 25% risk.

In another study with similar inclusion criteria to the previous study, but with men who had developed BCR. Of the men that developed metastatic disease, only 16% of men received adjuvant XRT (43% received salvage XRT) and 57% of these men received adjuvant androgen deprivation. Despite an imbalance between the non-metastasis and metastasis groups, as would be expected in a retrospective study, the Decipher GC showed that men with a high GC score (≥0.4) had a 8 year risk of metastatic disease of > 50% where as those with a GC score of <0.4 had a risk of metastatic disease of approximately 10%.

In another study with similar inclusion criteria as the first trial, men with pT3b disease were included. In the men eventually dying of metastatic prostate cancer, 14% received adjuvant therapy compared to 34% in the non-cancer death group. The Decipher® GC score showed similar results. Additionally, these authors showed that there was no statistical correlation that adjuvant therapy improved outcomes.

The Decipher GC score on multivariate analysis, has been shown to be the strongest predictor of development of biochemical failure, metastasis or death and outperforms clinicopathologic characteristics currently used in standard practice (including preoperative PSA, Gleason score, surgical findings at time of RP) to determine who is at risk of developing distant metastasis after RP.

The strength of this data is the consistency with which the Decipher GC score predicts metastasis across intermediate or high-risk patients who may or may not have had a BCR. There are heterogeneities in the patients included in the analysis both inside the trials and between trials. While a prospective trial with randomization and treatment based on the Decipher GC score would solve these biases, and recognizing that long-term prospective data would require 10 years or more, Noridian and the CMS MoIDX Contractor believe that clinical utility can be extrapolated from these robust retrospective clinical validity trials.

When applying retrospective analysis to prospective treatment there is the fear that the treatment that normally would have been given is altered based on a test result. Consequently, education on the appropriate use of this test and resulting treatment outcomes must be clearly understood by ordering physicians.

## Professional Society Opinion

In the 2015 National Comprehensive Cancer Network (NCCN) prostate cancer guidelines, NCCN noted the following: "Men with clinically localized disease could consider use of a tumor-based molecular assay to stratify better risk of adverse pathology at radical prostatectomy or disease-specific mortality after radical prostatectomy."

## Criteria for Coverage

The Decipher GC assay is covered only when the following clinical conditions are met:

- Patient with prostate cancer who has undergone a RP within the previous 60 months and is being considered for postoperative secondary therapy due to one or more cancer-recurrence risk factors, **and**
- Patient must have achieved initial PSA nadir (defined as undetectable PSA) within 30 days of RP surgery, **and**
- Patient must not have any evidence of distant metastasis, **and**

- Patient must not have received any neo-adjuvant treatment prior to surgery, **and**
- Decipher GC is performed on a patient's RP specimen, **and**
- Patient's surgical pathology report or medical records must have documented presence of adverse pathology:
  - Pathological stage T2 disease with a positive surgical margin, or
  - Pathological stage T3 disease (e.g., extraprostatic extension, seminal vesicle invasion, bladder neck invasion), or
  - Rising PSA after initial PSA nadir, **and**
- Testing has been ordered by a physician who is certified in the GenomeDX Decipher Certification and Training Registry (CTR)

## **Certification and Training Registry (CTR) Program**

Because of the complicated nature of management decisions utilizing the Decipher assay and the potential for missing prostate cancer that could be salvaged with appropriate management at the appropriate time, testing must be furnished only by physicians who are enrolled in a MoIDx approved CTR program. The GenomeDX CTR program serves as a control to assure the appropriate selection of patients, compliance with management decisions and stringent follow up to ensure the benefits of the test outweigh its risks. As part of this requirement GenomeDX will provide reports every 6 months to the MoIDx Contractor.

The goals of the GenomeDX Certification and Training Program are as follows:

- To ensure that physicians understand the limitations of the test based on its validation through retrospective and heterogeneous patient populations, and
- To inform prescribers and patients on the safe-use conditions for Decipher, and
- To avoid missing clinically relevant development of metastatic prostate cancer or cancer related death with associated increased morbidity and mortality in Decipher low risk patients

Noridian expects GenomeDX to:

- Establish and maintain the Decipher Certification and Training Registry (CTR);
- Ensure that healthcare providers who order the Decipher classifier are registered and certified in the GenomeDX Decipher CTR program and that the Decipher classifier assay is available only through these providers;
- Maintain a secure registry database of GenomeDX Decipher CTR providers
- Immediately report any distant metastases or prostate cancer-related deaths in Decipher GC low risk patients;
- Apprise the MoIDx Contractor of all registry or trial results on Decipher on an annual basis;
- Share all required data and reports in a HIPAA compliant fashion

[Back to Top](#)

---

## **Coding Information**

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

N/A

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report

this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

N/A

CPT/HCPCS Codes

**Group 1 Paragraph:** N/A

**Group 1 Codes:**

81479 UNLISTED MOLECULAR PATHOLOGY PROCEDURE

ICD-10 Codes that Support Medical Necessity

**Group 1 Paragraph:** N/A

**Group 1 Codes:**

<b>ICD-10 Codes</b>	<b>Description</b>
C61	Malignant neoplasm of prostate

ICD-10 Codes that DO NOT Support Medical Necessity N/A

ICD-10 Additional Information

[Back to Top](#)

---

## [General Information](#)

Associated Information

N/A

Sources of Information and Basis for Decision

References

1. Abdueva D, Wing M, Schaub B, et al: Quantitative expression profiling in formalin-fixed paraffin-embedded samples by affymetrix microarrays. *J Mol Diagn* 12:409-17, 2010.
2. ASCO guidelines Nov 2014
3. Bolla M, van Poppel H, Collette L, et al: Postoperative radiotherapy after radical prostatectomy: a randomised controlled trial (EORTC trial 22911). *The Lancet* 366:572-578, 2005.
4. Cooperberg MR, Davivioni E, Crisan A, et al. Combined Value of Validated Clinical and Genomic Risk Stratification Tools for Predicting Prostate Cancer Mortality in a High-risk Prostatectomy Cohort. *Eur Urol* doi: 10.1016/j.eururo.2014.05.039., 2014.
5. Den RD, Feng FY, Showalter TN, et al: A Genomic Prostate Cancer Classifier predicts Biochemical Failure and Metastasis in Patients Following Post Operative Radiation Therapy. *Int J Radiat Oncol Biol Phys* 89(5): 1038-46, 2014.
6. Den RD, Yousefi K, Trabulsi EJ, et al: Genomic Classifier Identifies Men With Adverse Pathology After Radical Prostatectomy Who Benefit From Adjuvant Radiation Therapy *J Clin Oncol* DOI: 10.1200/JCO.2014.59.0026
7. Erho N, Crisan A, Vergara IA, et al: Discovery and Validation of a Prostate Cancer Genomic Classifier that Predicts Early Metastasis Following Radical Prostatectomy. *PLoS One* 8:e66855, 2013.
8. Freedland SJ, Rumble RB, Finelli A, et al: Adjuvant and Salvage Radiotherapy After Prostatectomy: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. DOI: 10.1200/JCO.2014.58.8525
9. <http://seer.cancer.gov/statfacts/html/prost.html>, 2014.

10. Karnes RJ, Bergstralh EJ, Davicioni E, et al: Validation of a Genomic Classifier that Predicts Metastasis Following Radical Prostatectomy in an At Risk Patient Population. J Urol 190:2047-53, 2013.
11. Klein E, Yousefi K, Haddad Z, et al: A Genomic Classifier Improves Prediction of Metastatic Disease Within 5 Years After Surgery in Node-negative High-risk Prostate Cancer Patients Managed by Radical Prostatectomy Without Adjuvant Therapy. Eur Urol (2014), <http://dx.doi.org/10.1016/j.eururo.2014.10.036>
12. Mason J, Dicker A, Buerki C, et al: Evaluating the clinical impact of a genomic classifier in prostate cancer using individualized decision analysis.
13. NCCN Clinical Guidelines in Oncology (NCCN Guideline). Prostate Cancer. v1 2015.
14. Ross AE, Feng FY, Ghadessi M, et al: A genomic classifier predicting metastatic disease progression in men with biochemical recurrence after prostatectomy. Pros Can Pros Dis 17:64-9, 2014
15. Thompson IM, Jr., Tangen CM, Paradelo J, et al: Adjuvant radiotherapy for pathologically advanced prostate cancer: a randomized clinical trial. JAMA 296:2329-35, 2006.
16. Thompson IM, Valicenti RK, Albertsen P, et al: Adjuvant and Salvage Radiotherapy After Prostatectomy: AUA/ASTRO Guideline. J Urol 190:441-449, 2013.
17. Wiegel T, Bottke D, Steiner U, et al: Phase III postoperative adjuvant radiotherapy after radical prostatectomy compared with radical prostatectomy alone in pT3 prostate cancer with postoperative undetectable prostate-specific antigen: ARO 96-02/AUO AP 09/95. J Clin Oncol 27:2924-30, 2009.

[Back to Top](#)

---

## [Revision History Information](#)

Revision History Date	Revision History Number	Revision History Explanation	Reason(s) for Change
11/17/2016	R3	This final LCD, effective 10/15/2015, combines JFA L36341 into the JFB LCD L36345 so that both JFA and JFB contract numbers will have the same final MCD LCD number.	<ul style="list-style-type: none"> <li>• Creation of Uniform LCDs Within a MAC Jurisdiction</li> </ul>
10/15/2015	R2	LCD is revised to add "CDD" (Coverage with Data Development) to the title identifying LCDs which are coverage requiring data development.	<ul style="list-style-type: none"> <li>• Creation of Uniform LCDs With Other MAC Jurisdiction</li> </ul>
10/15/2015	R1	Removed "No comments were received for comment period ending 03/30/2015" from the Associated Information section.	<ul style="list-style-type: none"> <li>• Typographical Error</li> </ul>

[Back to Top](#)

---

## [Associated Documents](#)

Attachments N/A

Related Local Coverage Documents Article(s) [A54633 - Response to Comments: MoIDX: Decipher Prostate Cancer Classifier Assay](#)

Related National Coverage Documents N/A

Public Version(s) Updated on 11/13/2016 with effective dates 11/17/2016 - N/A [Updated on 11/30/2015 with effective dates 10/15/2015 - 11/16/2016](#) Updated on 08/21/2015 with effective dates 10/15/2015 - N/A [Updated on 08/07/2015 with effective dates 10/15/2015 - N/A](#) [Back to Top](#)

---

## [Keywords](#)

- decipher
- prostate
- MoIDX
- assay
- GenomeDX

Read the [LCD Disclaimer](#) [Back to Top](#)